

In the format provided by the authors and unedited.

Disruption of the beclin 1–BCL2 autophagy regulatory complex promotes longevity in mice

Álvaro F. Fernández^{1,2,9}, Salwa Sebtí^{1,2,9}, Yongjie Wei^{1,2,3}, Zhongju Zou^{1,2,3}, Mingjun Shi⁴, Kathryn L. McMillan⁴, Congcong He⁵, Tabitha Ting^{1,2}, Yang Liu^{1,2,3}, Wei-Chung Chiang^{1,2}, Denise K. Marciano², Gabriele G. Schiattarella², Govind Bhagat⁶, Orson W. Moe^{2,4,7}, Ming Chang Hu^{2,4*} & Beth Levine^{1,2,3,8*}

¹Center for Autophagy Research, University of Texas Southwestern Medical Center, Dallas, TX, USA. ²Department of Internal Medicine, University of Texas Southwestern Medical Center, Dallas, TX, USA. ³Howard Hughes Medical Institute, University of Texas Southwestern Medical Center, Dallas, TX, USA. ⁴Charles and Jane Pak Center for Mineral Metabolism and Clinical Research, University of Texas Southwestern Medical Center, Dallas, TX, USA. ⁵Department of Cell and Molecular Biology, Feinberg School of Medicine, Northwestern University, Chicago, IL, USA. ⁶Department of Pathology and Cell Biology, Columbia University Medical Center and New York Presbyterian Hospital, New York, NY, USA. ⁷Department of Physiology, University of Texas Southwestern Medical Center, Dallas, TX, USA. ⁸Department of Microbiology, University of Texas Southwestern Medical Center, Dallas, TX, USA. ⁹These authors contributed equally: Álvaro F. Fernández, Salwa Sebtí. *e-mail: ming-chang.hu@utsouthwestern.edu; beth.levine@utsouthwestern.edu

Figure 1a





Figure 1e



Note : Boxes represent the cropped images shown in the indicated figures and extended figures.
Molecular weights are in kDa

Figure 4a








Figure 4c




Extended Data Figure 2a




Extended Data Figure 2d



Extended Data Figure 3a



Extended Data Figure 3c



Extended Data Figure 5

