

In the format provided by the authors and unedited.

RB constrains lineage fidelity and multiple stages of tumour progression and metastasis








David M. Walter^{1,2,9}, Travis J. Yates^{1,9}, Miguel Ruiz-Torres^{1,9}, Caroline Kim-Kiselak¹, A. Andrea Gudiel¹, Charuhas Deshpande^{3,4}, Walter Z. Wang⁵, Michelle Cicchini¹, Kate L. Stokes¹, John W. Tobias^{4,6}, Elizabeth Buza⁷ & David M. Feldser^{1,2,4,8*}

¹Department of Cancer Biology, Perelman School of Medicine, University of Pennsylvania, Philadelphia, PA, USA. ²Cell and Molecular Biology Graduate Program, Perelman School of Medicine, University of Pennsylvania, Philadelphia, PA, USA. ³Department of Pathology & Laboratory Medicine, Perelman School of Medicine, University of Pennsylvania, Philadelphia, PA, USA. ⁴Abramson Cancer Center, University of Pennsylvania, Perelman School of Medicine, Philadelphia, PA, USA. ⁵Vagelos Scholars Program, School of Arts and Sciences, University of Pennsylvania, Philadelphia, PA, USA. ⁶Penn Genomic Analysis Core, Perelman School of Medicine, University of Pennsylvania, Philadelphia, PA, USA. ⁷Department of Pathobiology, School of Veterinary Medicine, University of Pennsylvania, Philadelphia, PA, USA. ⁸Abramson Family Cancer Research Institute, Perelman School of Medicine, University of Pennsylvania, Philadelphia, PA, USA. ⁹These authors contributed equally: David M. Walter, Travis J. Yates, Miguel Ruiz-Torres. *e-mail: dfeldser@upenn.edu







Raw data associated with Fig. 1e,f,g,h,i; Fig. 2b,c,d,e,g,i,j; Fig. 3a,b,c,e,f,g; Fig. 4c,e,f,g,h; ED Fig. 2d,e,f; ED Fig. 3c,d; ED Fig. 4b,d,e,f,g,h,i,k; ED Fig. 5a,b,c,d,e,f,g,h,j,m; ED Fig. 6c,d; ED Fig. 7d,f,g,i; ED Fig. 8a,d; and ED Fig. 9b,c,e are available in the Supplementary Information section.

Raw images from Western Blots are displayed in this document. Gels with multiple bands per lane or in which specific lanes were selected show an indication of how the gels were cropped for the final figure. For Extended Fig. 2b, Extended Fig. 2c, Extended Fig. 5i, Extended Fig. 5k and Extended Fig. 7e, controls were run in separate gels as sample processing controls; for Extended Fig. 7a, loading controls for each gel are provided in the raw data.









Extended Figure 2b





Extended Figure 2c



Extended Figure 5i




Extended Figure 5k



p16 Westerns KP vs KPRbTR Cell lines

Extended Figure 7a



Actin BP

54 62 74 74
-3 -1

