
Supplementary information

The innate immunity protein IFITM3 modulates γ -secretase in Alzheimer's disease

In the format provided by the
authors and unedited

Figure 1b




Figure 1c




Figure 1d




Figure 1e




Figure 1g






Figure 2a




Same gel (PS1-NTF: 800 exposure, β-Actin: 680 exposure)

Figure 2c



Same gel (Top: 680 exposure, Bottom: 800 exposure)

Figure 3a



Same gel
(PS1-NTF: 800 exposure,
β-Actin: 680 exposure)

Figure 3c






Figure 3e



Same sample prep, separate gel (β-Actin)

Figure 3d



Same gel (Top: 680 exposure, Middle: 800 exposure)

Figure 3f




Figure 4c




Figure 4e




Figure 4h



Figure 4i





Figure 5b




Figure 5c






Figure 5e




Extended Data Figure 1b




Extended Data Figure 1d




Extended Data Figure 1f




Extended Data Figure 1g



Extended Data Figure 1h




Extended Data Figure 2g




Same gel (β -Actin: 680 exposure,
NICD (Val1744): 800 exposure)


Extended Data Figure 2h




Extended Data Figure 3b



Extended Data Figure 4k



Extended Data Figure 4m



Extended Data Figure 5b

