







BTCA_donor_A096	
Cancer type	Biliary-AdenoCA
Position	12:1297595-132243589
Type	With other complex events
Interleaved intrachr. SVs	26
Total SVs (intrachr. + transl.)	26
SV types	DEL: 8; DUP: 7; h2hINV: 6; t2tINV: 5; TRA: 0
SVs in sample	292
Oscillating CN (2 and 3 states)	6, 14
CN segments	47
FDR fragment joints	0.9179372
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.63, 2.77




BTCA_donor_A096	
Cancer type	Biliary-AdenoCA
Position	18:18873445-62863653
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	7
SV types	DEL: 3; DUP: 2; h2hINV: 1; t2tINV: 1; TRA: 0
SVs in sample	292
Oscillating CN (2 and 3 states)	4, 4
CN segments	16
FDR fragment joints	0.7735152
FDR chr. breakp. enrich.	0.62
Linked to chr	
Purity, ploidy	0.63, 2.77




BTCA_donor_A153	
Cancer type	Biliary-AdenoCA
Position	6:36165437-108436463
Type	With other complex events
Interleaved intrachr. SVs	11
Total SVs (intrachr. + transl.)	12
SV types	DEL: 3; DUP: 2; h2hINV: 2; t2tINV: 4; TRA: 1
SVs in sample	116
Oscillating CN (2 and 3 states)	5, 10
CN segments	28
FDR fragment joints	0.9284301
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.42, 3.59




BTCA_donor_B070	
Cancer type	Biliary-AdenoCA
Position	1:152201706-162468614
Type	With other complex events
Interleaved intrachr. SVs	47
Total SVs (intrachr. + transl.)	48
SV types	DEL: 9; DUP: 14; h2hINV: 15; t2tINV: 9; TRA: 1
SVs in sample	166
Oscillating CN (2 and 3 states)	4, 5
CN segments	74
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.56, 2.93




BTCA_donor_B083
Cancer type Biliary-AdenoCA
Position 1:175210783-246161909
Type With other complex events
Interleaved intrachr. SVs 14
Total SVs (intrachr. + transl.) 14
SV types DEL: 3; DUP: 2; h2hINV: 7; t2tINV: 2; TRA: 0
SVs in sample 112
Oscillating CN (2 and 3 states) 5, 6
CN segments 16
FDR fragment joints 0.615458
FDR chr. breakp. enrich. 0.04
Linked to chr
Purity, ploidy 0.45, 1.9




BTCA_donor_B083
Cancer type Biliary-AdenoCA
Position 14:35121332-87977558
Type With other complex events
Interleaved intrachr. SVs 23
Total SVs (intrachr. + transl.) 23
SV types DEL: 6; DUP: 1; h2hINV: 8; t2tINV: 8; TRA: 0
SVs in sample 112
Oscillating CN (2 and 3 states) 4, 9
CN segments 37
FDR fragment joints 0.615458
FDR chr. breakp. enrich. 0
Linked to chr
Purity, ploidy 0.45, 1.9




BTCA_donor_B083
Cancer type Biliary-AdenoCA
Position 18:22541678-77433482
Type With other complex events
Interleaved intrachr. SVs 13
Total SVs (intrachr. + transl.) 14
SV types DEL: 2; DUP: 6; h2hINV: 3; t2tINV: 2; TRA: 1
SVs in sample 112
Oscillating CN (2 and 3 states) 5, 5
CN segments 16
FDR fragment joints 0.6776251
FDR chr. breakp. enrich. 0
Linked to chr
Purity, ploidy 0.45, 1.9




BTCA_donor_B083
Cancer type Biliary-AdenoCA
Position 22:32803334-45752862
Type With other complex events
Interleaved intrachr. SVs 6
Total SVs (intrachr. + transl.) 9
SV types DEL: 1; DUP: 2; h2hINV: 1; t2tINV: 2; TRA: 3
SVs in sample 112
Oscillating CN (2 and 3 states) 4, 6
CN segments 14
FDR fragment joints 0.6776251
FDR chr. breakp. enrich. 0
Linked to chr 4:2189376-19547021;
Purity, ploidy 0.45, 1.9




BTCA_donor_C080	
Cancer type	Biliary-AdenoCA
Position	14:22429630-73744179
Type	With other complex events
Interleaved intrachr. SVs	17
Total SVs (intrachr. + transl.)	26
SV types	DEL: 3; DUP: 7; h2hINV: 3; t2tINV: 4; TRA: 9
SVs in sample	142
Oscillating CN (2 and 3 states)	4, 7
CN segments	40
FDR fragment joints	0.8172348
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.6, 2.79





BTCA_donor_R149	
Cancer type	Biliary-AdenoCA
Position	14:22402704-54099947
Type	With other complex events
Interleaved intrachr. SVs	29
Total SVs (intrachr. + transl.)	29
SV types	DEL: 5; DUP: 5; h2hINV: 10; t2tINV: 9; TRA: 0
SVs in sample	108
Oscillating CN (2 and 3 states)	4, 5
CN segments	47
FDR fragment joints	0.6482122
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.34, 3.04



BTCA_donor_Y008	
Cancer type	Biliary-AdenoCA
Position	22:21053371-41089205
Type	With other complex events
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	9
SV types	DEL: 3; DUP: 1; h2hINV: 2; t2tINV: 3; TRA: 0
SVs in sample	48
Oscillating CN (2 and 3 states)	4, 11
CN segments	12
FDR fragment joints	0.854603
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.48, 1.88





BTCA_donor_Y140	
Cancer type	Biliary-AdenoCA
Position	19:29068313-56261033
Type	With other complex events
Interleaved intrachr. SVs	19
Total SVs (intrachr. + transl.)	21
SV types	DEL: 4; DUP: 1; h2hINV: 10; t2tINV: 4; TRA: 2
SVs in sample	96
Oscillating CN (2 and 3 states)	6, 7
CN segments	45
FDR fragment joints	0.5774122
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.78, 3.66




RK137	
Cancer type	Biliary-AdenoCA
Position	17:2039238-18611038
Type	Canonical without polyploidization
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	8
SV types	DEL: 3; DUP: 2; h2hINV: 1; t2tINV: 1; TRA: 1
SVs in sample	43
Oscillating CN (2 and 3 states)	5, 5
CN segments	5
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.5, 2.3

RK208	
Cancer type	Biliary-AdenoCA
Position	3:54159227-158898997
Type	With other complex events
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	21
SV types	DEL: 2; DUP: 2; h2hINV: 2; t2tINV: 3; TRA: 12
SVs in sample	294
Oscillating CN (2 and 3 states)	4, 7
CN segments	23
FDR fragment joints	0.6610257
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.2, 3.83




RK279	
Cancer type	Biliary-AdenoCA
Position	1:30955993-118910093
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	8
SV types	DEL: 1; DUP: 3; h2hINV: 2; t2tINV: 2; TRA: 0
SVs in sample	35
Oscillating CN (2 and 3 states)	5, 5
CN segments	15
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.35, 1.84


RK298	
Cancer type	Biliary-AdenoCA
Position	9:1239088-24282207
Type	With other complex events
Interleaved intrachr. SVs	12
Total SVs (intrachr. + transl.)	12
SV types	DEL: 2; DUP: 4; h2hINV: 3; t2tINV: 3; TRA: 0
SVs in sample	74
Oscillating CN (2 and 3 states)	4, 6
CN segments	24
FDR fragment joints	0.9284301
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.28, 3.37




RK307	
Cancer type	Biliary-AdenoCA
Position	6:144819172-162778287
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	8
SV types	DEL: 5; DUP: 1; h2hINV: 1; t2tINV: 1; TRA: 0
SVs in sample	89
Oscillating CN (2 and 3 states)	5, 9
CN segments	9
FDR fragment joints	0.5435077
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.37, 1.79





24f21425-b001-4986-aedf-5b4dd851c6ad	
Cancer type	Bladder-TCC
Position	5:5481718-45983726
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	10
SV types	DEL: 1; DUP: 1; h2hINV: 3; t2tINV: 3; TRA: 2
SVs in sample	271
Oscillating CN (2 and 3 states)	6, 9
CN segments	42
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.64, 3.43



24f21425-b001-4986-aedf-5b4dd851c6ad	
Cancer type	Bladder-TCC
Position	9:5086998-21286063
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	11
SV types	DEL: 1; DUP: 2; h2hINV: 2; t2tINV: 1; TRA: 5
SVs in sample	271
Oscillating CN (2 and 3 states)	6, 6
CN segments	26
FDR fragment joints	0.7425546
FDR chr. breakp. enrich.	0.29
Linked to chrs	
Purity, ploidy	0.64, 3.43





3ed614e7-f356-4d87-985b-d3bbbae3bb40	
Cancer type	Bladder-TCC
Position	7:12512048-21119497
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	14
SV types	DEL: 2; DUP: 3; h2hINV: 1; t2tINV: 0; TRA: 8
SVs in sample	449
Oscillating CN (2 and 3 states)	4, 7
CN segments	22
FDR fragment joints	0.5435077
FDR chr. breakp. enrich.	0.22
Linked to chrs	
Purity, ploidy	0.74, 3.29





3ed614e7-f356-4d87-985b-d3bbbae3bb40	
Cancer type	Bladder-TCC
Position	8:60780756-109595289
Type	With other complex events
Interleaved intrachr. SVs	23
Total SVs (intrachr. + transl.)	26
SV types	DEL: 9; DUP: 2; h2hINV: 7; t2tINV: 5; TRA: 3
SVs in sample	449
Oscillating CN (2 and 3 states)	6, 6
CN segments	40
FDR fragment joints	0.5435077
FDR chr. breakp. enrich.	0
Linked to chrs	2:14647349-206284284;
Purity, ploidy	0.74, 3.29

3ed614e7-f356-4d87-985b-d3bbbae3bb40	
Cancer type	Bladder-TCC
Position	12:13507658-119049122
Type	With other complex events
Interleaved intrachr. SVs	32
Total SVs (intrachr. + transl.)	38
SV types	DEL: 11; DUP: 10; h2hINV: 5; t2tINV: 6; TRA: 6
SVs in sample	449
Oscillating CN (2 and 3 states)	6, 9
CN segments	79
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.74, 3.29





3ed614e7-f356-4d87-985b-d3bbbae3bb40	
Cancer type	Bladder-TCC
Position	17:28237017-34001517
Type	With other complex events
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	28
SV types	DEL: 0; DUP: 2; h2hINV: 5; t2tINV: 2; TRA: 19
SVs in sample	449
Oscillating CN (2 and 3 states)	5, 5
CN segments	31
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	11:8965507-99216922;X:3858348-76848684
Purity, ploidy	0.74, 3.29

3ed614e7-f356-4d87-985b-d3bbbae3bb40	
Cancer type	Bladder-TCC
Position	22:19474849-40455649
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	18
SV types	DEL: 4; DUP: 3; h2hINV: 2; t2tINV: 1; TRA: 8
SVs in sample	449
Oscillating CN (2 and 3 states)	4, 6
CN segments	32
FDR fragment joints	0.641841
FDR chr. breakp. enrich.	0
Linked to chrs	12:13507658-119049121;17:28237017-34001516
Purity, ploidy	0.74, 3.29




5d54c742-5a8e-4c40-8d62-95e75e210ab8	
Cancer type	Bladder-TCC
Position	1:39492660-116722898
Type	With other complex events
Interleaved intrachr. SVs	18
Total SVs (intrachr. + transl.)	24
SV types	DEL: 2; DUP: 4; h2hINV: 6; t2tINV: 6; TRA: 6
SVs in sample	175
Oscillating CN (2 and 3 states)	4, 5
CN segments	39
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	4:72403638-190385401;
Purity, ploidy	0.6, 3.23

8c1dd7f7-b74a-4fa2-b6a7-86f0348d2567	
Cancer type	Bladder-TCC
Position	7:5163068-112416677
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	10
SV types	DEL: 2; DUP: 3; h2hINV: 3; t2tINV: 2; TRA: 0
SVs in sample	80
Oscillating CN (2 and 3 states)	5, 5
CN segments	35
FDR fragment joints	0.9625775
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.84, 2.09




904a8757-e0c5-41ef-b583-c8f170caaac1	
Cancer type	Bladder-TCC
Position	17:34199415-58666962
Type	With other complex events
Interleaved intrachr. SVs	29
Total SVs (intrachr. + transl.)	74
SV types	DEL: 5; DUP: 9; h2hINV: 7; t2tINV: 8; TRA: 45
SVs in sample	274
Oscillating CN (2 and 3 states)	4, 4
CN segments	17
FDR fragment joints	0.9807783
FDR chr. breakp. enrich.	0
Linked to chrs	16:70993199-81194913;
Purity, ploidy	0.6, 2.92


9c274536-3ca1-4f0e-93a8-1688074d862f	
Cancer type	Bladder-TCC
Position	8:40629167-102330843
Type	With other complex events
Interleaved intrachr. SVs	20
Total SVs (intrachr. + transl.)	34
SV types	DEL: 6; DUP: 2; h2hINV: 6; t2tINV: 6; TRA: 14
SVs in sample	270
Oscillating CN (2 and 3 states)	6, 8
CN segments	39
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.71, 3.43




9c274536-3ca1-4f0e-93a8-1688074d862f	
Cancer type	Bladder-TCC
Position	17:11629450-33500976
Type	With other complex events
Interleaved intrachr. SVs	37
Total SVs (intrachr. + transl.)	45
SV types	DEL: 10; DUP: 9; h2hINV: 8; t2iINV: 10; TRA: 8
SVs in sample	270
Oscillating CN (2 and 3 states)	6, 7
CN segments	34
FDR fragment joints	0.9849105
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.71, 3.43







ca554128-da9d-4f37-9560-ca083509e01d	
Cancer type	Bladder-TCC
Position	1:168849602-235165090
Type	With other complex events
Interleaved intrachr. SVs	30
Total SVs (intrachr. + transl.)	38
SV types	DEL: 11; DUP: 7; h2hINV: 6; t2iINV: 6; TRA: 8
SVs in sample	231
Oscillating CN (2 and 3 states)	6, 8
CN segments	72
FDR fragment joints	0.7282798
FDR chr. breakp. enrich.	0
Linked to chrs	3:330518-149204905;
Purity, ploidy	0.79, 3.15




ca554128-da9d-4f37-9560-ca083509e01d	
Cancer type	Bladder-TCC
Position	7:7489162-138751893
Type	With other complex events
Interleaved intrachr. SVs	28
Total SVs (intrachr. + transl.)	31
SV types	DEL: 6; DUP: 6; h2hINV: 7; t2iINV: 9; TRA: 3
SVs in sample	231
Oscillating CN (2 and 3 states)	6, 8
CN segments	66
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.79, 3.15




ca554128-da9d-4f37-9560-ca083509e01d	
Cancer type	Bladder-TCC
Position	14:34967294-99710526
Type	With other complex events
Interleaved intrachr. SVs	16
Total SVs (intrachr. + transl.)	20
SV types	DEL: 4; DUP: 4; h2hINV: 4; t2iINV: 4; TRA: 4
SVs in sample	231
Oscillating CN (2 and 3 states)	4, 4
CN segments	13
FDR fragment joints	0.9625775
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.79, 3.15







CGP_donor_1397077	
Cancer type	Bone-Osteosarc
Position	21:30627381-40515319
Type	With other complex events
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	47
SV types	DEL: 2; DUP: 2; h2hiINV: 4; t2tiINV: 1; TRA: 38
SVs in sample	379
Oscillating CN (2 and 3 states)	4, 6
CN segments	21
FDR fragment joints	0.8864524
FDR chr. breakp. enrich.	0
Linked to chrs	5:759551-44322946;6:88458092-155828130
Purity, ploidy	0.47, 2.53




CGP_donor_1397083	
Cancer type	Bone-Osteosarc
Position	8:95509557-130921648
Type	With other complex events
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	29
SV types	DEL: 4; DUP: 3; h2hiINV: 2; t2tiINV: 0; TRA: 20
SVs in sample	142
Oscillating CN (2 and 3 states)	4, 5
CN segments	28
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	13:101502303-104764633;
Purity, ploidy	0.57, 3.02




CGP_donor_1437403	
Cancer type	Bone-Osteosarc
Position	1:149900456-232658583
Type	With other complex events
Interleaved intrachr. SVs	28
Total SVs (intrachr. + transl.)	29
SV types	DEL: 8; DUP: 6; h2hiINV: 8; t2tiINV: 6; TRA: 1
SVs in sample	445
Oscillating CN (2 and 3 states)	6, 11
CN segments	36
FDR fragment joints	0.8824283
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.8, 2.57




CGP_donor_1475256	
Cancer type	Bone-Osteosarc
Position	4:1628586-119770886
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	7
SV types	DEL: 0; DUP: 2; h2hiINV: 2; t2tiINV: 2; TRA: 1
SVs in sample	217
Oscillating CN (2 and 3 states)	6, 8
CN segments	11
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0.81
Linked to chrs	
Purity, ploidy	0.79, 3.21




CGP_donor_1490914	
Cancer type	Bone-Osteosarc
Position	5:343444-40967400
Type	With other complex events
Interleaved intrachr. SVs	28
Total SVs (intrachr. + transl.)	32
SV types	DEL: 10; DUP: 8; h2hiINV: 4; t2tiINV: 6; TRA: 4
SVs in sample	462
Oscillating CN (2 and 3 states)	6, 15
CN segments	23
FDR fragment joints	0.8505431
FDR chr. breakp. enrich.	0.49
Linked to chrs	10:50348934-97731678;
Purity, ploidy	0.64, 2.03




CGP_donor_1490914	
Cancer type	Bone-Osteosarc
Position	11:101720341-105872169
Type	With other complex events
Interleaved intrachr. SVs	35
Total SVs (intrachr. + transl.)	64
SV types	DEL: 11; DUP: 11; h2hiINV: 5; t2tiINV: 8; TRA: 29
SVs in sample	462
Oscillating CN (2 and 3 states)	6, 7
CN segments	43
FDR fragment joints	0.9840364
FDR chr. breakp. enrich.	0
Linked to chrs	6:76106264-166727719;
Purity, ploidy	0.64, 2.03




CGP_donor_1490914	
Cancer type	Bone-Osteosarc
Position	12:75035974-120211927
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	7
SV types	DEL: 1; DUP: 1; h2hiINV: 2; t2tiINV: 2; TRA: 1
SVs in sample	462
Oscillating CN (2 and 3 states)	4, 8
CN segments	8
FDR fragment joints	0.9599662
FDR chr. breakp. enrich.	0.51
Linked to chrs	
Purity, ploidy	0.64, 2.03




CGP_donor_1490914	
Cancer type	Bone-Osteosarc
Position	13:104316198-106010540
Type	Canonical without polyploidization
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	13
SV types	DEL: 2; DUP: 4; h2hiINV: 2; t2tiINV: 1; TRA: 4
SVs in sample	462
Oscillating CN (2 and 3 states)	5, 7
CN segments	7
FDR fragment joints	0.7995907
FDR chr. breakp. enrich.	0.82
Linked to chrs	17:7531323-7839259;
Purity, ploidy	0.64, 2.03




CGP_donor_1490914
Cancer type Bone-Osteosarc
Position 16:53455552-89780377
Type With other complex events
Interleaved intrachr. SVs 15
Total SVs (intrachr. + transl.) 30
SV types DEL: 2; DUP: 2; h2hINV: 5;
t2tINV: 6; TRA: 15
SVs in sample 462
Oscillating CN (2 and 3 states) 6, 11
CN segments 26
FDR fragment joints 0.662962
FDR chr. breakp. enrich. 0
Linked to chrs
Purity, ploidy 0.64, 2.03




CGP_donor_1528364
Cancer type Bone-Osteosarc
Position 1:2249362-182869104
Type With other complex events
Interleaved intrachr. SVs 29
Total SVs (intrachr. + transl.) 86
SV types DEL: 10; DUP: 5; h2hINV: 7;
t2tINV: 7; TRA: 57
SVs in sample 927
Oscillating CN (2 and 3 states) 6, 8
CN segments 64
FDR fragment joints 0.615458
FDR chr. breakp. enrich. 0.04
Linked to chrs 2:98265301-240710955;3:39705096-116872806
9:1299761-9380244;
Purity, ploidy 0.79, 3.29



CGP_donor_1528371
Cancer type Bone-Osteosarc
Position X:137305293-154877002
Type With other complex events
Interleaved intrachr. SVs 23
Total SVs (intrachr. + transl.) 30
SV types DEL: 5; DUP: 3; h2hINV: 6;
t2tINV: 9; TRA: 7
SVs in sample 349
Oscillating CN (2 and 3 states) 6, 14
CN segments 34
FDR fragment joints 0.6776251
FDR chr. breakp. enrich. 0
Linked to chrs
Purity, ploidy 0.33, 3.49




CGP_donor_1528374
Cancer type Bone-Osteosarc
Position 2:171676936-222890322
Type With other complex events
Interleaved intrachr. SVs 7
Total SVs (intrachr. + transl.) 11
SV types DEL: 2; DUP: 0; h2hINV: 2;
t2tINV: 3; TRA: 4
SVs in sample 113
Oscillating CN (2 and 3 states) 5, 6
CN segments 11
FDR fragment joints 0.615458
FDR chr. breakp. enrich. 0
Linked to chrs
Purity, ploidy 0.69, 2.64




CGP_donor_1691133

Cancer type	Bone-Osteosarc
Position	X:56780045-99873812
Type	With other complex events
Interleaved intrachr. SVs	14
Total SVs (intrachr. + transl.)	48
SV types	DEL: 6; DUP: 1; h2hINV: 3; t2tINV: 4; TRA: 34
SVs in sample	325
Oscillating CN (2 and 3 states)	6, 7
CN segments	38
FDR fragment joints	0.7908979
FDR chr. breakp. enrich.	0
Linked to chrs	19:1003699-31085706;6:32255732-170226667 8:54201065-139568173;
Purity, ploidy	0.68, 2.87




CGP_donor_1691207

Cancer type	Bone-Osteosarc
Position	1:146556486-247517843
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	15
SV types	DEL: 1; DUP: 3; h2hINV: 3; t2tINV: 3; TRA: 5
SVs in sample	415
Oscillating CN (2 and 3 states)	6, 10
CN segments	26
FDR fragment joints	0.6471662
FDR chr. breakp. enrich.	0.57
Linked to chrs	2:5332159-125723075;7:3613250-157967148
Purity, ploidy	0.71, 2.58




CGP_donor_1691207

Cancer type	Bone-Osteosarc
Position	16:117927-85638502
Type	With other complex events
Interleaved intrachr. SVs	16
Total SVs (intrachr. + transl.)	18
SV types	DEL: 4; DUP: 5; h2hINV: 2; t2tINV: 5; TRA: 2
SVs in sample	415
Oscillating CN (2 and 3 states)	4, 11
CN segments	21
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.71, 2.58




CGP_donor_1691210

Cancer type	Bone-Osteosarc
Position	19:7542257-27863221
Type	With other complex events
Interleaved intrachr. SVs	11
Total SVs (intrachr. + transl.)	20
SV types	DEL: 1; DUP: 4; h2hINV: 3; t2tINV: 3; TRA: 9
SVs in sample	183
Oscillating CN (2 and 3 states)	5, 9
CN segments	32
FDR fragment joints	0.8572806
FDR chr. breakp. enrich.	0
Linked to chrs	17:25441812-34068071;
Purity, ploidy	0.85, 3.59




CGP_donor_1691211

Cancer type	Bone-Osteosarc
Position	4:39643156-81985932
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	51
SV types	DEL: 1; DUP: 4; h2hiINV: 1; i2iINV: 2; TRA: 43
SVs in sample	606
Oscillating CN (2 and 3 states)	4, 5
CN segments	43
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	16:6326850-23636185;20:14482537-55742990 5:27518365-44838184;9:72321762-137935608
Purity, ploidy	0.62, 3.16




CGP_donor_1691211

Cancer type	Bone-Osteosarc
Position	5:27518365-44838185
Type	With other complex events
Interleaved intrachr. SVs	15
Total SVs (intrachr. + transl.)	30
SV types	DEL: 4; DUP: 5; h2hiINV: 4; i2iINV: 2; TRA: 15
SVs in sample	606
Oscillating CN (2 and 3 states)	5, 10
CN segments	43
FDR fragment joints	0.8572806
FDR chr. breakp. enrich.	0.01
Linked to chrs	9:72321762-137935608;
Purity, ploidy	0.62, 3.16




CGP_donor_1691211

Cancer type	Bone-Osteosarc
Position	11:1368421-44085211
Type	With other complex events
Interleaved intrachr. SVs	15
Total SVs (intrachr. + transl.)	65
SV types	DEL: 6; DUP: 1; h2hiINV: 3; i2iINV: 5; TRA: 50
SVs in sample	606
Oscillating CN (2 and 3 states)	4, 11
CN segments	43
FDR fragment joints	0.9794281
FDR chr. breakp. enrich.	0
Linked to chrs	1:20463312-245809115;16:6326850-23636185 2:9233757-238199399;9:72321762-137935608
Purity, ploidy	0.62, 3.16




CGP_donor_1691211


Cancer type	Bone-Osteosarc
Position	19:7281972-41134872
Type	With other complex events
Interleaved intrachr. SVs	23
Total SVs (intrachr. + transl.)	86
SV types	DEL: 7; DUP: 7; h2hiINV: 3; i2iINV: 6; TRA: 63
SVs in sample	606
Oscillating CN (2 and 3 states)	4, 8
CN segments	77
FDR fragment joints	0.7829107
FDR chr. breakp. enrich.	0
Linked to chrs	16:6326850-23636185;17:996864-13569640 2:9233757-238199399;5:27518365-44838184 9:72321762-137935608;
Purity, ploidy	0.62, 3.16




CGP_donor_1691212
Cancer type Bone-Osteosarc
Position 1:240384329-248714171
Type With other complex events
Interleaved intrachr. SVs 19
Total SVs (intrachr. + transl.) 19
SV types DEL: 1; DUP: 7; h2hINV: 7;
t2tINV: 4; TRA: 0
SVs in sample 135
Oscillating CN (2 and 3 states) 6, 17
CN segments 23
FDR fragment joints 0.615458
FDR chr. breakp. enrich. 0
Linked to chrs
Purity, ploidy 0.74, 4




CGP_donor_1691213
Cancer type Bone-Osteosarc
Position 8:98131760-131862131
Type With other complex events
Interleaved intrachr. SVs 10
Total SVs (intrachr. + transl.) 54
SV types DEL: 1; DUP: 2; h2hINV: 3;
t2tINV: 4; TRA: 44
SVs in sample 596
Oscillating CN (2 and 3 states) 6, 6
CN segments 53
FDR fragment joints 0.9284301
FDR chr. breakp. enrich. 0
Linked to chrs 12:38831735-119704558;
Purity, ploidy 0.87, 3.53



CGP_donor_1691213
Cancer type Bone-Osteosarc
Position 17:11128144-68285285
Type With other complex events
Interleaved intrachr. SVs 31
Total SVs (intrachr. + transl.) 108
SV types DEL: 11; DUP: 8; h2hINV: 5;
t2tINV: 7; TRA: 77
SVs in sample 596
Oscillating CN (2 and 3 states) 4, 10
CN segments 98
FDR fragment joints 0.9685443
FDR chr. breakp. enrich. 0
Linked to chrs 10:104364960-104413206;19:7659219-23705866
Purity, ploidy 0.87, 3.53




CGP_donor_1691214
Cancer type Bone-Osteosarc
Position 1:155935299-166050473
Type With other complex events
Interleaved intrachr. SVs 14
Total SVs (intrachr. + transl.) 15
SV types DEL: 7; DUP: 0; h2hINV: 2;
t2tINV: 5; TRA: 1
SVs in sample 652
Oscillating CN (2 and 3 states) 6, 6
CN segments 19
FDR fragment joints 0.5435077
FDR chr. breakp. enrich. 0.16
Linked to chrs
Purity, ploidy 0.49, 3.33




CGP_donor_1691214

Cancer type	Bone-Osteosarc
Position	2:11400-232123609
Type	With other complex events
Interleaved intrachr. SVs	20
Total SVs (intrachr. + transl.)	60
SV types	DEL: 5; DUP: 5; h2hINV: 4; t2tINV: 6; TRA: 40
SVs in sample	652
Oscillating CN (2 and 3 states)	6, 9
CN segments	70
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0.04
Linked to chrs	1:155935299-166050472;14:41964680-78837997 3:29117586-189128944;X:48348455-150018346
Purity, ploidy	0.49, 3.33




CGP_donor_1691217

Cancer type	Bone-Osteosarc
Position	6:109694663-128848927
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	21
SV types	DEL: 2; DUP: 6; h2hINV: 2; t2tINV: 2; TRA: 9
SVs in sample	380
Oscillating CN (2 and 3 states)	5, 8
CN segments	26
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0.02
Linked to chrs	14:27063592-79165065;X:88486379-153095440
Purity, ploidy	0.53, 2.89




CGP_donor_1232859

Cancer type	Breast-AdenoCA
Position	11:68987281-88452236
Type	With other complex events
Interleaved intrachr. SVs	24
Total SVs (intrachr. + transl.)	73
SV types	DEL: 7; DUP: 5; h2hINV: 7; t2tINV: 5; TRA: 49
SVs in sample	316
Oscillating CN (2 and 3 states)	4, 8
CN segments	82
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0
Linked to chrs	6:56201574-162603779;20:33258582-62543744
Purity, ploidy	0.54, 2.17




CGP_donor_1232859

Cancer type	Breast-AdenoCA
Position	12:50134439-83407108
Type	With other complex events
Interleaved intrachr. SVs	14
Total SVs (intrachr. + transl.)	16
SV types	DEL: 3; DUP: 4; h2hINV: 3; t2tINV: 4; TRA: 2
SVs in sample	316
Oscillating CN (2 and 3 states)	5, 9
CN segments	18
FDR fragment joints	0.9501265
FDR chr. breakp. enrich.	0.09
Linked to chrs	
Purity, ploidy	0.54, 2.17




CGP_donor_1232859

Cancer type	Breast-AdenoCA
Position	20:33258582-62543745
Type	With other complex events
Interleaved intrachr. SVs	71
Total SVs (intrachr. + transl.)	130
SV types	DEL: 21; DUP: 14; h2hINV: 18; t2tINV: 18; TRA: 59
SVs in sample	316
Oscillating CN (2 and 3 states)	5, 10
CN segments	145
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	6:56201574-162603779;12:50134439-83407107
Purity, ploidy	0.54, 2.17




CGP_donor_1234121

Cancer type	Breast-AdenoCA
Position	7:37201530-147378535
Type	With other complex events
Interleaved intrachr. SVs	25
Total SVs (intrachr. + transl.)	27
SV types	DEL: 4; DUP: 9; h2hINV: 5; t2tINV: 7; TRA: 2
SVs in sample	149
Oscillating CN (2 and 3 states)	4, 7
CN segments	44
FDR fragment joints	0.8393975
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.4, 3.56




CGP_donor_1234121

Cancer type	Breast-AdenoCA
Position	11:63368164-108986358
Type	With other complex events
Interleaved intrachr. SVs	20
Total SVs (intrachr. + transl.)	33
SV types	DEL: 5; DUP: 3; h2hINV: 7; t2tINV: 5; TRA: 13
SVs in sample	149
Oscillating CN (2 and 3 states)	5, 7
CN segments	37
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.4, 3.56




CGP_donor_1234124


Cancer type	Breast-AdenoCA
Position	17:36804652-65070726
Type	With other complex events
Interleaved intrachr. SVs	26
Total SVs (intrachr. + transl.)	32
SV types	DEL: 5; DUP: 5; h2hINV: 7; t2tINV: 9; TRA: 6
SVs in sample	95
Oscillating CN (2 and 3 states)	5, 8
CN segments	49
FDR fragment joints	0.9501265
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.59, 3




CGP_donor_1337214
Cancer type Breast-AdenoCA
Position 11:68314464-85167264
Type With other complex events
Interleaved intrachr. SVs 12
Total SVs (intrachr. + transl.) 19
SV types DEL: 4; DUP: 2; h2hiINV: 5; t2tiINV: 1; TRA: 7
SVs in sample 161
Oscillating CN (2 and 3 states) 4, 9
CN segments 36
FDR fragment joints 0.615458
FDR chr. breakp. enrich. 0
Linked to chr
Purity, ploidy 0.63, 1.91




CGP_donor_1337217
Cancer type Breast-AdenoCA
Position 11:712704-77789504
Type With other complex events
Interleaved intrachr. SVs 7
Total SVs (intrachr. + transl.) 7
SV types DEL: 2; DUP: 3; h2hiINV: 1; t2tiINV: 1; TRA: 0
SVs in sample 143
Oscillating CN (2 and 3 states) 5, 7
CN segments 16
FDR fragment joints 0.7735152
FDR chr. breakp. enrich. 0.02
Linked to chr
Purity, ploidy 0.29, 3.57




CGP_donor_1337217
Cancer type Breast-AdenoCA
Position 17:29313383-46309227
Type With other complex events
Interleaved intrachr. SVs 14
Total SVs (intrachr. + transl.) 23
SV types DEL: 3; DUP: 5; h2hiINV: 3; t2tiINV: 3; TRA: 9
SVs in sample 143
Oscillating CN (2 and 3 states) 4, 6
CN segments 29
FDR fragment joints 0.9990251
FDR chr. breakp. enrich. 0
Linked to chr
Purity, ploidy 0.29, 3.57




CGP_donor_1337220
Cancer type Breast-AdenoCA
Position 11:60734477-70720476
Type With other complex events
Interleaved intrachr. SVs 13
Total SVs (intrachr. + transl.) 29
SV types DEL: 3; DUP: 5; h2hiINV: 3; t2tiINV: 2; TRA: 16
SVs in sample 46
Oscillating CN (2 and 3 states) 4, 6
CN segments 19
FDR fragment joints 0.7359483
FDR chr. breakp. enrich. 0
Linked to chr
Purity, ploidy 0.51, 2.07




CGP_donor_1337223
Cancer type Breast-AdenoCA
Position 10:76016429-95343437
Type With other complex events
Interleaved intrachr. SVs 27
Total SVs (intrachr. + transl.) 89
SV types DEL: 8; DUP: 4; h2hiINV: 9; t2tiINV: 6; TRA: 62
SVs in sample 318
Oscillating CN (2 and 3 states) 4, 6
CN segments 107
FDR fragment joints 0.615458
FDR chr. breakp. enrich. 0
Linked to chr
Purity, ploidy 0.48, 3.45




CGP_donor_1337223
Cancer type Breast-AdenoCA
Position 17:48154795-54905796
Type With other complex events
Interleaved intrachr. SVs 8
Total SVs (intrachr. + transl.) 13
SV types DEL: 2; DUP: 0; h2hiINV: 2; t2tiINV: 4; TRA: 5
SVs in sample 318
Oscillating CN (2 and 3 states) 6, 6
CN segments 14
FDR fragment joints 0.6776251
FDR chr. breakp. enrich. 0
Linked to chr
Purity, ploidy 0.48, 3.45




CGP_donor_1337225
Cancer type Breast-AdenoCA
Position 19:5673576-21753985
Type With other complex events
Interleaved intrachr. SVs 10
Total SVs (intrachr. + transl.) 10
SV types DEL: 2; DUP: 5; h2hiINV: 1; t2tiINV: 2; TRA: 0
SVs in sample 53
Oscillating CN (2 and 3 states) 4, 9
CN segments 22
FDR fragment joints 0.615458
FDR chr. breakp. enrich. 0
Linked to chr
Purity, ploidy 0.47, 2.32




CGP_donor_1337226
Cancer type Breast-AdenoCA
Position 11:364948-79470446
Type With other complex events
Interleaved intrachr. SVs 21
Total SVs (intrachr. + transl.) 48
SV types DEL: 5; DUP: 4; h2hiINV: 5; t2tiINV: 7; TRA: 27
SVs in sample 473
Oscillating CN (2 and 3 states) 5, 6
CN segments 69
FDR fragment joints 0.6776251
FDR chr. breakp. enrich. 0
Linked to chr
Purity, ploidy 0.7, 3.48




CGP_donor_1347742
Cancer type Breast-AdenoCA
Position 14:28909864–42732595
Type With other complex events
Interleaved intrachr. SVs 13
Total SVs (intrachr. + transl.) 15
SV types DEL: 2; DUP: 4; h2hiINV: 3;
t2tiINV: 4; TRA: 2
SVs in sample 230
Oscillating CN (2 and 3 states) 4, 9
CN segments 16
FDR fragment joints 0.925252
FDR chr. breakp. enrich. 0
Linked to chrs
Purity, ploidy 0.52, 2.12




CGP_donor_1347742
Cancer type Breast-AdenoCA
Position 17:29361754–67397898
Type With other complex events
Interleaved intrachr. SVs 35
Total SVs (intrachr. + transl.) 49
SV types DEL: 11; DUP: 9; h2hiINV: 6;
t2tiINV: 9; TRA: 14
SVs in sample 230
Oscillating CN (2 and 3 states) 4, 8
CN segments 68
FDR fragment joints 0.8653243
FDR chr. breakp. enrich. 0
Linked to chrs 3:25050231–162503836;15:66537420–102369379
Purity, ploidy 0.52, 2.12




CGP_donor_1353427
Cancer type Breast-AdenoCA
Position 10:9142443–92352593
Type With other complex events
Interleaved intrachr. SVs 30
Total SVs (intrachr. + transl.) 34
SV types DEL: 6; DUP: 9; h2hiINV: 7;
t2tiINV: 8; TRA: 4
SVs in sample 267
Oscillating CN (2 and 3 states) 5, 18
CN segments 30
FDR fragment joints 0.8653243
FDR chr. breakp. enrich. 0
Linked to chrs 6:100548524–101591933;
Purity, ploidy 0.29, 2.76




CGP_donor_1353427
Cancer type Breast-AdenoCA
Position 17:30795695–44125802
Type With other complex events
Interleaved intrachr. SVs 6
Total SVs (intrachr. + transl.) 12
SV types DEL: 2; DUP: 1; h2hiINV: 1;
t2tiINV: 2; TRA: 6
SVs in sample 267
Oscillating CN (2 and 3 states) 4, 9
CN segments 16
FDR fragment joints 0.6776251
FDR chr. breakp. enrich. 0
Linked to chrs
Purity, ploidy 0.29, 2.76




CGP_donor_1353434
Cancer type Breast-AdenoCA
Position 15:28941386-52345122
Type With other complex events
Interleaved intrachr. SVs 16
Total SVs (intrachr. + transl.) 16
SV types DEL: 5; DUP: 1; h2hINV: 4;
t2tINV: 6; TRA: 0
SVs in sample 291
Oscillating CN (2 and 3 states) 5, 14
CN segments 14
FDR fragment joints 0.615458
FDR chr. breakp. enrich. 0
Linked to chr
Purity, ploidy 0.5, 2.94




CGP_donor_1364028
Cancer type Breast-AdenoCA
Position 6:2192497-33282947
Type With other complex events
Interleaved intrachr. SVs 14
Total SVs (intrachr. + transl.) 42
SV types DEL: 3; DUP: 4; h2hINV: 4;
t2tINV: 3; TRA: 28
SVs in sample 203
Oscillating CN (2 and 3 states) 4, 6
CN segments 33
FDR fragment joints 0.8536199
FDR chr. breakp. enrich. 0
Linked to chr 14:84761805-88311295;20:13487327-62399710
9:18053450-78248432;
Purity, ploidy 0.68, 2.2




CGP_donor_1364033
Cancer type Breast-AdenoCA
Position 7:94323289-158670701
Type With other complex events
Interleaved intrachr. SVs 25
Total SVs (intrachr. + transl.) 29
SV types DEL: 7; DUP: 6; h2hINV: 6;
t2tINV: 6; TRA: 4
SVs in sample 529
Oscillating CN (2 and 3 states) 5, 9
CN segments 50
FDR fragment joints 1
FDR chr. breakp. enrich. 0.01
Linked to chr 16:54538858-83487716;20:23008810-61019045
Purity, ploidy 0.32, 3.04




CGP_donor_1364033
Cancer type Breast-AdenoCA
Position 10:74137063-96621191
Type With other complex events
Interleaved intrachr. SVs 16
Total SVs (intrachr. + transl.) 41
SV types DEL: 4; DUP: 3; h2hINV: 6;
t2tINV: 3; TRA: 25
SVs in sample 529
Oscillating CN (2 and 3 states) 5, 5
CN segments 56
FDR fragment joints 0.615458
FDR chr. breakp. enrich. 0
Linked to chr
Purity, ploidy 0.32, 3.04




CGP_donor_1364033
Cancer type Breast-AdenoCA
Position 11:32528936-85324051
Type With other complex events
Interleaved intrachr. SVs 26
Total SVs (intrachr. + transl.) 28
SV types DEL: 5; DUP: 4; h2hINV: 8; t2iINV: 9; TRA: 2
SVs in sample 529
Oscillating CN (2 and 3 states) 6, 14
CN segments 25
FDR fragment joints 0.615458
FDR chr. breakp. enrich. 0.03
Linked to chrs 3:132552596-181241473;
Purity, ploidy 0.32, 3.04





CGP_donor_1364033
Cancer type Breast-AdenoCA
Position 12:38404016-75256147
Type With other complex events
Interleaved intrachr. SVs 32
Total SVs (intrachr. + transl.) 58
SV types DEL: 6; DUP: 7; h2hINV: 7; t2iINV: 12; TRA: 26
SVs in sample 529
Oscillating CN (2 and 3 states) 4, 5
CN segments 86
FDR fragment joints 0.6776251
FDR chr. breakp. enrich. 0
Linked to chrs 10:74137063-96621190;
Purity, ploidy 0.32, 3.04



CGP_donor_1364033
Cancer type Breast-AdenoCA
Position 15:31008365-57097215
Type With other complex events
Interleaved intrachr. SVs 18
Total SVs (intrachr. + transl.) 19
SV types DEL: 7; DUP: 4; h2hINV: 4; t2iINV: 3; TRA: 1
SVs in sample 529
Oscillating CN (2 and 3 states) 5, 14
CN segments 23
FDR fragment joints 0.615458
FDR chr. breakp. enrich. 0.03
Linked to chrs
Purity, ploidy 0.32, 3.04



CGP_donor_1364033
Cancer type Breast-AdenoCA
Position 16:54538858-83487717
Type With other complex events
Interleaved intrachr. SVs 21
Total SVs (intrachr. + transl.) 23
SV types DEL: 3; DUP: 4; h2hINV: 7; t2iINV: 7; TRA: 2
SVs in sample 529
Oscillating CN (2 and 3 states) 5, 11
CN segments 20
FDR fragment joints 0.6776251
FDR chr. breakp. enrich. 0
Linked to chrs 7:94323289-158670700;
Purity, ploidy 0.32, 3.04





CGP_donor_1364033

Cancer type	Breast-AdenoCA
Position	20:23008810-61019046
Type	With other complex events
Interleaved intrachr. SVs	19
Total SVs (intrachr. + transl.)	29
SV types	DEL: 4; DUP: 5; h2hINV: 3; t2tINV: 7; TRA: 10
SVs in sample	529
Oscillating CN (2 and 3 states)	5, 8
CN segments	44
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	17:15573740-80067669;5:154600947-177590688 6:57399664-170784375;
Purity, ploidy	0.32, 3.04

CGP_donor_1374616

Cancer type	Breast-AdenoCA
Position	19:34372322-59071044
Type	With other complex events
Interleaved intrachr. SVs	13
Total SVs (intrachr. + transl.)	17
SV types	DEL: 5; DUP: 2; h2hINV: 2; t2tINV: 4; TRA: 4
SVs in sample	144
Oscillating CN (2 and 3 states)	5, 8
CN segments	31
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	X:3867520-67168966;
Purity, ploidy	0.5, 1.95




CGP_donor_1397086


Cancer type	Breast-AdenoCA
Position	5:66307170-180674011
Type	With other complex events
Interleaved intrachr. SVs	17
Total SVs (intrachr. + transl.)	17
SV types	DEL: 5; DUP: 7; h2hINV: 3; t2tINV: 2; TRA: 0
SVs in sample	82
Oscillating CN (2 and 3 states)	6, 17
CN segments	32
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.59, 1.98

CGP_donor_1397086


Cancer type	Breast-AdenoCA
Position	16:51856069-69324699
Type	With other complex events
Interleaved intrachr. SVs	39
Total SVs (intrachr. + transl.)	39
SV types	DEL: 8; DUP: 7; h2hINV: 14; t2tINV: 10; TRA: 0
SVs in sample	82
Oscillating CN (2 and 3 states)	5, 10
CN segments	19
FDR fragment joints	0.6278017
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.59, 1.98




CGP_donor_1397260
Cancer type Breast-AdenoCA
Position 6:38510448-42541219
Type With other complex events
Interleaved intrachr. SVs 7
Total SVs (intrachr. + transl.) 10
SV types DEL: 3; DUP: 2; h2hINV: 0;
t2tINV: 2; TRA: 3
SVs in sample 160
Oscillating CN (2 and 3 states) 5, 12
CN segments 12
FDR fragment joints 0.615458
FDR chr. breakp. enrich. 0
Linked to chr
Purity, ploidy 0.41, 3.03




CGP_donor_1397262
Cancer type Breast-AdenoCA
Position 9:1026203-36225240
Type With other complex events
Interleaved intrachr. SVs 9
Total SVs (intrachr. + transl.) 23
SV types DEL: 1; DUP: 0; h2hINV: 4;
t2tINV: 4; TRA: 14
SVs in sample 235
Oscillating CN (2 and 3 states) 4, 4
CN segments 32
FDR fragment joints 0.2592493
FDR chr. breakp. enrich. 0
Linked to chr
Purity, ploidy 0.19, 3.34




CGP_donor_1397262
Cancer type Breast-AdenoCA
Position 16:937916-47287050
Type With other complex events
Interleaved intrachr. SVs 13
Total SVs (intrachr. + transl.) 24
SV types DEL: 3; DUP: 3; h2hINV: 3;
t2tINV: 4; TRA: 11
SVs in sample 235
Oscillating CN (2 and 3 states) 4, 9
CN segments 14
FDR fragment joints 0.7568568
FDR chr. breakp. enrich. 0
Linked to chr
Purity, ploidy 0.19, 3.34




CGP_donor_1397262
Cancer type Breast-AdenoCA
Position 20:43024445-61292598
Type With other complex events
Interleaved intrachr. SVs 25
Total SVs (intrachr. + transl.) 68
SV types DEL: 5; DUP: 4; h2hINV: 8;
t2tINV: 8; TRA: 43
SVs in sample 235
Oscillating CN (2 and 3 states) 4, 6
CN segments 64
FDR fragment joints 0.7345058
FDR chr. breakp. enrich. 0
Linked to chr
Purity, ploidy 0.19, 3.34




CGP_donor_1397278	
Cancer type	Breast-AdenoCA
Position	8:36028735-142305374
Type	With other complex events
Interleaved intrachr. SVs	40
Total SVs (intrachr. + transl.)	43
SV types	DEL: 9; DUP: 12; h2hINV: 10; t2tINV: 9; TRA: 3
SVs in sample	340
Oscillating CN (2 and 3 states)	6, 12
CN segments	72
FDR fragment joints	0.9599662
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.42, 2.02




CGP_donor_1425260	
Cancer type	Breast-AdenoCA
Position	11:67115970-94692580
Type	With other complex events
Interleaved intrachr. SVs	52
Total SVs (intrachr. + transl.)	65
SV types	DEL: 9; DUP: 18; h2hINV: 11; t2tINV: 14; TRA: 13
SVs in sample	91
Oscillating CN (2 and 3 states)	6, 6
CN segments	72
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	6:34298680-40481487;
Purity, ploidy	0.8, 2.01




CGP_donor_1475200	
Cancer type	Breast-AdenoCA
Position	6:16058789-41282014
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	14
SV types	DEL: 2; DUP: 2; h2hINV: 1; t2tINV: 2; TRA: 7
SVs in sample	331
Oscillating CN (2 and 3 states)	5, 7
CN segments	17
FDR fragment joints	0.8066159
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.6, 3.69




CGP_donor_1475201	
Cancer type	Breast-AdenoCA
Position	13:81313916-114454357
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	17
SV types	DEL: 0; DUP: 1; h2hINV: 3; t2tINV: 2; TRA: 11
SVs in sample	45
Oscillating CN (2 and 3 states)	5, 5
CN segments	26
FDR fragment joints	0.930656
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.76, 2.06




CGP donor_1475202
Cancer type Breast-AdenoCA
Position 4:44897680-94849273
Type After polyploidization
Interleaved intrachr. SVs 12
Total SVs (intrachr. + transl.) 28
SV types DEL: 3; DUP: 2; h2hINV: 4;
t2iINV: 3; TRA: 16
SVs in sample 217
Oscillating CN (2 and 3 states) 4, 5
CN segments 5
FDR fragment joints 0.8988396
FDR chr. breakp. enrich. 0
Linked to chrs 1:80341830-241765598;
Purity, ploidy 0.87, 3.64




CGP donor_1475202
Cancer type Breast-AdenoCA
Position 12:89302895-108838113
Type With other complex events
Interleaved intrachr. SVs 17
Total SVs (intrachr. + transl.) 17
SV types DEL: 3; DUP: 5; h2hINV: 6;
t2iINV: 3; TRA: 0
SVs in sample 217
Oscillating CN (2 and 3 states) 5, 6
CN segments 29
FDR fragment joints 0.7735152
FDR chr. breakp. enrich. 0
Linked to chrs
Purity, ploidy 0.87, 3.64




CGP donor_1475202
Cancer type Breast-AdenoCA
Position 19:4796337-21735946
Type With other complex events
Interleaved intrachr. SVs 7
Total SVs (intrachr. + transl.) 32
SV types DEL: 3; DUP: 6; h2hINV: 3;
t2iINV: 2; TRA: 18
SVs in sample 217
Oscillating CN (2 and 3 states) 6, 9
CN segments 16
FDR fragment joints 0.9224215
FDR chr. breakp. enrich. 0
Linked to chrs 3:4105086-194006756;
Purity, ploidy 0.87, 3.64




CGP donor_1503014
Cancer type Breast-AdenoCA
Position 8:36316585-58193474
Type With other complex events
Interleaved intrachr. SVs 9
Total SVs (intrachr. + transl.) 28
SV types DEL: 2; DUP: 1; h2hINV: 3;
t2iINV: 3; TRA: 19
SVs in sample 161
Oscillating CN (2 and 3 states) 5, 5
CN segments 24
FDR fragment joints 0.5435077
FDR chr. breakp. enrich. 0
Linked to chrs 11:57620337-81529410;
Purity, ploidy 0.48, 2.97




CGP_donor_1503014
Cancer type Breast-AdenoCA
Position 11:57620337-81529411
Type With other complex events
Interleaved intrachr. SVs 20
Total SVs (intrachr. + transl.) 40
SV types DEL: 7; DUP: 6; h2hINV: 4;
t2tINV: 3; TRA: 20
SVs in sample 161
Oscillating CN (2 and 3 states) 5, 7
CN segments 53
FDR fragment joints 0.8135044
FDR chr. breakp. enrich. 0
Linked to chr 8:36316585-58193473;
Purity, ploidy 0.48, 2.97




CGP_donor_1503016
Cancer type Breast-AdenoCA
Position 11:67121530-83614852
Type With other complex events
Interleaved intrachr. SVs 7
Total SVs (intrachr. + transl.) 7
SV types DEL: 1; DUP: 1; h2hINV: 3;
t2tINV: 2; TRA: 0
SVs in sample 72
Oscillating CN (2 and 3 states) 5, 12
CN segments 14
FDR fragment joints 0.7735152
FDR chr. breakp. enrich. 0.08
Linked to chr
Purity, ploidy 0.54, 2.1




CGP_donor_1503021
Cancer type Breast-AdenoCA
Position 16:46993430-84786026
Type Before polyploidization
Interleaved intrachr. SVs 8
Total SVs (intrachr. + transl.) 11
SV types DEL: 1; DUP: 1; h2hINV: 2;
t2tINV: 4; TRA: 3
SVs in sample 25
Oscillating CN (2 and 3 states) 6, 7
CN segments 9
FDR fragment joints 0.7425546
FDR chr. breakp. enrich. 0
Linked to chr
Purity, ploidy 0.67, 2.05




CGP_donor_1503150
Cancer type Breast-AdenoCA
Position 6:3658692-44465119
Type With other complex events
Interleaved intrachr. SVs 21
Total SVs (intrachr. + transl.) 26
SV types DEL: 4; DUP: 5; h2hINV: 6;
t2tINV: 6; TRA: 5
SVs in sample 180
Oscillating CN (2 and 3 states) 6, 9
CN segments 18
FDR fragment joints 0.8172348
FDR chr. breakp. enrich. 0
Linked to chr 3:175252560-194564989;
Purity, ploidy 0.82, 1.98




CGP_donor_1503150	
Cancer type	Breast-AdenoCA
Position	8:36031131-90557044
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	11
SV types	DEL: 2; DUP: 4; h2hINV: 1; t2tINV: 1; TRA: 3
SVs in sample	180
Oscillating CN (2 and 3 states)	4, 7
CN segments	19
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.82, 1.98




CGP_donor_1114881	
Cancer type	Breast-AdenoCA
Position	8:31373451-72632912
Type	With other complex events
Interleaved intrachr. SVs	39
Total SVs (intrachr. + transl.)	47
SV types	DEL: 9; DUP: 7; h2hINV: 11; t2tINV: 12; TRA: 8
SVs in sample	249
Oscillating CN (2 and 3 states)	4, 13
CN segments	60
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chr	6:65175120-68525091;
Purity, ploidy	0.77, 1.96




CGP_donor_1114881	
Cancer type	Breast-AdenoCA
Position	10:17464930-97184502
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	6
SV types	DEL: 1; DUP: 1; h2hINV: 2; t2tINV: 2; TRA: 0
SVs in sample	249
Oscillating CN (2 and 3 states)	6, 10
CN segments	12
FDR fragment joints	0.9284301
FDR chr. breakp. enrich.	0.77
Linked to chr	
Purity, ploidy	0.77, 1.96




CGP_donor_1187030	
Cancer type	Breast-AdenoCA
Position	20:24116036-55592291
Type	With other complex events
Interleaved intrachr. SVs	11
Total SVs (intrachr. + transl.)	15
SV types	DEL: 2; DUP: 3; h2hINV: 3; t2tINV: 3; TRA: 4
SVs in sample	98
Oscillating CN (2 and 3 states)	4, 6
CN segments	26
FDR fragment joints	0.9905774
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.54, 6.22




CGP_donor_1187033	
Cancer type	Breast-AdenoCA
Position	12:14425084-25928588
Type	Canonical without polyploidization
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	10
SV types	DEL: 2; DUP: 2; h2hINV: 2; t2iINV: 2; TRA: 2
SVs in sample	228
Oscillating CN (2 and 3 states)	6, 8
CN segments	8
FDR fragment joints	0.8572806
FDR chr. breakp. enrich.	0.1
Linked to chrs	
Purity, ploidy	0.59, 1.81





CGP_donor_1187033	
Cancer type	Breast-AdenoCA
Position	17:38442067-79276431
Type	With other complex events
Interleaved intrachr. SVs	84
Total SVs (intrachr. + transl.)	114
SV types	DEL: 20; DUP: 22; h2hINV: 23; t2iINV: 19; TRA: 30
SVs in sample	228
Oscillating CN (2 and 3 states)	5, 5
CN segments	116
FDR fragment joints	0.8784945
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.59, 1.81



CGP_donor_1199104	
Cancer type	Breast-AdenoCA
Position	2:122442175-191880486
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	17
SV types	DEL: 5; DUP: 2; h2hINV: 1; t2iINV: 2; TRA: 7
SVs in sample	803
Oscillating CN (2 and 3 states)	6, 8
CN segments	26
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	4:53118926-163564695;8:13736456-132773371
Purity, ploidy	0.53, 3.83





CGP_donor_1199104	
Cancer type	Breast-AdenoCA
Position	4:53118926-163564696
Type	With other complex events
Interleaved intrachr. SVs	52
Total SVs (intrachr. + transl.)	106
SV types	DEL: 14; DUP: 11; h2hINV: 15; t2iINV: 12; TRA: 54
SVs in sample	803
Oscillating CN (2 and 3 states)	6, 11
CN segments	115
FDR fragment joints	0.9922157
FDR chr. breakp. enrich.	0
Linked to chrs	5:77648424-175567949;8:13736456-132773371
Purity, ploidy	0.53, 3.83




CGP_donor_1199104	
Cancer type	Breast-AdenoCA
Position	5:77648424-175567950
Type	After polyploidization
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	12
SV types	DEL: 1; DUP: 2; h2hINV: 2; t2iINV: 2; TRA: 5
SVs in sample	803
Oscillating CN (2 and 3 states)	6, 9
CN segments	9
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0.23
Linked to chrs	12:24474408-110217684;4:53118926-163564695
Purity, ploidy	0.53, 3.83

CGP_donor_1199104	
Cancer type	Breast-AdenoCA
Position	8:13736456-132773372
Type	With other complex events
Interleaved intrachr. SVs	50
Total SVs (intrachr. + transl.)	164
SV types	DEL: 12; DUP: 14; h2hINV: 11; t2iINV: 13; TRA: 114
SVs in sample	803
Oscillating CN (2 and 3 states)	6, 6
CN segments	155
FDR fragment joints	0.9339031
FDR chr. breakp. enrich.	0
Linked to chrs	11:66056632-80789771;12:24474408-110217684 2:122442175-191880485;4:53118926-163564695 5:77648424-175567949;7:75587775-134670400
Purity, ploidy	0.53, 3.83




CGP_donor_1199104	
Cancer type	Breast-AdenoCA
Position	10:800474-27783066
Type	With other complex events
Interleaved intrachr. SVs	20
Total SVs (intrachr. + transl.)	65
SV types	DEL: 8; DUP: 1; h2hINV: 7; t2iINV: 4; TRA: 45
SVs in sample	803
Oscillating CN (2 and 3 states)	4, 6
CN segments	50
FDR fragment joints	0.9147564
FDR chr. breakp. enrich.	0
Linked to chrs	4:53118926-163564695;
Purity, ploidy	0.53, 3.83


CGP_donor_1199104	
Cancer type	Breast-AdenoCA
Position	11:66056632-80789772
Type	With other complex events
Interleaved intrachr. SVs	21
Total SVs (intrachr. + transl.)	96
SV types	DEL: 9; DUP: 3; h2hINV: 3; t2iINV: 6; TRA: 75
SVs in sample	803
Oscillating CN (2 and 3 states)	5, 5
CN segments	75
FDR fragment joints	0.9343093
FDR chr. breakp. enrich.	0
Linked to chrs	12:24474408-110217684;8:13736456-132773371
Purity, ploidy	0.53, 3.83




CGP_donor_1199129	
Cancer type	Breast-AdenoCA
Position	12:1812499-12002882
Type	With other complex events
Interleaved intrachr. SVs	13
Total SVs (intrachr. + transl.)	31
SV types	DEL: 3; DUP: 5; h2hINV: 1; t2tINV: 4; TRA: 18
SVs in sample	416
Oscillating CN (2 and 3 states)	5, 17
CN segments	17
FDR fragment joints	0.8168871
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.56, 2.88




CGP_donor_1199131	
Cancer type	Breast-AdenoCA
Position	8:41127422-122943006
Type	With other complex events
Interleaved intrachr. SVs	14
Total SVs (intrachr. + transl.)	21
SV types	DEL: 4; DUP: 2; h2hINV: 4; t2tINV: 4; TRA: 7
SVs in sample	240
Oscillating CN (2 and 3 states)	4, 6
CN segments	33
FDR fragment joints	0.9462199
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.48, 3.16




CGP_donor_1199131	
Cancer type	Breast-AdenoCA
Position	19:831618-58208210
Type	With other complex events
Interleaved intrachr. SVs	11
Total SVs (intrachr. + transl.)	13
SV types	DEL: 2; DUP: 1; h2hINV: 4; t2tINV: 4; TRA: 2
SVs in sample	240
Oscillating CN (2 and 3 states)	5, 5
CN segments	34
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.48, 3.16




CGP_donor_1199138	
Cancer type	Breast-AdenoCA
Position	2:16077672-242757221
Type	With other complex events
Interleaved intrachr. SVs	16
Total SVs (intrachr. + transl.)	31
SV types	DEL: 4; DUP: 2; h2hINV: 4; t2tINV: 6; TRA: 15
SVs in sample	426
Oscillating CN (2 and 3 states)	5, 7
CN segments	30
FDR fragment joints	0.930656
FDR chr. breakp. enrich.	0.23
Linked to chr	1:217357432-229030469;
Purity, ploidy	0.72, 3.18




CGP_donor_1199138
Cancer type Breast-AdenoCA
Position 8:106917395-143420924
Type With other complex events
Interleaved intrachr. SVs 15
Total SVs (intrachr. + transl.) 17
SV types DEL: 4; DUP: 3; h2hiINV: 4; t2tiINV: 4; TRA: 2
SVs in sample 426
Oscillating CN (2 and 3 states) 4, 7
CN segments 24
FDR fragment joints 0.9934091
FDR chr. breakp. enrich. 0.01
Linked to chr
Purity, ploidy 0.72, 3.18




CGP_donor_1199138
Cancer type Breast-AdenoCA
Position 11:64326051-80060406
Type With other complex events
Interleaved intrachr. SVs 23
Total SVs (intrachr. + transl.) 35
SV types DEL: 6; DUP: 7; h2hiINV: 3; t2tiINV: 7; TRA: 12
SVs in sample 426
Oscillating CN (2 and 3 states) 5, 5
CN segments 56
FDR fragment joints 0.9757835
FDR chr. breakp. enrich. 0
Linked to chr
Purity, ploidy 0.72, 3.18




CGP_donor_1230722
Cancer type Breast-AdenoCA
Position 3:3536437-158590135
Type With other complex events
Interleaved intrachr. SVs 10
Total SVs (intrachr. + transl.) 13
SV types DEL: 4; DUP: 0; h2hiINV: 4; t2tiINV: 2; TRA: 3
SVs in sample 192
Oscillating CN (2 and 3 states) 5, 6
CN segments 34
FDR fragment joints 0.6776251
FDR chr. breakp. enrich. 0.15
Linked to chr
Purity, ploidy 0.27, 2.38




CGP_donor_1230722
Cancer type Breast-AdenoCA
Position 4:53307836-100323926
Type With other complex events
Interleaved intrachr. SVs 27
Total SVs (intrachr. + transl.) 28
SV types DEL: 7; DUP: 6; h2hiINV: 7; t2tiINV: 7; TRA: 1
SVs in sample 192
Oscillating CN (2 and 3 states) 5, 5
CN segments 46
FDR fragment joints 0.9794281
FDR chr. breakp. enrich. 0
Linked to chr
Purity, ploidy 0.27, 2.38




CGP_donor_1230722	
Cancer type	Breast-AdenoCA
Position	14:31249224-43197371
Type	With other complex events
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	10
SV types	DEL: 3; DUP: 0; h2hINV: 2; t2tINV: 4; TRA: 1
SVs in sample	192
Oscillating CN (2 and 3 states)	4, 5
CN segments	8
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.27, 2.38




CGP_donor_1230728	
Cancer type	Breast-AdenoCA
Position	5:51047194-59523791
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	36
SV types	DEL: 1; DUP: 3; h2hINV: 0; t2tINV: 3; TRA: 29
SVs in sample	329
Oscillating CN (2 and 3 states)	4, 4
CN segments	41
FDR fragment joints	0.641841
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.27, 3.5




CGP_donor_1230728	
Cancer type	Breast-AdenoCA
Position	12:39789055-71175213
Type	With other complex events
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	22
SV types	DEL: 3; DUP: 2; h2hINV: 3; t2tINV: 1; TRA: 13
SVs in sample	329
Oscillating CN (2 and 3 states)	4, 6
CN segments	29
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.27, 3.5




CGP_donor_1230728	
Cancer type	Breast-AdenoCA
Position	13:33627141-81483301
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	12
SV types	DEL: 0; DUP: 3; h2hINV: 1; t2tINV: 2; TRA: 6
SVs in sample	329
Oscillating CN (2 and 3 states)	4, 9
CN segments	13
FDR fragment joints	0.9284301
FDR chr. breakp. enrich.	0.04
Linked to chr	16:2388599-19726670;
Purity, ploidy	0.27, 3.5




CGP_donor_1230729
Cancer type Breast-AdenoCA
Position 1:52686225-58856084
Type With other complex events
Interleaved intrachr. SVs 10
Total SVs (intrachr. + transl.) 10
SV types DEL: 3; DUP: 2; h2hINV: 2;
t2tINV: 3; TRA: 0
SVs in sample 107
Oscillating CN (2 and 3 states) 4, 7
CN segments 10
FDR fragment joints 0.9625775
FDR chr. breakp. enrich. 0
Linked to chr
Purity, ploidy 0.52, 1.7




CGP_donor_1230778
Cancer type Breast-AdenoCA
Position 1:30154115-107830373
Type With other complex events
Interleaved intrachr. SVs 26
Total SVs (intrachr. + transl.) 31
SV types DEL: 8; DUP: 9; h2hINV: 4;
t2tINV: 5; TRA: 5
SVs in sample 182
Oscillating CN (2 and 3 states) 5, 10
CN segments 44
FDR fragment joints 0.7013708
FDR chr. breakp. enrich. 0
Linked to chr
Purity, ploidy 0.24, 3.39




CGP_donor_1230785
Cancer type Breast-AdenoCA
Position 2:2703128-76418672
Type With other complex events
Interleaved intrachr. SVs 9
Total SVs (intrachr. + transl.) 11
SV types DEL: 2; DUP: 4; h2hINV: 2;
t2tINV: 1; TRA: 2
SVs in sample 502
Oscillating CN (2 and 3 states) 6, 8
CN segments 25
FDR fragment joints 0.8653243
FDR chr. breakp. enrich. 0.63
Linked to chr
Purity, ploidy 0.35, 2.71




CGP_donor_1230785
Cancer type Breast-AdenoCA
Position X:108712192-124865542
Type With other complex events
Interleaved intrachr. SVs 12
Total SVs (intrachr. + transl.) 19
SV types DEL: 5; DUP: 3; h2hINV: 2;
t2tINV: 2; TRA: 7
SVs in sample 502
Oscillating CN (2 and 3 states) 5, 6
CN segments 23
FDR fragment joints 0.8653243
FDR chr. breakp. enrich. 0
Linked to chr
Purity, ploidy 0.35, 2.71




CGP_donor_1310131	
Cancer type	Breast-AdenoCA
Position	8:37059484-62040279
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	9
SV types	DEL: 1; DUP: 0; h2hINV: 4; t2tINV: 1; TRA: 3
SVs in sample	256
Oscillating CN (2 and 3 states)	5, 9
CN segments	35
FDR fragment joints	0.5435077
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.22, 2.91




CGP_donor_1347720	
Cancer type	Breast-AdenoCA
Position	2:146257863-227776482
Type	Canonical without polyploidization
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	9
SV types	DEL: 1; DUP: 2; h2hINV: 2; t2tINV: 1; TRA: 3
SVs in sample	173
Oscillating CN (2 and 3 states)	6, 6
CN segments	9
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0.01
Linked to chrs	
Purity, ploidy	0.37, 1.59




CGP_donor_1347737	
Cancer type	Breast-AdenoCA
Position	13:25444057-108478748
Type	With other complex events
Interleaved intrachr. SVs	22
Total SVs (intrachr. + transl.)	26
SV types	DEL: 6; DUP: 7; h2hINV: 4; t2tINV: 5; TRA: 4
SVs in sample	245
Oscillating CN (2 and 3 states)	4, 6
CN segments	41
FDR fragment joints	0.9179372
FDR chr. breakp. enrich.	0
Linked to chrs	8:54710029-141665224;
Purity, ploidy	0.59, 5.63




CGP_donor_1347737	
Cancer type	Breast-AdenoCA
Position	19:712477-38656509
Type	With other complex events
Interleaved intrachr. SVs	102
Total SVs (intrachr. + transl.)	102
SV types	DEL: 31; DUP: 27; h2hINV: 21; t2tINV: 23; TRA: 0
SVs in sample	245
Oscillating CN (2 and 3 states)	5, 7
CN segments	36
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.59, 5.63




CGP_donor_1353431	
Cancer type	Breast-AdenoCA
Position	9:77800927-139754035
Type	With other complex events
Interleaved intrachr. SVs	103
Total SVs (intrachr. + transl.)	113
SV types	DEL: 33; DUP: 28; h2hINV: 21; t2iINV: 21; TRA: 10
SVs in sample	276
Oscillating CN (2 and 3 states)	5, 8
CN segments	130
FDR fragment joints	0.6661212
FDR chr. breakp. enrich.	0
Linked to chrs	11:65669076-121347314;17:27282661-72008911
Purity, ploidy	0.51, 3.26




CGP_donor_1353431	
Cancer type	Breast-AdenoCA
Position	10:6930033-52299947
Type	With other complex events
Interleaved intrachr. SVs	23
Total SVs (intrachr. + transl.)	23
SV types	DEL: 5; DUP: 3; h2hINV: 6; t2iINV: 9; TRA: 0
SVs in sample	276
Oscillating CN (2 and 3 states)	6, 10
CN segments	40
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.51, 3.26




CGP_donor_1353431	
Cancer type	Breast-AdenoCA
Position	17:27282661-72008912
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	25
SV types	DEL: 3; DUP: 1; h2hINV: 2; t2iINV: 2; TRA: 17
SVs in sample	276
Oscillating CN (2 and 3 states)	5, 8
CN segments	34
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	9:77800927-139754034;
Purity, ploidy	0.51, 3.26




CGP_donor_1353432	
Cancer type	Breast-AdenoCA
Position	11:57883853-105414478
Type	With other complex events
Interleaved intrachr. SVs	15
Total SVs (intrachr. + transl.)	30
SV types	DEL: 4; DUP: 3; h2hINV: 3; t2iINV: 5; TRA: 15
SVs in sample	185
Oscillating CN (2 and 3 states)	4, 6
CN segments	45
FDR fragment joints	0.9284301
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.89, 3.18




	CGP_donor_1456607
<i>Cancer type</i>	Breast-AdenoCA
<i>Position</i>	12:5519258-24071782
<i>Type</i>	With other complex events
<i>Interleaved intrachr. SVs</i>	15
<i>Total SVs (intrachr. + transl.)</i>	27
<i>SV types</i>	DEL: 3; DUP: 2; h2hINV: 4; t2iINV: 6; TRA: 12
<i>SVs in sample</i>	172
<i>Oscillating CN (2 and 3 states)</i>	4, 5
<i>CN segments</i>	39
<i>FDR fragment joints</i>	0.615458
<i>FDR chr. breakp. enrich.</i>	0
<i>Linked to chrs</i>	
<i>Purity, ploidy</i>	0.57, 3.21




	CGP_donor_1472394
<i>Cancer type</i>	Breast-AdenoCA
<i>Position</i>	12:47550216-98458711
<i>Type</i>	Canonical without polyploidization
<i>Interleaved intrachr. SVs</i>	13
<i>Total SVs (intrachr. + transl.)</i>	21
<i>SV types</i>	DEL: 2; DUP: 4; h2hINV: 4; t2iINV: 3; TRA: 8
<i>SVs in sample</i>	366
<i>Oscillating CN (2 and 3 states)</i>	5, 5
<i>CN segments</i>	5
<i>FDR fragment joints</i>	0.8882853
<i>FDR chr. breakp. enrich.</i>	0
<i>Linked to chrs</i>	11:22556697-111968888;
<i>Purity, ploidy</i>	0.7, 1.76




CGP_donor_1472395	
Cancer type	Breast-AdenoCA
Position	15:28701023-57607104
Type	With other complex events
Interleaved intrachr. SVs	20
Total SVs (intrachr. + transl.)	21
SV types	DEL: 5; DUP: 5; h2hINV: 3; t2iINV: 7; TRA: 1
SVs in sample	132
Oscillating CN (2 and 3 states)	5, 10
CN segments	20
FDR fragment joints	0.8882853
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.5, 3.23




CGP_donor_1606179	
Cancer type	Breast-AdenoCA
Position	9:4256540-29177994
Type	With other complex events
Interleaved intrachr. SVs	12
Total SVs (intrachr. + transl.)	12
SV types	DEL: 3; DUP: 3; h2hINV: 3; t2iINV: 3; TRA: 0
SVs in sample	372
Oscillating CN (2 and 3 states)	4, 7
CN segments	22
FDR fragment joints	1
FDR chr. breakp. enrich.	0.28
Linked to chr	
Purity, ploidy	0.52, 2.83




CGP_donor_1606179	
Cancer type	Breast-AdenoCA
Position	12:17064462-27430583
Type	With other complex events
Interleaved intrachr. SVs	25
Total SVs (intrachr. + transl.)	42
SV types	DEL: 8; DUP: 7; h2hINV: 7; t2iINV: 3; TRA: 17
SVs in sample	372
Oscillating CN (2 and 3 states)	4, 4
CN segments	24
FDR fragment joints	0.8988396
FDR chr. breakp. enrich.	0
Linked to chr	6:947294-169801582;
Purity, ploidy	0.52, 2.83




CGP_donor_1654385	
Cancer type	Breast-AdenoCA
Position	1:154387036-165898515
Type	With other complex events
Interleaved intrachr. SVs	26
Total SVs (intrachr. + transl.)	111
SV types	DEL: 6; DUP: 6; h2hINV: 7; t2iINV: 7; TRA: 85
SVs in sample	372
Oscillating CN (2 and 3 states)	4, 7
CN segments	63
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chr	21:10701912-45821257;
Purity, ploidy	0.72, 4.42




CGP_donor_1701345
Cancer type Breast-AdenoCA
Position 1:35101528-48512693
Type With other complex events
Interleaved intrachr. SVs 6
Total SVs (intrachr. + transl.) 6
SV types DEL: 3; DUP: 3; h2hINV: 0;
t2tINV: 0; TRA: 0
SVs in sample 368
Oscillating CN (2 and 3 states) 5, 11
CN segments 11
FDR fragment joints 0.5435077
FDR chr. breakp. enrich. 0.69
Linked to chrs
Purity, ploidy 0.43, 2.84




CGP_donor_1701345
Cancer type Breast-AdenoCA
Position 2:102310161-225180735
Type With other complex events
Interleaved intrachr. SVs 37
Total SVs (intrachr. + transl.) 55
SV types DEL: 11; DUP: 6; h2hINV: 9;
t2tINV: 11; TRA: 18
SVs in sample 368
Oscillating CN (2 and 3 states) 6, 12
CN segments 78
FDR fragment joints 0.9723381
FDR chr. breakp. enrich. 0
Linked to chrs 1:35101528-48512692;10:290666-86528974
Purity, ploidy 0.43, 2.84




CGP_donor_1701345
Cancer type Breast-AdenoCA
Position 5:28386068-38607621
Type With other complex events
Interleaved intrachr. SVs 11
Total SVs (intrachr. + transl.) 16
SV types DEL: 2; DUP: 2; h2hINV: 4;
t2tINV: 3; TRA: 5
SVs in sample 368
Oscillating CN (2 and 3 states) 6, 6
CN segments 17
FDR fragment joints 0.9501265
FDR chr. breakp. enrich. 0.42
Linked to chrs
Purity, ploidy 0.43, 2.84




CGP_donor_1701345
Cancer type Breast-AdenoCA
Position 10:290666-86528975
Type With other complex events
Interleaved intrachr. SVs 18
Total SVs (intrachr. + transl.) 34
SV types DEL: 4; DUP: 6; h2hINV: 3;
t2tINV: 5; TRA: 16
SVs in sample 368
Oscillating CN (2 and 3 states) 5, 7
CN segments 52
FDR fragment joints 0.9717738
FDR chr. breakp. enrich. 0
Linked to chrs 2:102310161-225180734;
Purity, ploidy 0.43, 2.84




CGP_donor_1701345	
Cancer type	Breast-AdenoCA
Position	X:47359209-62646302
Type	With other complex events
Interleaved intrachr. SVs	14
Total SVs (intrachr. + transl.)	19
SV types	DEL: 7; DUP: 5; h2hINV: 2; t2tINV: 0; TRA: 5
SVs in sample	368
Oscillating CN (2 and 3 states)	4, 8
CN segments	33
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	10:290666-86528974;2:102310161-225180734
Purity, ploidy	0.43, 2.84





084c6aec-94f7-4090-8f3f-59fa9e89721a	
Cancer type	Breast-AdenoCA
Position	17:25508004-62998961
Type	With other complex events
Interleaved intrachr. SVs	40
Total SVs (intrachr. + transl.)	49
SV types	DEL: 9; DUP: 8; h2hINV: 14; t2tINV: 9; TRA: 9
SVs in sample	257
Oscillating CN (2 and 3 states)	4, 5
CN segments	41
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.88, 1.98



08da7c4c-3067-4bcf-9d7a-78566df72e69	
Cancer type	Breast-AdenoCA
Position	12:3255392-12445504
Type	With other complex events
Interleaved intrachr. SVs	37
Total SVs (intrachr. + transl.)	42
SV types	DEL: 11; DUP: 9; h2hINV: 8; t2tINV: 9; TRA: 5
SVs in sample	151
Oscillating CN (2 and 3 states)	6, 9
CN segments	56
FDR fragment joints	1
FDR chr. breakp. enrich.	0
Linked to chrs	1:1177876-186668387;
Purity, ploidy	0.63, 3.03





0a2a3529-f645-4967-9a58-89ee20b8bb62	
Cancer type	Breast-AdenoCA
Position	8:28068350-48961471
Type	With other complex events
Interleaved intrachr. SVs	12
Total SVs (intrachr. + transl.)	13
SV types	DEL: 2; DUP: 6; h2hINV: 1; t2tINV: 3; TRA: 1
SVs in sample	190
Oscillating CN (2 and 3 states)	4, 7
CN segments	21
FDR fragment joints	0.5435077
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.66, 3.57




0bc5744c-5fa3-45bb-87d0-70a02068b392	
Cancer type	Breast-AdenoCA
Position	1:755344-72678036
Type	With other complex events
Interleaved intrachr. SVs	50
Total SVs (intrachr. + transl.)	85
SV types	DEL: 18; DUP: 7; h2hINV: 14; t2iINV: 11; TRA: 35
SVs in sample	487
Oscillating CN (2 and 3 states)	5, 7
CN segments	43
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	14:39530849-45584133;
Purity, ploidy	0.43, 2.16

0bc5744c-5fa3-45bb-87d0-70a02068b392	
Cancer type	Breast-AdenoCA
Position	8:22116077-140133049
Type	With other complex events
Interleaved intrachr. SVs	22
Total SVs (intrachr. + transl.)	37
SV types	DEL: 7; DUP: 3; h2hINV: 6; t2iINV: 6; TRA: 15
SVs in sample	487
Oscillating CN (2 and 3 states)	4, 5
CN segments	21
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0
Linked to chrs	1:755344-72678035;14:39530849-45584133
Purity, ploidy	0.43, 2.16




0bc5744c-5fa3-45bb-87d0-70a02068b392	
Cancer type	Breast-AdenoCA
Position	11:67403366-89463830
Type	With other complex events
Interleaved intrachr. SVs	12
Total SVs (intrachr. + transl.)	56
SV types	DEL: 4; DUP: 1; h2hINV: 3; t2iINV: 4; TRA: 44
SVs in sample	487
Oscillating CN (2 and 3 states)	5, 9
CN segments	47
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.43, 2.16


0bc5744c-5fa3-45bb-87d0-70a02068b392	
Cancer type	Breast-AdenoCA
Position	17:31395557-80441361
Type	With other complex events
Interleaved intrachr. SVs	137
Total SVs (intrachr. + transl.)	206
SV types	DEL: 37; DUP: 36; h2hINV: 31; t2iINV: 33; TRA: 69
SVs in sample	487
Oscillating CN (2 and 3 states)	6, 14
CN segments	179
FDR fragment joints	0.7425546
FDR chr. breakp. enrich.	0
Linked to chrs	11:67403366-89463829;14:39530849-45584133
Purity, ploidy	0.43, 2.16




0bc5744c-5fa3-45bb-87d0-70a02068b392	
Cancer type	Breast-AdenoCA
Position	20:2672158-18490675
Type	With other complex events
Interleaved intrachr. SVs	22
Total SVs (intrachr. + transl.)	23
SV types	DEL: 6; DUP: 3; h2hINV: 8; t2tINV: 5; TRA: 1
SVs in sample	487
Oscillating CN (2 and 3 states)	5, 6
CN segments	13
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.43, 2.16




0dca98b0-f43e-45b6-9a02-00092c78678c	
Cancer type	Breast-AdenoCA
Position	5:24520-120779185
Type	With other complex events
Interleaved intrachr. SVs	70
Total SVs (intrachr. + transl.)	81
SV types	DEL: 17; DUP: 12; h2hINV: 19; t2tINV: 22; TRA: 11
SVs in sample	552
Oscillating CN (2 and 3 states)	6, 15
CN segments	97
FDR fragment joints	0.8086009
FDR chr. breakp. enrich.	0
Linked to chrs	10:14391438-105152621;6:53464511-167310325 X:96927939-148453405;
Purity, ploidy	0.76, 2.13



1174f6e4-ffbe-4e59-a000-8d861c968369	
Cancer type	Breast-AdenoCA
Position	3:95813661-124485880
Type	With other complex events
Interleaved intrachr. SVs	46
Total SVs (intrachr. + transl.)	111
SV types	DEL: 13; DUP: 9; h2hINV: 13; t2tINV: 11; TRA: 65
SVs in sample	357
Oscillating CN (2 and 3 states)	6, 10
CN segments	94
FDR fragment joints	0.7814391
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.49, 3.26




1174f6e4-ffbe-4e59-a000-8d861c968369	
Cancer type	Breast-AdenoCA
Position	6:71335682-87123000
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	9
SV types	DEL: 1; DUP: 2; h2hINV: 1; t2tINV: 4; TRA: 1
SVs in sample	357
Oscillating CN (2 and 3 states)	4, 7
CN segments	16
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	1
Linked to chrs	
Purity, ploidy	0.49, 3.26




1174f6e4-ffb4-4e59-a000-8d861c968369

Cancer type	Breast-AdenoCA
Position	17:35714118-65191896
Type	With other complex events
Interleaved intrachr. SVs	21
Total SVs (intrachr. + transl.)	71
SV types	DEL: 5; DUP: 7; h2hINV: 4; i2iINV: 5; TRA: 50
SVs in sample	357
Oscillating CN (2 and 3 states)	6, 9
CN segments	81
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	3:95813661-124485879;
Purity, ploidy	0.49, 3.26




1557183c-aedd-4df6-b98a-3654667f7b69

Cancer type	Breast-AdenoCA
Position	4:155589998-190789670
Type	With other complex events
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	13
SV types	DEL: 1; DUP: 6; h2hINV: 2; i2iINV: 0; TRA: 4
SVs in sample	435
Oscillating CN (2 and 3 states)	5, 14
CN segments	14
FDR fragment joints	0.5435077
FDR chr. breakp. enrich.	0.44
Linked to chrs	17:29145267-69232448;
Purity, ploidy	0.6, 3.86




1557183c-aedd-4df6-b98a-3654667f7b69

Cancer type	Breast-AdenoCA
Position	11:19167099-105816357
Type	With other complex events
Interleaved intrachr. SVs	46
Total SVs (intrachr. + transl.)	51
SV types	DEL: 13; DUP: 14; h2hINV: 9; i2iINV: 10; TRA: 5
SVs in sample	435
Oscillating CN (2 and 3 states)	5, 9
CN segments	103
FDR fragment joints	0.9681319
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.6, 3.86




1557183c-aedd-4df6-b98a-3654667f7b69

Cancer type	Breast-AdenoCA
Position	13:49252644-68873475
Type	After polyploidization
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	7
SV types	DEL: 2; DUP: 1; h2hINV: 2; i2iINV: 1; TRA: 1
SVs in sample	435
Oscillating CN (2 and 3 states)	6, 9
CN segments	9
FDR fragment joints	0.7735152
FDR chr. breakp. enrich.	0.61
Linked to chrs	
Purity, ploidy	0.6, 3.86




1557183c-aedd-4df6-b98a-3654667f7b69

Cancer type	Breast-AdenoCA
Position	17:29145267-69232449
Type	With other complex events
Interleaved intrachr. SVs	255
Total SVs (intrachr. + transl.)	265
SV types	DEL: 71; DUP: 67; h2hINV: 59; t2iINV: 58; TRA: 10
SVs in sample	435
Oscillating CN (2 and 3 states)	5, 7
CN segments	324
FDR fragment joints	0.7933887
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.6, 3.86




233b02f3-c4f0-4a67-9db5-e68d5cdacsb6

Cancer type	Breast-AdenoCA
Position	7:52434693-145134157
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	35
SV types	DEL: 1; DUP: 2; h2hINV: 1; t2iINV: 3; TRA: 28
SVs in sample	618
Oscillating CN (2 and 3 states)	4, 5
CN segments	31
FDR fragment joints	0.7526697
FDR chr. breakp. enrich.	0
Linked to chrs	8:63956033-143798716;X:3683303-142419843
Purity, ploidy	0.7, 5.48




233b02f3-c4f0-4a67-9db5-e68d5cdacsb6

Cancer type	Breast-AdenoCA
Position	8:63956033-143798717
Type	With other complex events
Interleaved intrachr. SVs	63
Total SVs (intrachr. + transl.)	108
SV types	DEL: 15; DUP: 20; h2hINV: 12; t2iINV: 16; TRA: 45
SVs in sample	618
Oscillating CN (2 and 3 states)	5, 13
CN segments	150
FDR fragment joints	0.7137217
FDR chr. breakp. enrich.	0
Linked to chrs	17:29900854-72983270;X:3683303-142419843
Purity, ploidy	0.7, 5.48




233b02f3-c4f0-4a67-9db5-e68d5cdacsb6

Cancer type	Breast-AdenoCA
Position	9:30724383-136978634
Type	With other complex events
Interleaved intrachr. SVs	16
Total SVs (intrachr. + transl.)	21
SV types	DEL: 5; DUP: 3; h2hINV: 4; t2iINV: 4; TRA: 5
SVs in sample	618
Oscillating CN (2 and 3 states)	4, 8
CN segments	34
FDR fragment joints	0.9462199
FDR chr. breakp. enrich.	0.09
Linked to chrs	
Purity, ploidy	0.7, 5.48




233b02f3-c4f0-4a67-9db5-e68d5cdaccb6

Cancer type	Breast-AdenoCA
Position	X:3683303-142419844
Type	With other complex events
Interleaved intrachr. SVs	53
Total SVs (intrachr. + transl.)	94
SV types	DEL: 10; DUP: 13; h2hINV: 14; t2tINV: 16; TRA: 41
SVs in sample	618
Oscillating CN (2 and 3 states)	5, 7
CN segments	77
FDR fragment joints	0.6714613
FDR chr. breakp. enrich.	0
Linked to chrs	17:29900854-72983270;18:1797061-70607437
Purity, ploidy	0.7, 5.48




2779fa01-ac93-4e80-a997-3385f72172c3

Cancer type	Breast-AdenoCA
Position	17:11610139-39394274
Type	With other complex events
Interleaved intrachr. SVs	103
Total SVs (intrachr. + transl.)	127
SV types	DEL: 35; DUP: 20; h2hINV: 27; t2tINV: 21; TRA: 24
SVs in sample	190
Oscillating CN (2 and 3 states)	5, 9
CN segments	128
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.85, 2.06




38a8b734-9acc-42f9-b5b7-e51b0dfc6504

Cancer type	Breast-AdenoCA
Position	19:28234779-29767781
Type	After polyploidization
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	7
SV types	DEL: 2; DUP: 0; h2hINV: 2; t2tINV: 2; TRA: 1
SVs in sample	54
Oscillating CN (2 and 3 states)	6, 7
CN segments	7
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.73, 3.36




441919eb-8c9f-478c-bda3-8de4f8295e8a

Cancer type	Breast-AdenoCA
Position	1:94026241-145056864
Type	With other complex events
Interleaved intrachr. SVs	18
Total SVs (intrachr. + transl.)	37
SV types	DEL: 4; DUP: 6; h2hINV: 5; t2tINV: 3; TRA: 19
SVs in sample	744
Oscillating CN (2 and 3 states)	4, 6
CN segments	51
FDR fragment joints	0.818888
FDR chr. breakp. enrich.	0
Linked to chrs	17:31874561-36100025;8:1680713-143764778
Purity, ploidy	0.5, 3.35




44bec761-b603-49c0-8634-f6bfe0319bb1

Cancer type	Breast-AdenoCA
Position	17:47241742-74862785
Type	With other complex events
Interleaved intrachr. SVs	26
Total SVs (intrachr. + transl.)	41
SV types	DEL: 2; DUP: 4; h2hINV: 9; t2tINV: 11; TRA: 15
SVs in sample	320
Oscillating CN (2 and 3 states)	6, 7
CN segments	71
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	22:18266499-42732086;3:79667212-191335907
Purity, ploidy	0.59, 3.37




4da999a0-ef41-4a0b-b1d1-446b39cc855a

Cancer type	Breast-AdenoCA
Position	2:115111736-198568025
Type	With other complex events
Interleaved intrachr. SVs	25
Total SVs (intrachr. + transl.)	63
SV types	DEL: 6; DUP: 6; h2hINV: 8; t2tINV: 5; TRA: 38
SVs in sample	423
Oscillating CN (2 and 3 states)	5, 9
CN segments	63
FDR fragment joints	0.9936601
FDR chr. breakp. enrich.	0
Linked to chrs	15:56597551-99238230;17:2048893-25902796 8:35905735-108901611;
Purity, ploidy	0.77, 3.16




4da999a0-ef41-4a0b-b1d1-446b39cc855a

Cancer type	Breast-AdenoCA
Position	18:6714837-10477636
Type	With other complex events
Interleaved intrachr. SVs	12
Total SVs (intrachr. + transl.)	26
SV types	DEL: 5; DUP: 3; h2hINV: 2; t2tINV: 2; TRA: 14
SVs in sample	423
Oscillating CN (2 and 3 states)	4, 5
CN segments	11
FDR fragment joints	0.6338796
FDR chr. breakp. enrich.	0
Linked to chrs	17:2048893-25902796;8:35905735-108901611
Purity, ploidy	0.77, 3.16




53886143-c1c6-40e9-88e6-e4e5e0271fc8

Cancer type	Breast-AdenoCA
Position	19:27822952-53535690
Type	With other complex events
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	11
SV types	DEL: 3; DUP: 1; h2hINV: 4; t2tINV: 1; TRA: 2
SVs in sample	113
Oscillating CN (2 and 3 states)	5, 7
CN segments	24
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.54, 2.98




53886143-c1c6-40e9-88e6-e4e5e0271fc8

Cancer type	Breast-AdenoCA
Position	X:16428213-98616120
Type	After polyploidization
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	7
SV types	DEL: 0; DUP: 2; h2hINV: 3; t2iINV: 2; TRA: 0
SVs in sample	113
Oscillating CN (2 and 3 states)	6, 9
CN segments	9
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0.53
Linked to chrs	
Purity, ploidy	0.54, 2.98




5580b21a-2cdb-4777-ad79-6e06654144f5

Cancer type	Breast-AdenoCA
Position	17:27472457-78723957
Type	With other complex events
Interleaved intrachr. SVs	141
Total SVs (intrachr. + transl.)	158
SV types	DEL: 29; DUP: 28; h2hINV: 42; t2iINV: 42; TRA: 17
SVs in sample	252
Oscillating CN (2 and 3 states)	5, 8
CN segments	232
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.55, 3.56




566792ae-f853-4a47-856d-f02cdcfcfb18a

Cancer type	Breast-AdenoCA
Position	1:35669387-215888510
Type	With other complex events
Interleaved intrachr. SVs	91
Total SVs (intrachr. + transl.)	130
SV types	DEL: 25; DUP: 18; h2hINV: 25; t2iINV: 23; TRA: 39
SVs in sample	579
Oscillating CN (2 and 3 states)	6, 10
CN segments	117
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	10:109264246-123915302;13:20809449-38507870
Purity, ploidy	0.72, 2.01




566792ae-f853-4a47-856d-f02cdcfcfb18a


Cancer type	Breast-AdenoCA
Position	11:76728327-84744117
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	16
SV types	DEL: 1; DUP: 1; h2hINV: 3; t2iINV: 1; TRA: 10
SVs in sample	579
Oscillating CN (2 and 3 states)	5, 8
CN segments	18
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0.01
Linked to chrs	22:22420637-33518316;
Purity, ploidy	0.72, 2.01




566792ae-f853-4a47-856d-f02cdcfcb18a	
Cancer type	Breast-AdenoCA
Position	13:20809449-38507871
Type	With other complex events
Interleaved intrachr. SVs	15
Total SVs (intrachr. + transl.)	28
SV types	DEL: 3; DUP: 2; h2hINV: 6; t2tINV: 4; TRA: 13
SVs in sample	579
Oscillating CN (2 and 3 states)	6, 11
CN segments	32
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	17:25885913-74155396;
Purity, ploidy	0.72, 2.01





566792ae-f853-4a47-856d-f02cdcfcb18a	
Cancer type	Breast-AdenoCA
Position	17:25885913-74155397
Type	With other complex events
Interleaved intrachr. SVs	43
Total SVs (intrachr. + transl.)	90
SV types	DEL: 10; DUP: 15; h2hINV: 12; t2tINV: 6; TRA: 47
SVs in sample	579
Oscillating CN (2 and 3 states)	5, 9
CN segments	84
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	1:35669387-215888509;10:109264246-123915302 13:20809449-38507870;
Purity, ploidy	0.72, 2.01



5dd423e8-feaa-4568-a750-500948c41d6c	
Cancer type	Breast-AdenoCA
Position	1:150805216-169752869
Type	With other complex events
Interleaved intrachr. SVs	16
Total SVs (intrachr. + transl.)	22
SV types	DEL: 4; DUP: 2; h2hINV: 5; t2tINV: 5; TRA: 6
SVs in sample	255
Oscillating CN (2 and 3 states)	4, 6
CN segments	33
FDR fragment joints	0.8874881
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.8, 2.15





5dd423e8-feaa-4568-a750-500948c41d6c	
Cancer type	Breast-AdenoCA
Position	10:68422126-88297594
Type	With other complex events
Interleaved intrachr. SVs	27
Total SVs (intrachr. + transl.)	28
SV types	DEL: 8; DUP: 5; h2hINV: 7; t2tINV: 7; TRA: 1
SVs in sample	255
Oscillating CN (2 and 3 states)	4, 11
CN segments	25
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.8, 2.15




5ed024e8-d05e-4c65-9441-eda9930ccc82	
Cancer type	Breast-AdenoCA
Position	13:27374782-90659951
Type	With other complex events
Interleaved intrachr. SVs	15
Total SVs (intrachr. + transl.)	15
SV types	DEL: 3; DUP: 3; h2hINV: 4; t2tINV: 5; TRA: 0
SVs in sample	475
Oscillating CN (2 and 3 states)	5, 5
CN segments	14
FDR fragment joints	0.925252
FDR chr. breakp. enrich.	0.04
Linked to chrs	
Purity, ploidy	0.38, 2.04

60df7543-6da5-4c75-943b-5800c1e08234	
Cancer type	Breast-AdenoCA
Position	8:38109487-141109862
Type	With other complex events
Interleaved intrachr. SVs	66
Total SVs (intrachr. + transl.)	77
SV types	DEL: 11; DUP: 15; h2hINV: 22; t2tINV: 18; TRA: 11
SVs in sample	156
Oscillating CN (2 and 3 states)	4, 5
CN segments	106
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.39, 3.73




60df7543-6da5-4c75-943b-5800c1e08234	
Cancer type	Breast-AdenoCA
Position	9:7101017-102960994
Type	With other complex events
Interleaved intrachr. SVs	18
Total SVs (intrachr. + transl.)	20
SV types	DEL: 4; DUP: 6; h2hINV: 3; t2tINV: 5; TRA: 2
SVs in sample	156
Oscillating CN (2 and 3 states)	4, 8
CN segments	10
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.39, 3.73

6fa2a667-9c36-4526-8a58-1975e863a806	
Cancer type	Breast-AdenoCA
Position	1:94274301-226426398
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	18
SV types	DEL: 2; DUP: 2; h2hINV: 4; t2tINV: 2; TRA: 8
SVs in sample	259
Oscillating CN (2 and 3 states)	4, 6
CN segments	42
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.88, 3.98




733a2a0f-b37a-4b81-b49e-3c0f30d1eb37

Cancer type	Breast-AdenoCA
Position	17:34384789-59566711
Type	With other complex events
Interleaved intrachr. SVs	21
Total SVs (intrachr. + transl.)	70
SV types	DEL: 4; DUP: 4; h2hINV: 8; t2tINV: 5; TRA: 49
SVs in sample	403
Oscillating CN (2 and 3 states)	5, 7
CN segments	47
FDR fragment joints	0.7592608
FDR chr. breakp. enrich.	0
Linked to chrs	1:145117775-243098982;8:31896789-139505358
Purity, ploidy	0.6, 1.93




75113445-d2d6-44a0-866c-c9175e6d214b

Cancer type	Breast-AdenoCA
Position	10:54407919-63446307
Type	With other complex events
Interleaved intrachr. SVs	74
Total SVs (intrachr. + transl.)	102
SV types	DEL: 15; DUP: 15; h2hINV: 19; t2tINV: 25; TRA: 28
SVs in sample	212
Oscillating CN (2 and 3 states)	5, 10
CN segments	109
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	3:32984474-82175837;
Purity, ploidy	0.76, 2.35




75113445-d2d6-44a0-866c-c9175e6d214b

Cancer type	Breast-AdenoCA
Position	3:32984474-82175838
Type	With other complex events
Interleaved intrachr. SVs	11
Total SVs (intrachr. + transl.)	18
SV types	DEL: 2; DUP: 4; h2hINV: 2; t2tINV: 3; TRA: 7
SVs in sample	212
Oscillating CN (2 and 3 states)	5, 6
CN segments	23
FDR fragment joints	0.9875525
FDR chr. breakp. enrich.	0
Linked to chrs	10:54407919-63446306;
Purity, ploidy	0.76, 2.35




75113445-d2d6-44a0-866c-c9175e6d214b


Cancer type	Breast-AdenoCA
Position	11:59935523-67621236
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	17
SV types	DEL: 2; DUP: 1; h2hINV: 4; t2tINV: 3; TRA: 7
SVs in sample	212
Oscillating CN (2 and 3 states)	5, 8
CN segments	17
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.76, 2.35




75113445-d2d6-44a0-866c-c9175e6d214b	
Cancer type	Breast-AdenoCA
Position	14:21299867-63371689
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	18
SV types	DEL: 2; DUP: 2; h2hINV: 1; t2tINV: 3; TRA: 10
SVs in sample	212
Oscillating CN (2 and 3 states)	4, 7
CN segments	22
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	11:59935523-67621235;
Purity, ploidy	0.76, 2.35




784de7ac-8424-42eb-83d4-a1bebaa42b97	
Cancer type	Breast-AdenoCA
Position	11:48231454-78887152
Type	With other complex events
Interleaved intrachr. SVs	34
Total SVs (intrachr. + transl.)	69
SV types	DEL: 10; DUP: 8; h2hINV: 6; t2tINV: 10; TRA: 35
SVs in sample	106
Oscillating CN (2 and 3 states)	4, 6
CN segments	86
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.6, 2.04




8785012f-f73e-4d68-87cf-1d804af32782	
Cancer type	Breast-AdenoCA
Position	21:38958060-45893770
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	12
SV types	DEL: 1; DUP: 3; h2hINV: 0; t2tINV: 2; TRA: 6
SVs in sample	530
Oscillating CN (2 and 3 states)	4, 6
CN segments	8
FDR fragment joints	0.9284301
FDR chr. breakp. enrich.	0.01
Linked to chrs	10:949660-110004863;
Purity, ploidy	0.56, 2.92




8cf54607-01ce-42b0-9bd9-8627edd9f3b7	
Cancer type	Breast-AdenoCA
Position	3:4979331-87053735
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	36
SV types	DEL: 1; DUP: 2; h2hINV: 2; t2tINV: 3; TRA: 28
SVs in sample	500
Oscillating CN (2 and 3 states)	5, 5
CN segments	35
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0.02
Linked to chrs	10:37398211-116249332;4:39957449-163913724
Purity, ploidy	6:66019356-135278032; 0.55, 3.76




8cf54607-01ce-42b0-9bd9-8627edd9f3b7	
Cancer type	Breast-AdenoCA
Position	6:66019356-135278033
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	50
SV types	DEL: 5; DUP: 5; h2hiINV: 1; t2tiINV: 1; TRA: 38
SVs in sample	500
Oscillating CN (2 and 3 states)	6, 6
CN segments	57
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	12:2943203-96943877;13:22850041-105164538 3:4979331-87053734;
Purity, ploidy	0.55, 3.76





8cf54607-01ce-42b0-9bd9-8627edd9f3b7	
Cancer type	Breast-AdenoCA
Position	8:61853482-136089944
Type	With other complex events
Interleaved intrachr. SVs	26
Total SVs (intrachr. + transl.)	63
SV types	DEL: 7; DUP: 7; h2hiINV: 7; t2tiINV: 5; TRA: 37
SVs in sample	500
Oscillating CN (2 and 3 states)	4, 7
CN segments	65
FDR fragment joints	0.7735152
FDR chr. breakp. enrich.	0
Linked to chrs	10:37398211-116249332;15:32410181-71959925 3:4979331-87053734;4:39957449-163913724 6:66019356-135278032;
Purity, ploidy	0.55, 3.76



8cf54607-01ce-42b0-9bd9-8627edd9f3b7	
Cancer type	Breast-AdenoCA
Position	15:32410181-71959926
Type	With other complex events
Interleaved intrachr. SVs	17
Total SVs (intrachr. + transl.)	22
SV types	DEL: 2; DUP: 1; h2hiINV: 5; t2tiINV: 9; TRA: 5
SVs in sample	500
Oscillating CN (2 and 3 states)	5, 10
CN segments	34
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.55, 3.76



8cf54607-01ce-42b0-9bd9-8627edd9f3b7	
Cancer type	Breast-AdenoCA
Position	21:35999819-47786448
Type	With other complex events
Interleaved intrachr. SVs	29
Total SVs (intrachr. + transl.)	43
SV types	DEL: 11; DUP: 7; h2hiINV: 3; t2tiINV: 8; TRA: 14
SVs in sample	500
Oscillating CN (2 and 3 states)	5, 5
CN segments	54
FDR fragment joints	0.8609429
FDR chr. breakp. enrich.	0
Linked to chrs	20:11131846-59577546;
Purity, ploidy	0.55, 3.76





9435447e-d65f-408b-863b-6576b1d652dd

Cancer type	Breast-AdenoCA
Position	8:27280903-40031251
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	10
SV types	DEL: 1; DUP: 2; h2hINV: 3; t2tINV: 2; TRA: 2
SVs in sample	137
Oscillating CN (2 and 3 states)	5, 9
CN segments	15
FDR fragment joints	0.8572806
FDR chr. breakp. enrich.	0.22
Linked to chrs	6:11657826-66411416;
Purity, ploidy	0.63, 3.27

993103b1-e5a1-4c33-8629-be53ebc41d64

Cancer type	Breast-AdenoCA
Position	X:29228730-35455689
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	7
SV types	DEL: 2; DUP: 0; h2hINV: 2; t2tINV: 3; TRA: 0
SVs in sample	202
Oscillating CN (2 and 3 states)	4, 10
CN segments	15
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.41, 3.34





9938ce5c-e74e-446e-a932-f096f85cc3b1

Cancer type	Breast-AdenoCA
Position	3:8619684-170470349
Type	Canonical without polyploidization
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	11
SV types	DEL: 4; DUP: 0; h2hINV: 3; t2tINV: 2; TRA: 2
SVs in sample	361
Oscillating CN (2 and 3 states)	5, 5
CN segments	5
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0.16
Linked to chrs	
Purity, ploidy	0.5, 1.84



9fefbe7c-f66a-4940-843e-285cb7b392c1

Cancer type	Breast-AdenoCA
Position	6:5413201-164420806
Type	With other complex events
Interleaved intrachr. SVs	102
Total SVs (intrachr. + transl.)	163
SV types	DEL: 23; DUP: 27; h2hINV: 23; t2tINV: 29; TRA: 61
SVs in sample	740
Oscillating CN (2 and 3 states)	6, 16
CN segments	129
FDR fragment joints	0.8517294
FDR chr. breakp. enrich.	0
Linked to chrs	1:31254630-243789936;11:77294848-126487191
Purity, ploidy	7:63694811-105774033; 0.83, 3.26




9fefbe7c-f66a-4940-843e-285cb7b392c1	
Cancer type	Breast-AdenoCA
Position	18:3037071-12644210
Type	After polyploidization
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	11
SV types	DEL: 2; DUP: 2; h2hINV: 2; t2tINV: 3; TRA: 2
SVs in sample	740
Oscillating CN (2 and 3 states)	6, 6
CN segments	6
FDR fragment joints	0.9804396
FDR chr. breakp. enrich.	0.33
Linked to chrs	
Purity, ploidy	0.83, 3.26

9fefbe7c-f66a-4940-843e-285cb7b392c1	
Cancer type	Breast-AdenoCA
Position	19:12822132-24591286
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	31
SV types	DEL: 2; DUP: 4; h2hINV: 0; t2tINV: 2; TRA: 23
SVs in sample	740
Oscillating CN (2 and 3 states)	4, 6
CN segments	27
FDR fragment joints	0.5257473
FDR chr. breakp. enrich.	0
Linked to chrs	1:31254630-243789936;
Purity, ploidy	0.83, 3.26




9fefbe7c-f66a-4940-843e-285cb7b392c1	
Cancer type	Breast-AdenoCA
Position	X:115424165-135666891
Type	With other complex events
Interleaved intrachr. SVs	19
Total SVs (intrachr. + transl.)	24
SV types	DEL: 3; DUP: 3; h2hINV: 7; t2tINV: 6; TRA: 5
SVs in sample	740
Oscillating CN (2 and 3 states)	4, 7
CN segments	29
FDR fragment joints	0.7568568
FDR chr. breakp. enrich.	0.25
Linked to chrs	
Purity, ploidy	0.83, 3.26


a824b3bd-34d5-4cc1-a92f-f9d6ac0f1814	
Cancer type	Breast-AdenoCA
Position	1:147408680-212272247
Type	With other complex events
Interleaved intrachr. SVs	37
Total SVs (intrachr. + transl.)	39
SV types	DEL: 9; DUP: 9; h2hINV: 10; t2tINV: 9; TRA: 2
SVs in sample	463
Oscillating CN (2 and 3 states)	6, 9
CN segments	62
FDR fragment joints	0.9800011
FDR chr. breakp. enrich.	0
Linked to chrs	3:29682227-151361517;
Purity, ploidy	0.51, 2.1




a824b3bd-34d5-4cc1-a92f-f9d6ac0f1814	
Cancer type	Breast-AdenoCA
Position	11:10547187-101046437
Type	With other complex events
Interleaved intrachr. SVs	25
Total SVs (intrachr. + transl.)	70
SV types	DEL: 6; DUP: 5; h2hINV: 9; t2tINV: 5; TRA: 45
SVs in sample	463
Oscillating CN (2 and 3 states)	5, 15
CN segments	78
FDR fragment joints	0.8066159
FDR chr. breakp. enrich.	0
Linked to chrs	2:26459899-233537708;5:108659861-118357838
Purity, ploidy	0.51, 2.1




a9b7d7fe-be31-4f71-afee-c1bfdf511888	
Cancer type	Breast-AdenoCA
Position	8:63227110-131599267
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	14
SV types	DEL: 3; DUP: 2; h2hINV: 3; t2tINV: 2; TRA: 4
SVs in sample	460
Oscillating CN (2 and 3 states)	6, 8
CN segments	173
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.47, 2.76



b43e41af-1d82-4b5f-b8f1-add0510e6b86	
Cancer type	Breast-AdenoCA
Position	11:55581976-79948001
Type	With other complex events
Interleaved intrachr. SVs	15
Total SVs (intrachr. + transl.)	31
SV types	DEL: 3; DUP: 4; h2hINV: 4; t2tINV: 4; TRA: 16
SVs in sample	296
Oscillating CN (2 and 3 states)	4, 6
CN segments	37
FDR fragment joints	0.7622832
FDR chr. breakp. enrich.	0
Linked to chrs	22:24093006-30283045;
Purity, ploidy	0.72, 4.04




b43e41af-1d82-4b5f-b8f1-add0510e6b86	
Cancer type	Breast-AdenoCA
Position	17:26793465-79998471
Type	With other complex events
Interleaved intrachr. SVs	49
Total SVs (intrachr. + transl.)	66
SV types	DEL: 13; DUP: 12; h2hINV: 13; t2tINV: 11; TRA: 17
SVs in sample	296
Oscillating CN (2 and 3 states)	4, 7
CN segments	64
FDR fragment joints	0.992996
FDR chr. breakp. enrich.	0
Linked to chrs	19:48961354-58347530;
Purity, ploidy	0.72, 4.04




b43e41af-1d82-4b5f-b8f1-add0510e6b86

Cancer type	Breast-AdenoCA
Position	20:4186490-34159090
Type	With other complex events
Interleaved intrachr. SVs	14
Total SVs (intrachr. + transl.)	28
SV types	DEL: 3; DUP: 1; h2hINV: 6; t2tINV: 4; TRA: 14
SVs in sample	296
Oscillating CN (2 and 3 states)	5, 8
CN segments	19
FDR fragment joints	0.9794281
FDR chr. breakp. enrich.	0
Linked to chrs	22:24093006-30283045;
Purity, ploidy	0.72, 4.04




b97bf89a-7a85-4eef-ae7e-f787aead1f0a

Cancer type	Breast-AdenoCA
Position	5:8856070-26153658
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	6
SV types	DEL: 2; DUP: 0; h2hINV: 2; t2tINV: 2; TRA: 0
SVs in sample	194
Oscillating CN (2 and 3 states)	6, 8
CN segments	13
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0.78
Linked to chrs	
Purity, ploidy	0.47, 3.8




c0892598-1f7b-4f23-9cd8-731f797753d5

Cancer type	Breast-AdenoCA
Position	3:166105643-176738060
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	9
SV types	DEL: 2; DUP: 1; h2hINV: 3; t2tINV: 2; TRA: 1
SVs in sample	358
Oscillating CN (2 and 3 states)	5, 8
CN segments	13
FDR fragment joints	0.9723381
FDR chr. breakp. enrich.	1
Linked to chrs	
Purity, ploidy	0.61, 3.55




c0892598-1f7b-4f23-9cd8-731f797753d5

Cancer type	Breast-AdenoCA
Position	22:19004440-50133204
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	16
SV types	DEL: 2; DUP: 2; h2hINV: 1; t2tINV: 5; TRA: 6
SVs in sample	358
Oscillating CN (2 and 3 states)	5, 16
CN segments	16
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0
Linked to chrs	1:150239597-180719222;3:166105643-176738059
Purity, ploidy	0.61, 3.55




c364e81c-eb1e-4870-ab37-9c661f5f2e3d

Cancer type	Breast-AdenoCA
Position	12:56913152-101125708
Type	With other complex events
Interleaved intrachr. SVs	50
Total SVs (intrachr. + transl.)	124
SV types	DEL: 10; DUP: 13; h2hINV: 13; t2iINV: 14; TRA: 74
SVs in sample	397
Oscillating CN (2 and 3 states)	5, 8
CN segments	81
FDR fragment joints	0.854603
FDR chr. breakp. enrich.	0
Linked to chrs	16:5415371-33325042;20:24138933-61546428
Purity, ploidy	0.41, 2.02




c364e81c-eb1e-4870-ab37-9c661f5f2e3d

Cancer type	Breast-AdenoCA
Position	20:24138933-61546429
Type	With other complex events
Interleaved intrachr. SVs	87
Total SVs (intrachr. + transl.)	196
SV types	DEL: 25; DUP: 20; h2hINV: 23; t2iINV: 19; TRA: 109
SVs in sample	397
Oscillating CN (2 and 3 states)	5, 7
CN segments	148
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	12:56913152-101125707;16:5415371-33325042
Purity, ploidy	0.41, 2.02





d3d545b3-457f-4389-821f-704cb24aff7f

Cancer type	Breast-AdenoCA
Position	8:67453419-86357134
Type	With other complex events
Interleaved intrachr. SVs	14
Total SVs (intrachr. + transl.)	15
SV types	DEL: 3; DUP: 5; h2hINV: 3; t2iINV: 3; TRA: 1
SVs in sample	709
Oscillating CN (2 and 3 states)	5, 6
CN segments	20
FDR fragment joints	0.925252
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.76, 3.03





d3d545b3-457f-4389-821f-704cb24aff7f

Cancer type	Breast-AdenoCA
Position	11:47447817-102287472
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	15
SV types	DEL: 1; DUP: 1; h2hINV: 2; t2iINV: 2; TRA: 9
SVs in sample	709
Oscillating CN (2 and 3 states)	4, 6
CN segments	18
FDR fragment joints	0.9905774
FDR chr. breakp. enrich.	0.44
Linked to chrs	
Purity, ploidy	0.76, 3.03





d67cd793-2931-429a-9084-2f3c4c8be7ad	
Cancer type	Breast-AdenoCA
Position	6:57423175-76896760
Type	With other complex events
Interleaved intrachr. SVs	13
Total SVs (intrachr. + transl.)	35
SV types	DEL: 2; DUP: 4; h2hiINV: 3; i2tiINV: 4; TRA: 22
SVs in sample	427
Oscillating CN (2 and 3 states)	6, 12
CN segments	21
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	14:20136324-55556439;
Purity, ploidy	0.54, 3.31

d67cd793-2931-429a-9084-2f3c4c8be7ad	
Cancer type	Breast-AdenoCA
Position	9:17497087-129076121
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	12
SV types	DEL: 2; DUP: 2; h2hiINV: 2; i2tiINV: 4; TRA: 2
SVs in sample	427
Oscillating CN (2 and 3 states)	4, 5
CN segments	32
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0.76
Linked to chrs	12:33908610-132258020;
Purity, ploidy	0.54, 3.31





d67cd793-2931-429a-9084-2f3c4c8be7ad	
Cancer type	Breast-AdenoCA
Position	11:1800449-37610887
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	14
SV types	DEL: 3; DUP: 2; h2hiINV: 1; i2tiINV: 1; TRA: 7
SVs in sample	427
Oscillating CN (2 and 3 states)	5, 5
CN segments	13
FDR fragment joints	0.9794281
FDR chr. breakp. enrich.	0.79
Linked to chrs	
Purity, ploidy	0.54, 3.31

d67cd793-2931-429a-9084-2f3c4c8be7ad	
Cancer type	Breast-AdenoCA
Position	14:20136324-55556440
Type	With other complex events
Interleaved intrachr. SVs	34
Total SVs (intrachr. + transl.)	55
SV types	DEL: 9; DUP: 7; h2hiINV: 9; i2tiINV: 9; TRA: 21
SVs in sample	427
Oscillating CN (2 and 3 states)	6, 8
CN segments	76
FDR fragment joints	0.930656
FDR chr. breakp. enrich.	0
Linked to chrs	6:57423175-76896759;
Purity, ploidy	0.54, 3.31





d6f7afc0-1558-43ad-acb1-2b5311ed2264	
Cancer type	Breast-AdenoCA
Position	6:105302877-111874190
Type	With other complex events
Interleaved intrachr. SVs	27
Total SVs (intrachr. + transl.)	29
SV types	DEL: 9; DUP: 8; h2hINV: 6; t2tINV: 4; TRA: 2
SVs in sample	304
Oscillating CN (2 and 3 states)	4, 9
CN segments	35
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.27, 2.34

d6f7afc0-1558-43ad-acb1-2b5311ed2264	
Cancer type	Breast-AdenoCA
Position	13:65488647-114881095
Type	With other complex events
Interleaved intrachr. SVs	52
Total SVs (intrachr. + transl.)	71
SV types	DEL: 13; DUP: 9; h2hINV: 17; t2tINV: 13; TRA: 19
SVs in sample	304
Oscillating CN (2 and 3 states)	5, 8
CN segments	93
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	12:66502753-130003738;
Purity, ploidy	0.27, 2.34



d8d7a6c2-6427-4f47-968c-6c3affba4617	
Cancer type	Breast-AdenoCA
Position	8:78814327-143134735
Type	With other complex events
Interleaved intrachr. SVs	116
Total SVs (intrachr. + transl.)	220
SV types	DEL: 30; DUP: 32; h2hINV: 29; t2tINV: 25; TRA: 104
SVs in sample	453
Oscillating CN (2 and 3 states)	4, 7
CN segments	214
FDR fragment joints	0.8274637
FDR chr. breakp. enrich.	0
Linked to chrs	12:61134794-98290461;
Purity, ploidy	0.62, 3.59

d8d7a6c2-6427-4f47-968c-6c3affba4617	
Cancer type	Breast-AdenoCA
Position	12:61134794-98290462
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	48
SV types	DEL: 2; DUP: 2; h2hINV: 2; t2tINV: 2; TRA: 40
SVs in sample	453
Oscillating CN (2 and 3 states)	5, 6
CN segments	48
FDR fragment joints	0.9501265
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.62, 3.59





d9dc3b59-613d-469e-8b4f-6c5a557eb26a

Cancer type	Breast-AdenoCA
Position	6:15838701-146459167
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	28
SV types	DEL: 2; DUP: 0; h2hINV: 4; t2tINV: 2; TRA: 20
SVs in sample	1222
Oscillating CN (2 and 3 states)	4, 9
CN segments	70
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0.01
Linked to chrs	17:2481365-78698345;
Purity, ploidy	0.41, 2.07

e4fc0909-f284-4471-866d-d8967b6adcba

Cancer type	Breast-AdenoCA
Position	13:35528163-62533552
Type	With other complex events
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	27
SV types	DEL: 1; DUP: 4; h2hINV: 2; t2tINV: 2; TRA: 18
SVs in sample	630
Oscillating CN (2 and 3 states)	6, 10
CN segments	48
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	6:93474674-108070112;
Purity, ploidy	0.49, 2.63





e4fc0909-f284-4471-866d-d8967b6adcba

Cancer type	Breast-AdenoCA
Position	17:14753198-76302171
Type	With other complex events
Interleaved intrachr. SVs	44
Total SVs (intrachr. + transl.)	54
SV types	DEL: 11; DUP: 17; h2hINV: 9; t2tINV: 7; TRA: 10
SVs in sample	630
Oscillating CN (2 and 3 states)	6, 7
CN segments	91
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	20:34495099-60210988;7:10063721-147714910
Purity, ploidy	0.49, 2.63



e4fc0909-f284-4471-866d-d8967b6adcba

Cancer type	Breast-AdenoCA
Position	20:34495099-60210989
Type	With other complex events
Interleaved intrachr. SVs	39
Total SVs (intrachr. + transl.)	49
SV types	DEL: 10; DUP: 12; h2hINV: 9; t2tINV: 8; TRA: 10
SVs in sample	630
Oscillating CN (2 and 3 states)	5, 10
CN segments	75
FDR fragment joints	0.9410753
FDR chr. breakp. enrich.	0
Linked to chrs	17:14753198-76302170;
Purity, ploidy	0.49, 2.63




f0787165-6f58-4d67-b510-928eea2c4882	
Cancer type	Breast-AdenoCA
Position	11:64649854-90375457
Type	With other complex events
Interleaved intrachr. SVs	70
Total SVs (intrachr. + transl.)	78
SV types	DEL: 17; DUP: 19; h2hiINV: 13; i2hiINV: 21; TRA: 8
SVs in sample	421
Oscillating CN (2 and 3 states)	4, 8
CN segments	90
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.69, 3.99

f45210d3-9e66-4f5e-bef1-5ee5547cc893	
Cancer type	Breast-AdenoCA
Position	12:15014157-131294963
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	19
SV types	DEL: 2; DUP: 0; h2hiINV: 3; i2hiINV: 3; TRA: 11
SVs in sample	179
Oscillating CN (2 and 3 states)	6, 10
CN segments	22
FDR fragment joints	0.8082862
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.84, 3.82




f45210d3-9e66-4f5e-bef1-5ee5547cc893	
Cancer type	Breast-AdenoCA
Position	X:64048649-139724918
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	12
SV types	DEL: 3; DUP: 0; h2hiINV: 1; i2hiINV: 2; TRA: 6
SVs in sample	179
Oscillating CN (2 and 3 states)	6, 12
CN segments	19
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.84, 3.82

f51af6db-2655-47fb-9ffc-83a503a728ea	
Cancer type	Breast-AdenoCA
Position	17:49337625-73767807
Type	With other complex events
Interleaved intrachr. SVs	23
Total SVs (intrachr. + transl.)	31
SV types	DEL: 6; DUP: 5; h2hiINV: 4; i2hiINV: 8; TRA: 8
SVs in sample	49
Oscillating CN (2 and 3 states)	5, 5
CN segments	35
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.87, 2.04




f6e1ec78-5ad9-4879-9b7e-262d17b166ad

Cancer type	Breast-AdenoCA
Position	11:59328137-82524424
Type	With other complex events
Interleaved intrachr. SVs	32
Total SVs (intrachr. + transl.)	108
SV types	DEL: 12; DUP: 6; h2hINV: 8; t2iINV: 6; TRA: 76
SVs in sample	320
Oscillating CN (2 and 3 states)	4, 5
CN segments	77
FDR fragment joints	0.8298498
FDR chr. breakp. enrich.	0
Linked to chr	3:20060433-168725244;
Purity, ploidy	0.53, 2.23




f6e1ec78-5ad9-4879-9b7e-262d17b166ad

Cancer type	Breast-AdenoCA
Position	17:26949478-66253676
Type	With other complex events
Interleaved intrachr. SVs	77
Total SVs (intrachr. + transl.)	161
SV types	DEL: 19; DUP: 20; h2hINV: 21; t2iINV: 17; TRA: 84
SVs in sample	320
Oscillating CN (2 and 3 states)	4, 5
CN segments	81
FDR fragment joints	0.988335
FDR chr. breakp. enrich.	0
Linked to chr	3:20060433-168725244;
Purity, ploidy	0.53, 2.23




CGP_donor_1451426

Cancer type	Breast-DCIS
Position	17:17901920-60667439
Type	With other complex events
Interleaved intrachr. SVs	19
Total SVs (intrachr. + transl.)	19
SV types	DEL: 4; DUP: 2; h2hINV: 6; t2iINV: 7; TRA: 0
SVs in sample	52
Oscillating CN (2 and 3 states)	6, 11
CN segments	37
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.42, 3.49




CGP_donor_1114930


Cancer type	Breast-DCIS
Position	16:8249679-22198632
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	9
SV types	DEL: 3; DUP: 1; h2hINV: 2; t2iINV: 1; TRA: 2
SVs in sample	33
Oscillating CN (2 and 3 states)	4, 6
CN segments	20
FDR fragment joints	0.9723381
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.56, 3.33




CGP_donor_1234120
Cancer type Breast-LobularCA
Position 5:27117220-142566044
Type With other complex events
Interleaved intrachr. SVs 15
Total SVs (intrachr. + transl.) 23
SV types DEL: 7; DUP: 4; h2hINV: 2; t2tINV: 2; TRA: 8
SVs in sample 344
Oscillating CN (2 and 3 states) 4, 7
CN segments 32
FDR fragment joints 0.7861024
FDR chr. breakp. enrich. 0
Linked to chrs 11:62942614-98446661;
Purity, ploidy 0.39, 2.94




CGP_donor_1234120
Cancer type Breast-LobularCA
Position 7:108549083-153423652
Type With other complex events
Interleaved intrachr. SVs 20
Total SVs (intrachr. + transl.) 24
SV types DEL: 3; DUP: 8; h2hINV: 6; t2tINV: 3; TRA: 4
SVs in sample 344
Oscillating CN (2 and 3 states) 5, 7
CN segments 22
FDR fragment joints 0.8298498
FDR chr. breakp. enrich. 0
Linked to chrs
Purity, ploidy 0.39, 2.94




CGP_donor_1234120
Cancer type Breast-LobularCA
Position 15:59922904-101226389
Type With other complex events
Interleaved intrachr. SVs 18
Total SVs (intrachr. + transl.) 20
SV types DEL: 4; DUP: 7; h2hINV: 4; t2tINV: 3; TRA: 2
SVs in sample 344
Oscillating CN (2 and 3 states) 4, 6
CN segments 18
FDR fragment joints 0.662962
FDR chr. breakp. enrich. 0
Linked to chrs
Purity, ploidy 0.39, 2.94




CGP_donor_1353429
Cancer type Breast-LobularCA
Position 8:22728682-56379069
Type With other complex events
Interleaved intrachr. SVs 16
Total SVs (intrachr. + transl.) 31
SV types DEL: 3; DUP: 3; h2hINV: 4; t2tINV: 6; TRA: 15
SVs in sample 83
Oscillating CN (2 and 3 states) 4, 5
CN segments 45
FDR fragment joints 0.615458
FDR chr. breakp. enrich. 0
Linked to chrs
Purity, ploidy 0.27, 4.13




CGP_donor_1353429
Cancer type Breast-LobularCA
Position 11:39761387-78170654
Type With other complex events
Interleaved intrachr. SVs 21
Total SVs (intrachr. + transl.) 36
SV types DEL: 3; DUP: 5; h2hINV: 7; t2iINV: 6; TRA: 15
SVs in sample 83
Oscillating CN (2 and 3 states) 4, 5
CN segments 55
FDR fragment joints 0.641841
FDR chr. breakp. enrich. 0
Linked to chrs
Purity, ploidy 0.27, 4.13




CGP_donor_1230724
Cancer type Breast-LobularCA
Position 17:6272054-47320751
Type With other complex events
Interleaved intrachr. SVs 28
Total SVs (intrachr. + transl.) 28
SV types DEL: 6; DUP: 8; h2hINV: 9; t2iINV: 5; TRA: 0
SVs in sample 33
Oscillating CN (2 and 3 states) 4, 5
CN segments 30
FDR fragment joints 0.8066159
FDR chr. breakp. enrich. 0
Linked to chrs
Purity, ploidy 0.53, 2



2d29a4ac-98e7-4663-9dd6-5681bc32ac2e
Cancer type Breast-LobularCA
Position 1:202357683-216952427
Type With other complex events
Interleaved intrachr. SVs 8
Total SVs (intrachr. + transl.) 18
SV types DEL: 3; DUP: 5; h2hINV: 0; t2iINV: 0; TRA: 10
SVs in sample 105
Oscillating CN (2 and 3 states) 5, 11
CN segments 12
FDR fragment joints 0.6776251
FDR chr. breakp. enrich. 0
Linked to chrs 11:68233404-80019930;
Purity, ploidy 0.5, 2.06




2d29a4ac-98e7-4663-9dd6-5681bc32ac2e
Cancer type Breast-LobularCA
Position 11:68233404-80019931
Type With other complex events
Interleaved intrachr. SVs 48
Total SVs (intrachr. + transl.) 74
SV types DEL: 17; DUP: 13; h2hINV: 10; t2iINV: 8; TRA: 26
SVs in sample 105
Oscillating CN (2 and 3 states) 5, 10
CN segments 57
FDR fragment joints 0.615458
FDR chr. breakp. enrich. 0
Linked to chrs
Purity, ploidy 0.5, 2.06




ef4cbd38-bc79-4d60-a715-647edd2ebe9e

Cancer type	Breast-LobularCA
Position	21:32373739-47753333
Type	With other complex events
Interleaved intrachr. SVs	33
Total SVs (intrachr. + transl.)	44
SV types	DEL: 7; DUP: 5; h2hiINV: 11; t2iiINV: 10; TRA: 11
SVs in sample	134
Oscillating CN (2 and 3 states)	5, 8
CN segments	45
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	8:42881572-135695929;13:19943737-57122358
Purity, ploidy	0.77, 3.15




00bca18c-b3d4-45a3-8f19-034cc40449a4

Cancer type	Cervix-SCC
Position	12:47208673-56550744
Type	Canonical without polyploidization
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	7
SV types	DEL: 1; DUP: 3; h2hiINV: 0; t2iiINV: 3; TRA: 0
SVs in sample	168
Oscillating CN (2 and 3 states)	4, 6
CN segments	6
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0.07
Linked to chrs	
Purity, ploidy	0.76, 2.78




8a4da4f0-30f2-497e-8a7c-988fd6b813cb

Cancer type	Cervix-SCC
Position	21:18922646-26760076
Type	With other complex events
Interleaved intrachr. SVs	19
Total SVs (intrachr. + transl.)	20
SV types	DEL: 4; DUP: 3; h2hiINV: 5; t2iiINV: 7; TRA: 1
SVs in sample	117
Oscillating CN (2 and 3 states)	4, 5
CN segments	11
FDR fragment joints	0.8572806
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.79, 1.97




eb59cf69-1997-41b9-bf69-69ad7da292a1

Cancer type	Cervix-SCC
Position	1:151719688-220597001
Type	After polyploidization
Interleaved intrachr. SVs	14
Total SVs (intrachr. + transl.)	16
SV types	DEL: 5; DUP: 4; h2hiINV: 2; t2iiINV: 3; TRA: 2
SVs in sample	63
Oscillating CN (2 and 3 states)	5, 5
CN segments	8
FDR fragment joints	0.9501265
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.4, 3.41




01a92062-967a-4900-8dc7-a5ecd3b3f8e2

Cancer type	CNS-GBM
Position	9:115736690-134498722
Type	With other complex events
Interleaved intrachr. SVs	27
Total SVs (intrachr. + transl.)	44
SV types	DEL: 7; DUP: 4; h2hINV: 6; t2iINV: 10; TRA: 17
SVs in sample	98
Oscillating CN (2 and 3 states)	5, 9
CN segments	27
FDR fragment joints	0.8874881
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.2, 2.05




2c5fa2d4-8e35-42e4-8bca-9fb3371a19c8

Cancer type	CNS-GBM
Position	12:2835782-133092445
Type	With other complex events
Interleaved intrachr. SVs	44
Total SVs (intrachr. + transl.)	45
SV types	DEL: 10; DUP: 9; h2hINV: 12; t2iINV: 13; TRA: 1
SVs in sample	77
Oscillating CN (2 and 3 states)	5, 5
CN segments	28
FDR fragment joints	0.9161301
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.87, 1.89





0798dbe2-1914-427c-a2fe-2a865d0d6eda

Cancer type	CNS-GBM
Position	9:17843117-36219343
Type	With other complex events
Interleaved intrachr. SVs	12
Total SVs (intrachr. + transl.)	51
SV types	DEL: 2; DUP: 2; h2hINV: 5; t2iINV: 3; TRA: 39
SVs in sample	209
Oscillating CN (2 and 3 states)	5, 9
CN segments	19
FDR fragment joints	0.9284301
FDR chr. breakp. enrich.	0
Linked to chrs	1:8762210-205453074;10:5388962-135052040
Purity, ploidy	0.8, 2.05





386b629e-fab1-4033-b088-45d6eeb4a13e

Cancer type	CNS-GBM
Position	3:126688674-182097458
Type	With other complex events
Interleaved intrachr. SVs	54
Total SVs (intrachr. + transl.)	55
SV types	DEL: 14; DUP: 11; h2hINV: 15; t2iINV: 14; TRA: 1
SVs in sample	114
Oscillating CN (2 and 3 states)	5, 18
CN segments	18
FDR fragment joints	0.8833361
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.82, 1.88





521ea765-1bd1-423d-a75d-091243df37a9	
Cancer type	CNS-GBM
Position	12:57657463-59700261
Type	With other complex events
Interleaved intrachr. SVs	36
Total SVs (intrachr. + transl.)	52
SV types	DEL: 8; DUP: 10; h2hINV: 7; t2tINV: 11; TRA: 16
SVs in sample	90
Oscillating CN (2 and 3 states)	4, 6
CN segments	30
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.84, 4

5c984433-33cf-42fc-b3ba-511efcdcab19	
Cancer type	CNS-GBM
Position	4:54735188-55541337
Type	With other complex events
Interleaved intrachr. SVs	17
Total SVs (intrachr. + transl.)	17
SV types	DEL: 7; DUP: 3; h2hINV: 3; t2tINV: 4; TRA: 0
SVs in sample	107
Oscillating CN (2 and 3 states)	4, 7
CN segments	25
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.73, 2





5c984433-33cf-42fc-b3ba-511efcdcab19	
Cancer type	CNS-GBM
Position	9:20593576-38007522
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	7
SV types	DEL: 2; DUP: 2; h2hINV: 1; t2tINV: 1; TRA: 1
SVs in sample	107
Oscillating CN (2 and 3 states)	5, 11
CN segments	11
FDR fragment joints	0.7735152
FDR chr. breakp. enrich.	0.21
Linked to chrs	
Purity, ploidy	0.73, 2

737b35e1-d668-4fce-9b6e-76946c7952b6	
Cancer type	CNS-GBM
Position	12:8669087-9519921
Type	Canonical without polyploidization
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	9
SV types	DEL: 2; DUP: 1; h2hINV: 4; t2tINV: 2; TRA: 0
SVs in sample	173
Oscillating CN (2 and 3 states)	5, 5
CN segments	5
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0.9
Linked to chrs	
Purity, ploidy	0.93, 1.97





74139255-a635-4c87-814d-3dd04ed630a8	
Cancer type	CNS-GBM
Position	9:21130542-26979040
Type	With other complex events
Interleaved intrachr. SVs	17
Total SVs (intrachr. + transl.)	35
SV types	DEL: 4; DUP: 3; h2hINV: 6; i2hINV: 4; TRA: 18
SVs in sample	291
Oscillating CN (2 and 3 states)	5, 9
CN segments	21
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0
Linked to chrs	15:34114739-74116043;
Purity, ploidy	0.38, 3.59

93ed7a2b-b0cb-4a84-871f-5c34a0b6a640	
Cancer type	CNS-GBM
Position	6:71789357-170660594
Type	With other complex events
Interleaved intrachr. SVs	63
Total SVs (intrachr. + transl.)	66
SV types	DEL: 13; DUP: 17; h2hINV: 15; i2hINV: 18; TRA: 3
SVs in sample	175
Oscillating CN (2 and 3 states)	6, 8
CN segments	27
FDR fragment joints	0.845361
FDR chr. breakp. enrich.	0
Linked to chrs	12:44665062-82704890;
Purity, ploidy	0.92, 1.83





93ed7a2b-b0cb-4a84-871f-5c34a0b6a640	
Cancer type	CNS-GBM
Position	12:44665062-82704891
Type	With other complex events
Interleaved intrachr. SVs	47
Total SVs (intrachr. + transl.)	52
SV types	DEL: 12; DUP: 12; h2hINV: 13; i2hINV: 10; TRA: 5
SVs in sample	175
Oscillating CN (2 and 3 states)	6, 6
CN segments	12
FDR fragment joints	0.958094
FDR chr. breakp. enrich.	0
Linked to chrs	6:71789357-170660593;
Purity, ploidy	0.92, 1.83

a2ac9937-f351-4d78-9261-264bf6c21e0c	
Cancer type	CNS-GBM
Position	1:5166554-214663754
Type	With other complex events
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	11
SV types	DEL: 1; DUP: 3; h2hINV: 3; i2hINV: 2; TRA: 2
SVs in sample	102
Oscillating CN (2 and 3 states)	4, 5
CN segments	8
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0.51
Linked to chrs	
Purity, ploidy	0.75, 1.94




b37d944c-c65c-46d6-bb8b-3eb37cb85b68	
Cancer type	CNS-GBM
Position	12:57781868-59706359
Type	With other complex events
Interleaved intrachr. SVs	81
Total SVs (intrachr. + transl.)	82
SV types	DEL: 22; DUP: 14; h2hiINV: 23; i2hiINV: 22; TRA: 1
SVs in sample	130
Oscillating CN (2 and 3 states)	4, 5
CN segments	29
FDR fragment joints	0.6444888
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.89, 1.95

be3a7ef3-34ed-40e1-9d9c-187940596b26	
Cancer type	CNS-GBM
Position	7:25442783-152694109
Type	With other complex events
Interleaved intrachr. SVs	60
Total SVs (intrachr. + transl.)	63
SV types	DEL: 13; DUP: 16; h2hiINV: 15; i2hiINV: 16; TRA: 3
SVs in sample	93
Oscillating CN (2 and 3 states)	4, 5
CN segments	39
FDR fragment joints	0.9599662
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.71, 1.97




bf339349-062f-4ea9-a0b2-d87d3a21099e	
Cancer type	CNS-GBM
Position	7:16533917-100901571
Type	With other complex events
Interleaved intrachr. SVs	19
Total SVs (intrachr. + transl.)	19
SV types	DEL: 3; DUP: 7; h2hiINV: 4; i2hiINV: 5; TRA: 0
SVs in sample	338
Oscillating CN (2 and 3 states)	6, 6
CN segments	36
FDR fragment joints	0.7158792
FDR chr. breakp. enrich.	0.46
Linked to chrs	
Purity, ploidy	0.83, 1.97


c931f3bd-74c5-4ebd-bc0f-c7c6becd25ab	
Cancer type	CNS-GBM
Position	6:43602359-48828217
Type	With other complex events
Interleaved intrachr. SVs	16
Total SVs (intrachr. + transl.)	106
SV types	DEL: 5; DUP: 6; h2hiINV: 2; i2hiINV: 3; TRA: 90
SVs in sample	241
Oscillating CN (2 and 3 states)	4, 4
CN segments	26
FDR fragment joints	0.7498275
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.7, 4.05




c931f3bd-74c5-4ebd-bc0f-c7c6becd25ab	
Cancer type	CNS-GBM
Position	12:57367262-69519356
Type	With other complex events
Interleaved intrachr. SVs	79
Total SVs (intrachr. + transl.)	181
SV types	DEL: 16; DUP: 20; h2hINV: 24; t2tINV: 19; TRA: 102
SVs in sample	241
Oscillating CN (2 and 3 states)	4, 5
CN segments	46
FDR fragment joints	1
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.7, 4.05




de7b7cac-f094-4d59-8651-e991e34ea093	
Cancer type	CNS-GBM
Position	2:4931914-5944046
Type	After polyploidization
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	8
SV types	DEL: 2; DUP: 1; h2hINV: 1; t2tINV: 2; TRA: 2
SVs in sample	105
Oscillating CN (2 and 3 states)	6, 6
CN segments	6
FDR fragment joints	1
FDR chr. breakp. enrich.	0.36
Linked to chr	
Purity, ploidy	0.56, 3.59




de7b7cac-f094-4d59-8651-e991e34ea093	
Cancer type	CNS-GBM
Position	4:54660832-64870856
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	8
SV types	DEL: 2; DUP: 2; h2hINV: 1; t2tINV: 3; TRA: 0
SVs in sample	105
Oscillating CN (2 and 3 states)	4, 7
CN segments	7
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0.89
Linked to chr	
Purity, ploidy	0.56, 3.59




ICGC_MB131	
Cancer type	CNS-Medullo
Position	8:22113923-128760777
Type	With other complex events
Interleaved intrachr. SVs	13
Total SVs (intrachr. + transl.)	19
SV types	DEL: 1; DUP: 6; h2hINV: 4; t2tINV: 2; TRA: 6
SVs in sample	39
Oscillating CN (2 and 3 states)	5, 6
CN segments	25
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chr	3:38417904-38895250;
Purity, ploidy	0.96, 2.05




	ICGC_MB177
Cancer type	CNS-Medullo
Position	2:15386910-16129075
Type	With other complex events
Interleaved intrachr. SVs	51
Total SVs (intrachr. + transl.)	54
SV types	DEL: 14; DUP: 9; h2hINV: 14; t2tINV: 14; TRA: 3
SVs in sample	59
Oscillating CN (2 and 3 states)	4, 7
CN segments	21
FDR fragment joints	0.8481558
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.99, 1.97




	ICGC_MB181
Cancer type	CNS-Medullo
Position	5:63000287-120810285
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	6
SV types	DEL: 1; DUP: 1; h2hINV: 2; t2tINV: 2; TRA: 0
SVs in sample	6
Oscillating CN (2 and 3 states)	4, 7
CN segments	7
FDR fragment joints	0.9284301
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.97, 1.99




	ICGC_MB34
Cancer type	CNS-Medullo
Position	12:461707-31932605
Type	With other complex events
Interleaved intrachr. SVs	30
Total SVs (intrachr. + transl.)	31
SV types	DEL: 7; DUP: 9; h2hINV: 6; t2tINV: 8; TRA: 1
SVs in sample	242
Oscillating CN (2 and 3 states)	5, 10
CN segments	32
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.97, 3.62




	ICGC_MB34
Cancer type	CNS-Medullo
Position	17:27146708-67502119
Type	With other complex events
Interleaved intrachr. SVs	12
Total SVs (intrachr. + transl.)	23
SV types	DEL: 4; DUP: 4; h2hINV: 3; t2tINV: 1; TRA: 11
SVs in sample	242
Oscillating CN (2 and 3 states)	6, 15
CN segments	20
FDR fragment joints	0.7861024
FDR chr. breakp. enrich.	0
Linked to chrs	3:80545898-151249120;
Purity, ploidy	0.97, 3.62




ICGC_MB50	
Cancer type	CNS-Medullo
Position	8:126667508-129701837
Type	With other complex events
Interleaved intrachr. SVs	43
Total SVs (intrachr. + transl.)	43
SV types	DEL: 8; DUP: 13; h2hINV: 11; t2tINV: 11; TRA: 0
SVs in sample	60
Oscillating CN (2 and 3 states)	4, 4
CN segments	36
FDR fragment joints	0.8609429
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.95, 2.31





ICGC_MB91	
Cancer type	CNS-Medullo
Position	17:19371748-79563637
Type	With other complex events
Interleaved intrachr. SVs	27
Total SVs (intrachr. + transl.)	27
SV types	DEL: 7; DUP: 7; h2hINV: 6; t2tINV: 7; TRA: 0
SVs in sample	34
Oscillating CN (2 and 3 states)	6, 10
CN segments	15
FDR fragment joints	1
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.86, 1.99



6a0bcf0c-fa4c-4119-99d2-f722b781d20f	
Cancer type	CNS-Oligo
Position	2:214706062-225494723
Type	With other complex events
Interleaved intrachr. SVs	16
Total SVs (intrachr. + transl.)	16
SV types	DEL: 4; DUP: 4; h2hINV: 5; t2tINV: 3; TRA: 0
SVs in sample	45
Oscillating CN (2 and 3 states)	6, 6
CN segments	11
FDR fragment joints	0.9501265
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.21, 1.99





70939245-41e0-4845-a473-5fef719b9828	
Cancer type	CNS-Oligo
Position	4:483333-4943380
Type	With other complex events
Interleaved intrachr. SVs	14
Total SVs (intrachr. + transl.)	14
SV types	DEL: 4; DUP: 2; h2hINV: 4; t2tINV: 4; TRA: 0
SVs in sample	62
Oscillating CN (2 and 3 states)	6, 8
CN segments	14
FDR fragment joints	0.8988396
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.8, 2.06




f86fa219-34e9-4812-8edf-2b66d7219779	
Cancer type	CNS-Oligo
Position	1:186471142-228569911
Type	With other complex events
Interleaved intrachr. SVs	11
Total SVs (intrachr. + transl.)	13
SV types	DEL: 5; DUP: 3; h2hINV: 2; t2tINV: 1; TRA: 2
SVs in sample	22
Oscillating CN (2 and 3 states)	4, 4
CN segments	22
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.8, 2.01

5116e3b4-2bac-40f5-8046-b9c1783faaa5	
Cancer type	ColoRect-AdenoCA
Position	19:8475496-27976857
Type	With other complex events
Interleaved intrachr. SVs	19
Total SVs (intrachr. + transl.)	21
SV types	DEL: 6; DUP: 2; h2hINV: 5; t2tINV: 6; TRA: 2
SVs in sample	322
Oscillating CN (2 and 3 states)	5, 7
CN segments	18
FDR fragment joints	0.6610257
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.5, 3.09




6fa41234-9077-4d05-a295-6820f3bedf5b	
Cancer type	ColoRect-AdenoCA
Position	17:22158710-65973469
Type	With other complex events
Interleaved intrachr. SVs	21
Total SVs (intrachr. + transl.)	21
SV types	DEL: 3; DUP: 6; h2hINV: 5; t2tINV: 7; TRA: 0
SVs in sample	74
Oscillating CN (2 and 3 states)	4, 5
CN segments	32
FDR fragment joints	0.7568568
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.8, 2.22

d8e9ea52-ff28-4626-baa3-71350fd53ddf	
Cancer type	ColoRect-AdenoCA
Position	7:81604311-155367371
Type	With other complex events
Interleaved intrachr. SVs	53
Total SVs (intrachr. + transl.)	60
SV types	DEL: 21; DUP: 11; h2hINV: 12; t2tINV: 9; TRA: 7
SVs in sample	181
Oscillating CN (2 and 3 states)	5, 9
CN segments	71
FDR fragment joints	0.5435077
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.5, 3.72




d8e9ea52-ff28-4626-baa3-71350fd53ddf

Cancer type	ColoRect-AdenoCA
Position	13:19541475-97747877
Type	With other complex events
Interleaved intrachr. SVs	13
Total SVs (intrachr. + transl.)	15
SV types	DEL: 2; DUP: 6; h2hINV: 2; t2tINV: 3; TRA: 2
SVs in sample	181
Oscillating CN (2 and 3 states)	5, 5
CN segments	22
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.5, 3.72




335d0351-3740-4847-9ff4-be2f078c70f7

Cancer type	ColoRect-AdenoCA
Position	17:28133401-66354370
Type	With other complex events
Interleaved intrachr. SVs	11
Total SVs (intrachr. + transl.)	17
SV types	DEL: 2; DUP: 4; h2hINV: 3; t2tINV: 2; TRA: 6
SVs in sample	72
Oscillating CN (2 and 3 states)	4, 7
CN segments	22
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.62, 3.26




8e00e7e7-ffaf-44f0-91a7-172671f18e08

Cancer type	ColoRect-AdenoCA
Position	17:26926287-80606072
Type	With other complex events
Interleaved intrachr. SVs	11
Total SVs (intrachr. + transl.)	13
SV types	DEL: 1; DUP: 4; h2hINV: 3; t2tINV: 3; TRA: 2
SVs in sample	126
Oscillating CN (2 and 3 states)	4, 7
CN segments	7
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	18:20312665-35616751;
Purity, ploidy	0.69, 3.49




9af35239-ffb9-4d4f-889e-f743da271eef


Cancer type	ColoRect-AdenoCA
Position	20:14694871-15096752
Type	Canonical without polyploidization
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	6
SV types	DEL: 4; DUP: 0; h2hINV: 1; t2tINV: 1; TRA: 0
SVs in sample	89
Oscillating CN (2 and 3 states)	4, 4
CN segments	4
FDR fragment joints	0.5435077
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.64, 2.52




OCCAMS-AH-021	
Cancer type	Eso-AdenoCA
Position	19:4125375-58935360
Type	With other complex events
Interleaved intrachr. SVs	31
Total SVs (intrachr. + transl.)	33
SV types	DEL: 6; DUP: 10; h2hiINV: 10; t2tiINV: 5; TRA: 2
SVs in sample	262
Oscillating CN (2 and 3 states)	4, 7
CN segments	45
FDR fragment joints	0.780201
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.26, 2.05




OCCAMS-AH-036	
Cancer type	Eso-AdenoCA
Position	17:38600780-56393627
Type	With other complex events
Interleaved intrachr. SVs	40
Total SVs (intrachr. + transl.)	46
SV types	DEL: 9; DUP: 11; h2hiINV: 9; t2tiINV: 11; TRA: 6
SVs in sample	149
Oscillating CN (2 and 3 states)	4, 5
CN segments	33
FDR fragment joints	0.9152324
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.65, 4.49



OCCAMS-AH-039	
Cancer type	Eso-AdenoCA
Position	11:68863900-132284467
Type	With other complex events
Interleaved intrachr. SVs	32
Total SVs (intrachr. + transl.)	32
SV types	DEL: 13; DUP: 7; h2hiINV: 6; t2tiINV: 6; TRA: 0
SVs in sample	146
Oscillating CN (2 and 3 states)	4, 6
CN segments	54
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.38, 1.99




OCCAMS-AH-042	
Cancer type	Eso-AdenoCA
Position	18:827310-25488324
Type	With other complex events
Interleaved intrachr. SVs	12
Total SVs (intrachr. + transl.)	12
SV types	DEL: 3; DUP: 4; h2hiINV: 2; t2tiINV: 3; TRA: 0
SVs in sample	85
Oscillating CN (2 and 3 states)	6, 18
CN segments	27
FDR fragment joints	0.9284301
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.48, 3.19




OCCAMS-AH-047	
Cancer type	Eso-AdenoCA
Position	22:46434583-50985112
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	11
SV types	DEL: 1; DUP: 5; h2hINV: 2; t2tINV: 2; TRA: 1
SVs in sample	211
Oscillating CN (2 and 3 states)	6, 13
CN segments	13
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.31, 4.28

OCCAMS-AH-064	
Cancer type	Eso-AdenoCA
Position	7:64763385-155596659
Type	With other complex events
Interleaved intrachr. SVs	11
Total SVs (intrachr. + transl.)	49
SV types	DEL: 3; DUP: 4; h2hINV: 3; t2tINV: 1; TRA: 38
SVs in sample	448
Oscillating CN (2 and 3 states)	6, 9
CN segments	48
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0
Linked to chrs	3:1926043-196423190;
Purity, ploidy	0.65, 2.65




OCCAMS-AH-064	
Cancer type	Eso-AdenoCA
Position	16:8170195-89798592
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	29
SV types	DEL: 2; DUP: 1; h2hINV: 1; t2tINV: 3; TRA: 22
SVs in sample	448
Oscillating CN (2 and 3 states)	5, 8
CN segments	35
FDR fragment joints	0.5680234
FDR chr. breakp. enrich.	0
Linked to chrs	3:1926043-196423190;7:64763385-155596658
Purity, ploidy	0.65, 2.65

OCCAMS-AH-071	
Cancer type	Eso-AdenoCA
Position	8:26605057-141712244
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	9
SV types	DEL: 2; DUP: 0; h2hINV: 3; t2tINV: 3; TRA: 1
SVs in sample	134
Oscillating CN (2 and 3 states)	5, 10
CN segments	19
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.39, 2.25




OCCAMS-AH-077

Cancer type	Eso-AdenoCA
Position	13:69907738-73751361
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	7
SV types	DEL: 1; DUP: 1; h2hINV: 3; t2tINV: 2; TRA: 0
SVs in sample	68
Oscillating CN (2 and 3 states)	4, 5
CN segments	9
FDR fragment joints	0.7735152
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.54, 4.09




OCCAMS-AH-096

Cancer type	Eso-AdenoCA
Position	11:63032046-128045151
Type	With other complex events
Interleaved intrachr. SVs	12
Total SVs (intrachr. + transl.)	24
SV types	DEL: 2; DUP: 2; h2hINV: 4; t2tINV: 4; TRA: 12
SVs in sample	326
Oscillating CN (2 and 3 states)	4, 6
CN segments	39
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.26, 2.74




OCCAMS-AH-096

Cancer type	Eso-AdenoCA
Position	19:27855418-58222100
Type	With other complex events
Interleaved intrachr. SVs	70
Total SVs (intrachr. + transl.)	75
SV types	DEL: 16; DUP: 18; h2hINV: 18; t2tINV: 18; TRA: 5
SVs in sample	326
Oscillating CN (2 and 3 states)	6, 7
CN segments	98
FDR fragment joints	0.9284301
FDR chr. breakp. enrich.	0
Linked to chrs	22:16884779-49630407;
Purity, ploidy	0.26, 2.74




OCCAMS-AH-108


Cancer type	Eso-AdenoCA
Position	21:19802561-41893624
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	6
SV types	DEL: 2; DUP: 2; h2hINV: 1; t2tINV: 1; TRA: 0
SVs in sample	162
Oscillating CN (2 and 3 states)	5, 10
CN segments	10
FDR fragment joints	0.9284301
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.47, 2.83




OCCAMS-AH-127	
Cancer type	Eso-AdenoCA
Position	8:24116542-40417339
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	6
SV types	DEL: 1; DUP: 2; h2hINV: 1; t2tINV: 2; TRA: 0
SVs in sample	148
Oscillating CN (2 and 3 states)	4, 7
CN segments	11
FDR fragment joints	0.9284301
FDR chr. breakp. enrich.	0.01
Linked to chr	
Purity, ploidy	0.36, 3.12




OCCAMS-AH-127	
Cancer type	Eso-AdenoCA
Position	12:21670505-75969433
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	10
SV types	DEL: 3; DUP: 1; h2hINV: 2; t2tINV: 2; TRA: 2
SVs in sample	148
Oscillating CN (2 and 3 states)	4, 6
CN segments	15
FDR fragment joints	0.8572806
FDR chr. breakp. enrich.	0.01
Linked to chr	2:5457516-205931055;
Purity, ploidy	0.36, 3.12




OCCAMS-AH-131	
Cancer type	Eso-AdenoCA
Position	14:22399406-106374496
Type	With other complex events
Interleaved intrachr. SVs	17
Total SVs (intrachr. + transl.)	21
SV types	DEL: 3; DUP: 3; h2hINV: 5; t2tINV: 6; TRA: 4
SVs in sample	266
Oscillating CN (2 and 3 states)	5, 6
CN segments	39
FDR fragment joints	0.7568568
FDR chr. breakp. enrich.	0
Linked to chr	8:74740233-78745926;
Purity, ploidy	0.53, 2.63




OCCAMS-AH-135	
Cancer type	Eso-AdenoCA
Position	5:29118627-180500252
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	16
SV types	DEL: 2; DUP: 0; h2hINV: 2; t2tINV: 3; TRA: 9
SVs in sample	298
Oscillating CN (2 and 3 states)	5, 13
CN segments	37
FDR fragment joints	0.7908979
FDR chr. breakp. enrich.	0.01
Linked to chr	6:39890387-56314679;
Purity, ploidy	0.55, 2.85




OCCAMS-AH-135	
Cancer type	Eso-AdenoCA
Position	6:39890387-56314680
Type	With other complex events
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	14
SV types	DEL: 4; DUP: 2; h2hINV: 2; t2hINV: 1; TRA: 5
SVs in sample	298
Oscillating CN (2 and 3 states)	5, 7
CN segments	27
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chr	5:29118627-180500251;
Purity, ploidy	0.55, 2.85




OCCAMS-AH-136	
Cancer type	Eso-AdenoCA
Position	6:45096268-148600879
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	6
SV types	DEL: 1; DUP: 0; h2hINV: 2; t2hINV: 3; TRA: 0
SVs in sample	67
Oscillating CN (2 and 3 states)	5, 5
CN segments	14
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.25, 3.12




OCCAMS-AH-146	
Cancer type	Eso-AdenoCA
Position	4:21026782-98969606
Type	With other complex events
Interleaved intrachr. SVs	41
Total SVs (intrachr. + transl.)	41
SV types	DEL: 9; DUP: 10; h2hINV: 10; t2hINV: 12; TRA: 0
SVs in sample	195
Oscillating CN (2 and 3 states)	4, 7
CN segments	40
FDR fragment joints	0.9577901
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.4, 4.65




OCCAMS-AH-146	
Cancer type	Eso-AdenoCA
Position	17:25626424-76366954
Type	With other complex events
Interleaved intrachr. SVs	42
Total SVs (intrachr. + transl.)	42
SV types	DEL: 8; DUP: 10; h2hINV: 12; t2hINV: 12; TRA: 0
SVs in sample	195
Oscillating CN (2 and 3 states)	4, 6
CN segments	80
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.4, 4.65




OCCAMS-AH-167	
Cancer type	Eso-AdenoCA
Position	17:26331304-40471971
Type	With other complex events
Interleaved intrachr. SVs	73
Total SVs (intrachr. + transl.)	82
SV types	DEL: 18; DUP: 17; h2hINV: 19; t2tINV: 19; TRA: 9
SVs in sample	307
Oscillating CN (2 and 3 states)	5, 6
CN segments	28
FDR fragment joints	1
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.28, 2.52




OCCAMS-AH-174	
Cancer type	Eso-AdenoCA
Position	7:50712649-55386047
Type	With other complex events
Interleaved intrachr. SVs	50
Total SVs (intrachr. + transl.)	99
SV types	DEL: 16; DUP: 11; h2hINV: 12; t2tINV: 11; TRA: 49
SVs in sample	572
Oscillating CN (2 and 3 states)	4, 5
CN segments	28
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	2:32595317-181665721;9:73771445-82788409
Purity, ploidy	0.29, 4.26




OCCAMS-AH-174	
Cancer type	Eso-AdenoCA
Position	8:1230941-38668853
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	10
SV types	DEL: 4; DUP: 0; h2hINV: 0; t2tINV: 3; TRA: 3
SVs in sample	572
Oscillating CN (2 and 3 states)	5, 9
CN segments	12
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0.02
Linked to chrs	
Purity, ploidy	0.29, 4.26




OCCAMS-AH-174	
Cancer type	Eso-AdenoCA
Position	17:1185559-19439852
Type	With other complex events
Interleaved intrachr. SVs	22
Total SVs (intrachr. + transl.)	22
SV types	DEL: 5; DUP: 6; h2hINV: 6; t2tINV: 5; TRA: 0
SVs in sample	572
Oscillating CN (2 and 3 states)	4, 5
CN segments	31
FDR fragment joints	0.992996
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.29, 4.26




OCCAMS-AH-174	
Cancer type	Eso-AdenoCA
Position	21:16251242-47972973
Type	With other complex events
Interleaved intrachr. SVs	18
Total SVs (intrachr. + transl.)	21
SV types	DEL: 6; DUP: 4; h2hINV: 3; t2tINV: 5; TRA: 3
SVs in sample	572
Oscillating CN (2 and 3 states)	5, 8
CN segments	41
FDR fragment joints	0.7568568
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.29, 4.26




OCCAMS-AH-182	
Cancer type	Eso-AdenoCA
Position	1:41909912-244361254
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	9
SV types	DEL: 2; DUP: 1; h2hINV: 3; t2tINV: 1; TRA: 2
SVs in sample	223
Oscillating CN (2 and 3 states)	6, 6
CN segments	28
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0.9
Linked to chrs	
Purity, ploidy	0.17, 3.08




OCCAMS-AH-182	
Cancer type	Eso-AdenoCA
Position	4:74456231-153507115
Type	With other complex events
Interleaved intrachr. SVs	23
Total SVs (intrachr. + transl.)	35
SV types	DEL: 4; DUP: 5; h2hINV: 8; t2tINV: 6; TRA: 12
SVs in sample	223
Oscillating CN (2 and 3 states)	4, 10
CN segments	41
FDR fragment joints	0.9176394
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.17, 3.08




OCCAMS-GS-002	
Cancer type	Eso-AdenoCA
Position	13:23188644-59775992
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	9
SV types	DEL: 3; DUP: 1; h2hINV: 2; t2tINV: 1; TRA: 2
SVs in sample	134
Oscillating CN (2 and 3 states)	5, 13
CN segments	33
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.69, 1.97




OCCAMS-PS-013
Cancer type: Eso-AdenoCA
Position: 1:193309911-196936704
Type: With other complex events
Interleaved intrachr. SVs: 7
Total SVs (intrachr. + transl.): 7
SV types: DEL: 3; DUP: 1; h2hINV: 1; t2tINV: 2; TRA: 0
SVs in sample: 162
Oscillating CN (2 and 3 states): 4, 5
CN segments: 8
FDR fragment joints: 0.7735152
FDR chr. breakp. enrich.: 0
Linked to chr:
Purity, ploidy: 0.41, 2.62





OCCAMS-QE-095
Cancer type: Eso-AdenoCA
Position: 17:25534782-75535929
Type: With other complex events
Interleaved intrachr. SVs: 29
Total SVs (intrachr. + transl.): 32
SV types: DEL: 11; DUP: 3; h2hINV: 7; t2tINV: 8; TRA: 3
SVs in sample: 247
Oscillating CN (2 and 3 states): 6, 7
CN segments: 56
FDR fragment joints: 0.615458
FDR chr. breakp. enrich.: 0
Linked to chr: 2:47217884-215282384;
Purity, ploidy: 0.61, 2.48



OCCAMS-RS-006
Cancer type: Eso-AdenoCA
Position: 17:50758967-64888510
Type: With other complex events
Interleaved intrachr. SVs: 16
Total SVs (intrachr. + transl.): 16
SV types: DEL: 5; DUP: 3; h2hINV: 4; t2tINV: 4; TRA: 0
SVs in sample: 198
Oscillating CN (2 and 3 states): 5, 11
CN segments: 11
FDR fragment joints: 0.9501265
FDR chr. breakp. enrich.: 0
Linked to chr:
Purity, ploidy: 0.49, 1.67



OCCAMS-RS-007
Cancer type: Eso-AdenoCA
Position: 12:25246063-31515072
Type: With other complex events
Interleaved intrachr. SVs: 11
Total SVs (intrachr. + transl.): 11
SV types: DEL: 6; DUP: 1; h2hINV: 0; t2tINV: 4; TRA: 0
SVs in sample: 242
Oscillating CN (2 and 3 states): 4, 4
CN segments: 41
FDR fragment joints: 0.4888368
FDR chr. breakp. enrich.: 0
Linked to chr:
Purity, ploidy: 0.48, 2.58





OCCAMS-RS-008

Cancer type	Eso-AdenoCA
Position	11:38894113-101762285
Type	With other complex events
Interleaved intrachr. SVs	21
Total SVs (intrachr. + transl.)	80
SV types	DEL: 5; DUP: 4; h2hINV: 6; t2tINV: 6; TRA: 59
SVs in sample	303
Oscillating CN (2 and 3 states)	6, 11
CN segments	51
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	12:1702270-74329203;2:43419451-218499372
Purity, ploidy	0.19, 2.9

OCCAMS-RS-008

Cancer type	Eso-AdenoCA
Position	12:1702270-74329204
Type	With other complex events
Interleaved intrachr. SVs	57
Total SVs (intrachr. + transl.)	131
SV types	DEL: 17; DUP: 12; h2hINV: 12; t2tINV: 16; TRA: 74
SVs in sample	303
Oscillating CN (2 and 3 states)	5, 5
CN segments	69
FDR fragment joints	0.964753
FDR chr. breakp. enrich.	0
Linked to chrs	11:38894113-101762284;2:43419451-218499372
Purity, ploidy	0.19, 2.9




OCCAMS-RS-031

Cancer type	Eso-AdenoCA
Position	14:25421773-106863854
Type	With other complex events
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	9
SV types	DEL: 3; DUP: 2; h2hINV: 2; t2tINV: 2; TRA: 0
SVs in sample	156
Oscillating CN (2 and 3 states)	5, 6
CN segments	19
FDR fragment joints	0.9723381
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.4, 3.7


OCCAMS-RS-036

Cancer type	Eso-AdenoCA
Position	17:38588621-39990043
Type	With other complex events
Interleaved intrachr. SVs	78
Total SVs (intrachr. + transl.)	79
SV types	DEL: 18; DUP: 18; h2hINV: 19; t2tINV: 23; TRA: 1
SVs in sample	332
Oscillating CN (2 and 3 states)	4, 7
CN segments	30
FDR fragment joints	0.8497879
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.73, 2.22




OCCAMS-RS-047

Cancer type	Eso-AdenoCA
Position	17:37640778-73863270
Type	With other complex events
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	48
SV types	DEL: 0; DUP: 6; h2hINV: 1; t2iINV: 2; TRA: 39
SVs in sample	894
Oscillating CN (2 and 3 states)	6, 8
CN segments	39
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	1:23826407-235519805;11:66812374-111289395 12:56993350-123682991;2:43059538-85800998 5:32316033-176769547;6:41252622-127972763
Purity, ploidy	0.48, 2.04




OCCAMS-SH-003

Cancer type	Eso-AdenoCA
Position	11:76719544-87065454
Type	With other complex events
Interleaved intrachr. SVs	11
Total SVs (intrachr. + transl.)	12
SV types	DEL: 2; DUP: 5; h2hINV: 1; t2iINV: 3; TRA: 1
SVs in sample	250
Oscillating CN (2 and 3 states)	5, 5
CN segments	21
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.53, 3.64




OCCAMS-SH-003

Cancer type	Eso-AdenoCA
Position	18:14973143-55776093
Type	With other complex events
Interleaved intrachr. SVs	23
Total SVs (intrachr. + transl.)	29
SV types	DEL: 6; DUP: 7; h2hINV: 5; t2iINV: 5; TRA: 6
SVs in sample	250
Oscillating CN (2 and 3 states)	5, 9
CN segments	46
FDR fragment joints	0.930656
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.53, 3.64




OCCAMS-SH-024


Cancer type	Eso-AdenoCA
Position	1:32513613-249217731
Type	With other complex events
Interleaved intrachr. SVs	30
Total SVs (intrachr. + transl.)	52
SV types	DEL: 6; DUP: 12; h2hINV: 6; t2iINV: 6; TRA: 22
SVs in sample	656
Oscillating CN (2 and 3 states)	6, 13
CN segments	114
FDR fragment joints	0.9961719
FDR chr. breakp. enrich.	0
Linked to chrs	3:101679749-195089022;
Purity, ploidy	0.25, 4.5




OCCAMS-SH-024	
Cancer type	Eso-AdenoCA
Position	3:101679749-195089023
Type	With other complex events
Interleaved intrachr. SVs	40
Total SVs (intrachr. + transl.)	49
SV types	DEL: 9; DUP: 14; h2hINV: 6; t2tINV: 11; TRA: 9
SVs in sample	656
Oscillating CN (2 and 3 states)	6, 6
CN segments	116
FDR fragment joints	0.7124738
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.25, 4.5




OCCAMS-SH-038	
Cancer type	Eso-AdenoCA
Position	17:26663234-66204181
Type	With other complex events
Interleaved intrachr. SVs	24
Total SVs (intrachr. + transl.)	28
SV types	DEL: 7; DUP: 4; h2hINV: 5; t2tINV: 8; TRA: 4
SVs in sample	146
Oscillating CN (2 and 3 states)	4, 4
CN segments	38
FDR fragment joints	0.9794281
FDR chr. breakp. enrich.	0
Linked to chrs	4:13404057-187928989;
Purity, ploidy	0.25, 2.35




OCCAMS-SH-051	
Cancer type	Eso-AdenoCA
Position	11:83876112-130719233
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	10
SV types	DEL: 4; DUP: 2; h2hINV: 2; t2tINV: 2; TRA: 0
SVs in sample	450
Oscillating CN (2 and 3 states)	6, 12
CN segments	23
FDR fragment joints	0.8572806
FDR chr. breakp. enrich.	0.3
Linked to chrs	
Purity, ploidy	0.69, 2.44




OCCAMS-SH-071	
Cancer type	Eso-AdenoCA
Position	15:42066409-91876190
Type	With other complex events
Interleaved intrachr. SVs	29
Total SVs (intrachr. + transl.)	32
SV types	DEL: 4; DUP: 10; h2hINV: 8; t2tINV: 7; TRA: 3
SVs in sample	284
Oscillating CN (2 and 3 states)	5, 5
CN segments	35
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.42, 3.56




OCCAMS-ST-020	
Cancer type	Eso-AdenoCA
Position	18:1524644-24959091
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	6
SV types	DEL: 2; DUP: 1; h2hiINV: 2; t2tiINV: 1; TRA: 0
SVs in sample	165
Oscillating CN (2 and 3 states)	6, 6
CN segments	13
FDR fragment joints	0.9284301
FDR chr. breakp. enrich.	0.15
Linked to chr	
Purity, ploidy	0.43, 1.76




OCCAMS-ST-029	
Cancer type	Eso-AdenoCA
Position	17:1828973-80871688
Type	With other complex events
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	15
SV types	DEL: 2; DUP: 1; h2hiINV: 2; t2tiINV: 4; TRA: 6
SVs in sample	286
Oscillating CN (2 and 3 states)	4, 5
CN segments	29
FDR fragment joints	0.8462769
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.35, 3.04




OCCAMS-ST-037	
Cancer type	Eso-AdenoCA
Position	7:12338056-28936629
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	10
SV types	DEL: 4; DUP: 3; h2hiINV: 1; t2tiINV: 2; TRA: 0
SVs in sample	438
Oscillating CN (2 and 3 states)	4, 5
CN segments	7
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	1
Linked to chr	
Purity, ploidy	0.35, 3.47




OCCAMS-ST-037	
Cancer type	Eso-AdenoCA
Position	8:56764256-133807235
Type	With other complex events
Interleaved intrachr. SVs	17
Total SVs (intrachr. + transl.)	20
SV types	DEL: 3; DUP: 5; h2hiINV: 5; t2tiINV: 4; TRA: 3
SVs in sample	438
Oscillating CN (2 and 3 states)	5, 5
CN segments	40
FDR fragment joints	0.8572806
FDR chr. breakp. enrich.	0.01
Linked to chr	
Purity, ploidy	0.35, 3.47




OCCAMS-ST-037	
Cancer type	Eso-AdenoCA
Position	17:29160620-67758256
Type	With other complex events
Interleaved intrachr. SVs	186
Total SVs (intrachr. + transl.)	215
SV types	DEL: 39; DUP: 51; h2hINV: 48; t2tINV: 48; TRA: 29
SVs in sample	438
Oscillating CN (2 and 3 states)	5, 5
CN segments	36
FDR fragment joints	0.7170622
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.35, 3.47




OCCAMS-ST-041	
Cancer type	Eso-AdenoCA
Position	5:15221088-46212518
Type	With other complex events
Interleaved intrachr. SVs	15
Total SVs (intrachr. + transl.)	15
SV types	DEL: 1; DUP: 4; h2hINV: 5; t2tINV: 5; TRA: 0
SVs in sample	163
Oscillating CN (2 and 3 states)	5, 8
CN segments	27
FDR fragment joints	0.6471662
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.52, 2.4




OCCAMS-WG-001	
Cancer type	Eso-AdenoCA
Position	17:20549700-75923156
Type	Canonical without polyploidization
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	7
SV types	DEL: 2; DUP: 1; h2hINV: 2; t2tINV: 2; TRA: 0
SVs in sample	151
Oscillating CN (2 and 3 states)	6, 6
CN segments	10
FDR fragment joints	0.9599662
FDR chr. breakp. enrich.	0.02
Linked to chrs	
Purity, ploidy	0.53, 1.91




OCCAMS-WG-005	
Cancer type	Eso-AdenoCA
Position	7:64499272-112538689
Type	With other complex events
Interleaved intrachr. SVs	19
Total SVs (intrachr. + transl.)	19
SV types	DEL: 5; DUP: 6; h2hINV: 4; t2tINV: 4; TRA: 0
SVs in sample	277
Oscillating CN (2 and 3 states)	4, 6
CN segments	40
FDR fragment joints	0.9348624
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.38, 2.47




OCCAMS-WG-008	
Cancer type	Eso-AdenoCA
Position	4:10386453-188335991
Type	With other complex events
Interleaved intrachr. SVs	35
Total SVs (intrachr. + transl.)	36
SV types	DEL: 6; DUP: 11; h2hINV: 8; i2iINV: 10; TRA: 1
SVs in sample	357
Oscillating CN (2 and 3 states)	4, 11
CN segments	67
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.4, 2.6




OCCAMS-WG-008	
Cancer type	Eso-AdenoCA
Position	6:24415766-65407598
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	12
SV types	DEL: 1; DUP: 4; h2hINV: 3; i2iINV: 2; TRA: 2
SVs in sample	357
Oscillating CN (2 and 3 states)	4, 6
CN segments	23
FDR fragment joints	0.9284301
FDR chr. breakp. enrich.	0.21
Linked to chrs	
Purity, ploidy	0.4, 2.6




OCCAMS-ZZ-004	
Cancer type	Eso-AdenoCA
Position	8:8960637-125604409
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	47
SV types	DEL: 3; DUP: 1; h2hINV: 1; i2iINV: 2; TRA: 40
SVs in sample	323
Oscillating CN (2 and 3 states)	5, 12
CN segments	31
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.56, 2.11




OCCAMS-ZZ-004	
Cancer type	Eso-AdenoCA
Position	14:22899463-27108658
Type	After polyploidization
Interleaved intrachr. SVs	38
Total SVs (intrachr. + transl.)	70
SV types	DEL: 8; DUP: 6; h2hINV: 12; i2iINV: 12; TRA: 32
SVs in sample	323
Oscillating CN (2 and 3 states)	6, 7
CN segments	7
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	8:8960637-125604408;
Purity, ploidy	0.56, 2.11




OCCAMS-ZZ-009
Cancer type: Eso-AdenoCA
Position: 12:15448042-117609293
Type: With other complex events
Interleaved intrachr. SVs: 82
Total SVs (intrachr. + transl.): 90
SV types: DEL: 13; DUP: 19; h2hINV: 22; t2tINV: 28; TRA: 8
SVs in sample: 353
Oscillating CN (2 and 3 states): 6, 10
CN segments: 110
FDR fragment joints: 0.5435077
FDR chr. breakp. enrich.: 0
Linked to chrs: 1:2485334-247277614;
Purity, ploidy: 0.44, 2.04





OCCAMS-ZZ-016
Cancer type: Eso-AdenoCA
Position: 7:16983311-102542434
Type: With other complex events
Interleaved intrachr. SVs: 6
Total SVs (intrachr. + transl.): 13
SV types: DEL: 1; DUP: 1; h2hINV: 1; t2tINV: 3; TRA: 7
SVs in sample: 286
Oscillating CN (2 and 3 states): 6, 6
CN segments: 38
FDR fragment joints: 0.7995907
FDR chr. breakp. enrich.: 0
Linked to chrs:
Purity, ploidy: 0.5, 2.45



OCCAMS-ZZ-016
Cancer type: Eso-AdenoCA
Position: 17:2088600-25571414
Type: With other complex events
Interleaved intrachr. SVs: 14
Total SVs (intrachr. + transl.): 14
SV types: DEL: 3; DUP: 4; h2hINV: 3; t2tINV: 4; TRA: 0
SVs in sample: 286
Oscillating CN (2 and 3 states): 6, 8
CN segments: 13
FDR fragment joints: 0.9794281
FDR chr. breakp. enrich.: 0
Linked to chrs:
Purity, ploidy: 0.5, 2.45





3e5f451a-5882-4914-ae1a-95c898c2bcc
Cancer type: Head-SCC
Position: 2:164623105-179954501
Type: With other complex events
Interleaved intrachr. SVs: 30
Total SVs (intrachr. + transl.): 52
SV types: DEL: 6; DUP: 10; h2hINV: 6; t2tINV: 8; TRA: 22
SVs in sample: 362
Oscillating CN (2 and 3 states): 5, 15
CN segments: 56
FDR fragment joints: 0.6776251
FDR chr. breakp. enrich.: 0
Linked to chrs: 17:37011270-62375855;
Purity, ploidy: 0.58, 3.09




64bb5550-2735-4401-a0db-58ec1020a32d	
Cancer type	Head-SCC
Position	17:35502073-70069761
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	17
SV types	DEL: 2; DUP: 3; h2hINV: 1; t2tINV: 0; TRA: 11
SVs in sample	179
Oscillating CN (2 and 3 states)	4, 4
CN segments	26
FDR fragment joints	0.7735152
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.36, 3.11

7de19081-d5fd-468c-ad0d-f6e3e8b2ad70	
Cancer type	Head-SCC
Position	6:132384731-147888916
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	18
SV types	DEL: 1; DUP: 1; h2hINV: 2; t2tINV: 4; TRA: 10
SVs in sample	140
Oscillating CN (2 and 3 states)	4, 5
CN segments	36
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.83, 1.95




7de19081-d5fd-468c-ad0d-f6e3e8b2ad70	
Cancer type	Head-SCC
Position	14:37204606-75501405
Type	With other complex events
Interleaved intrachr. SVs	13
Total SVs (intrachr. + transl.)	22
SV types	DEL: 6; DUP: 4; h2hINV: 2; t2tINV: 1; TRA: 9
SVs in sample	140
Oscillating CN (2 and 3 states)	4, 4
CN segments	27
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.83, 1.95

7de19081-d5fd-468c-ad0d-f6e3e8b2ad70	
Cancer type	Head-SCC
Position	16:56444067-89001559
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	9
SV types	DEL: 2; DUP: 3; h2hINV: 2; t2tINV: 1; TRA: 1
SVs in sample	140
Oscillating CN (2 and 3 states)	6, 8
CN segments	16
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.83, 1.95




8fc1f1be-d2d5-4b3a-9973-f4d964018beb

Cancer type	Head-SCC
Position	11:78556791-103094093
Type	With other complex events
Interleaved intrachr. SVs	24
Total SVs (intrachr. + transl.)	24
SV types	DEL: 5; DUP: 7; h2hINV: 6; t2tINV: 6; TRA: 0
SVs in sample	216
Oscillating CN (2 and 3 states)	5, 6
CN segments	34
FDR fragment joints	0.9723381
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.71, 2.99




90a8d2cb-1f31-45f9-8575-eed3cb9a7798

Cancer type	Head-SCC
Position	11:15147379-100462923
Type	With other complex events
Interleaved intrachr. SVs	24
Total SVs (intrachr. + transl.)	24
SV types	DEL: 9; DUP: 7; h2hINV: 3; t2tINV: 5; TRA: 0
SVs in sample	67
Oscillating CN (2 and 3 states)	5, 8
CN segments	26
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.61, 1.9




ad6c9d09-2c03-4786-a72d-dd2aa5f603d4

Cancer type	Head-SCC
Position	22:19715951-51129703
Type	With other complex events
Interleaved intrachr. SVs	68
Total SVs (intrachr. + transl.)	68
SV types	DEL: 18; DUP: 15; h2hINV: 19; t2tINV: 16; TRA: 0
SVs in sample	360
Oscillating CN (2 and 3 states)	6, 8
CN segments	61
FDR fragment joints	0.9332614
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.65, 3.12




70e306ee-9584-49d6-81a1-a49d837ab6aa


Cancer type	Kidney-ChRCC
Position	8:48323075-117143870
Type	With other complex events
Interleaved intrachr. SVs	26
Total SVs (intrachr. + transl.)	74
SV types	DEL: 7; DUP: 5; h2hINV: 8; t2tINV: 6; TRA: 48
SVs in sample	305
Oscillating CN (2 and 3 states)	5, 8
CN segments	70
FDR fragment joints	0.9807783
FDR chr. breakp. enrich.	0
Linked to chrs	15:40179423-68153781;3:27225774-76470708
Purity, ploidy	0.89, 3.06




b809c2f2-185c-496a-a1d4-589294443a1d	
Cancer type	Kidney-RCC
Position	19:1021778-54719797
Type	With other complex events
Interleaved intrachr. SVs	28
Total SVs (intrachr. + transl.)	33
SV types	DEL: 7; DUP: 8; h2hINV: 6; t2tINV: 7; TRA: 5
SVs in sample	64
Oscillating CN (2 and 3 states)	5, 9
CN segments	30
FDR fragment joints	0.9067785
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.78, 3.63





d80f601b-1064-4ff0-9c51-7f6afb22d1f5	
Cancer type	Kidney-RCC
Position	4:76505435-82891389
Type	Canonical without polyploidization
Interleaved intrachr. SVs	17
Total SVs (intrachr. + transl.)	27
SV types	DEL: 5; DUP: 5; h2hINV: 3; t2tINV: 4; TRA: 10
SVs in sample	61
Oscillating CN (2 and 3 states)	6, 6
CN segments	6
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.84, 1.98



C0066	
Cancer type	Kidney-RCC
Position	3:65418245-76275813
Type	With other complex events
Interleaved intrachr. SVs	14
Total SVs (intrachr. + transl.)	22
SV types	DEL: 4; DUP: 2; h2hINV: 4; t2tINV: 4; TRA: 8
SVs in sample	25
Oscillating CN (2 and 3 states)	6, 11
CN segments	11
FDR fragment joints	0.8874881
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.41, 3.57





1987b453-f97d-45c7-9c89-b9a33313d645	
Cancer type	Liver-HCC
Position	20:20959449-62129528
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	25
SV types	DEL: 1; DUP: 2; h2hINV: 1; t2tINV: 4; TRA: 17
SVs in sample	524
Oscillating CN (2 and 3 states)	6, 8
CN segments	28
FDR fragment joints	0.9599662
FDR chr. breakp. enrich.	0
Linked to chrs	1:9273332-226103049;16:25250822-30860383 4:122039841-145149273;6:5868963-162834995
Purity, ploidy	0.74, 1.99





2854ffe8-1f77-497a-bf49-11e0189fee35	
Cancer type	Liver-HCC
Position	2:184611141-197996965
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	8
SV types	DEL: 3; DUP: 2; h2hINV: 1; t2tINV: 2; TRA: 0
SVs in sample	43
Oscillating CN (2 and 3 states)	4, 8
CN segments	17
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.69, 3.74

3acf7438-fd65-442c-8a30-68b6714537f3	
Cancer type	Liver-HCC
Position	14:34361058-105047156
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	31
SV types	DEL: 4; DUP: 0; h2hINV: 2; t2tINV: 4; TRA: 21
SVs in sample	222
Oscillating CN (2 and 3 states)	4, 5
CN segments	21
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	5:141997-63388892;
Purity, ploidy	0.36, 3.55





52292ffc-0902-4d97-b461-20723987a177	
Cancer type	Liver-HCC
Position	14:20673089-49273351
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	8
SV types	DEL: 3; DUP: 2; h2hINV: 1; t2tINV: 0; TRA: 2
SVs in sample	129
Oscillating CN (2 and 3 states)	5, 12
CN segments	12
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0.01
Linked to chrs	
Purity, ploidy	0.79, 3.28

56a82a56-0241-4d3d-9de2-696b0c36df91	
Cancer type	Liver-HCC
Position	20:3053950-60453503
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	13
SV types	DEL: 2; DUP: 2; h2hINV: 2; t2tINV: 1; TRA: 6
SVs in sample	109
Oscillating CN (2 and 3 states)	4, 5
CN segments	25
FDR fragment joints	0.7995907
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.88, 3.52




614c0ecf-6a84-4c86-8706-79be5bb00991	
Cancer type	Liver-HCC
Position	6:63448509-112361461
Type	Canonical without polyploidization
Interleaved intrachr. SVs	16
Total SVs (intrachr. + transl.)	17
SV types	DEL: 4; DUP: 5; h2hINV: 4; t2tINV: 3; TRA: 1
SVs in sample	171
Oscillating CN (2 and 3 states)	4, 4
CN segments	4
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.82, 2.44

65e430e1-0c9a-4045-83a9-653b7cff811d	
Cancer type	Liver-HCC
Position	3:99990176-110508418
Type	With other complex events
Interleaved intrachr. SVs	11
Total SVs (intrachr. + transl.)	12
SV types	DEL: 3; DUP: 3; h2hINV: 3; t2tINV: 2; TRA: 1
SVs in sample	54
Oscillating CN (2 and 3 states)	4, 7
CN segments	11
FDR fragment joints	1
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.64, 2.32




6dcfc418-ab28-4365-95ea-c1ae254f2341	
Cancer type	Liver-HCC
Position	9:71361828-139860149
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	20
SV types	DEL: 2; DUP: 3; h2hINV: 0; t2tINV: 1; TRA: 14
SVs in sample	572
Oscillating CN (2 and 3 states)	6, 6
CN segments	36
FDR fragment joints	0.8572806
FDR chr. breakp. enrich.	0.11
Linked to chrs	14:70988852-75703456;19:1843528-50016660
Purity, ploidy	0.85, 3.57


8afa3140-dcbd-44c0-ab13-4ada6a0444d4	
Cancer type	Liver-HCC
Position	19:38719064-58932021
Type	With other complex events
Interleaved intrachr. SVs	14
Total SVs (intrachr. + transl.)	16
SV types	DEL: 4; DUP: 4; h2hINV: 3; t2tINV: 3; TRA: 2
SVs in sample	301
Oscillating CN (2 and 3 states)	5, 14
CN segments	27
FDR fragment joints	0.9501265
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.84, 3.54




b865dec4-f051-4fbe-9405-f832ff2010d7	
Cancer type	Liver-HCC
Position	8:47804145-122986495
Type	With other complex events
Interleaved intrachr. SVs	27
Total SVs (intrachr. + transl.)	35
SV types	DEL: 10; DUP: 6; h2hiINV: 6; t2tiINV: 5; TRA: 8
SVs in sample	245
Oscillating CN (2 and 3 states)	4, 6
CN segments	25
FDR fragment joints	0.7526697
FDR chr. breakp. enrich.	0
Linked to chrs	11:49377920-77893091;
Purity, ploidy	0.78, 3.47





b865dec4-f051-4fbe-9405-f832ff2010d7	
Cancer type	Liver-HCC
Position	11:49377920-77893092
Type	With other complex events
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	27
SV types	DEL: 4; DUP: 2; h2hiINV: 2; t2tiINV: 1; TRA: 18
SVs in sample	245
Oscillating CN (2 and 3 states)	5, 9
CN segments	42
FDR fragment joints	0.9625775
FDR chr. breakp. enrich.	0
Linked to chrs	1:77623355-98337818;
Purity, ploidy	0.78, 3.47



c0bf9278-9cbb-4361-b4d8-ab172b67e276	
Cancer type	Liver-HCC
Position	11:56563250-70581761
Type	With other complex events
Interleaved intrachr. SVs	11
Total SVs (intrachr. + transl.)	19
SV types	DEL: 1; DUP: 3; h2hiINV: 4; t2tiINV: 3; TRA: 8
SVs in sample	49
Oscillating CN (2 and 3 states)	6, 6
CN segments	23
FDR fragment joints	0.8082862
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.4, 2.18





c95ed407-bcc2-44aa-bc59-bf7549f2d665	
Cancer type	Liver-HCC
Position	6:41892254-58688812
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	18
SV types	DEL: 1; DUP: 1; h2hiINV: 1; t2tiINV: 3; TRA: 12
SVs in sample	81
Oscillating CN (2 and 3 states)	6, 12
CN segments	18
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.82, 1.97




ca8afb2c-be3d-41e8-8dbc-19fe7ab6154b	
Cancer type	Liver-HCC
Position	6:57869537-70524555
Type	With other complex events
Interleaved intrachr. SVs	12
Total SVs (intrachr. + transl.)	12
SV types	DEL: 2; DUP: 5; h2hINV: 3; t2tINV: 2; TRA: 0
SVs in sample	125
Oscillating CN (2 and 3 states)	4, 6
CN segments	17
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.57, 1.9

d680df09-368e-42b5-b540-45c41ed31042	
Cancer type	Liver-HCC
Position	13:24796654-56409610
Type	Canonical without polyploidization
Interleaved intrachr. SVs	12
Total SVs (intrachr. + transl.)	29
SV types	DEL: 3; DUP: 4; h2hINV: 3; t2tINV: 2; TRA: 17
SVs in sample	82
Oscillating CN (2 and 3 states)	5, 5
CN segments	5
FDR fragment joints	0.7359483
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.64, 1.94




dfa15fbe-bb14-40ce-afc6-70694112e3e2	
Cancer type	Liver-HCC
Position	8:882836-39730717
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	12
SV types	DEL: 2; DUP: 2; h2hINV: 2; t2tINV: 2; TRA: 4
SVs in sample	27
Oscillating CN (2 and 3 states)	5, 7
CN segments	12
FDR fragment joints	0.9284301
FDR chr. breakp. enrich.	0
Linked to chrs	3:20901418-127446356;
Purity, ploidy	0.73, 4.19


HX12	
Cancer type	Liver-HCC
Position	15:29329993-102165441
Type	With other complex events
Interleaved intrachr. SVs	14
Total SVs (intrachr. + transl.)	23
SV types	DEL: 1; DUP: 3; h2hINV: 7; t2tINV: 3; TRA: 9
SVs in sample	66
Oscillating CN (2 and 3 states)	5, 9
CN segments	17
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.65, 3.6




	HX14
Cancer type	Liver-HCC
Position	8:11152586–52033115
Type	With other complex events
Interleaved intrachr. SVs	12
Total SVs (intrachr. + transl.)	17
SV types	DEL: 3; DUP: 2; h2hINV: 3; t2tINV: 4; TRA: 5
SVs in sample	70
Oscillating CN (2 and 3 states)	5, 8
CN segments	25
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.86, 1.84




	HX21
Cancer type	Liver-HCC
Position	8:53518261–139231447
Type	With other complex events
Interleaved intrachr. SVs	52
Total SVs (intrachr. + transl.)	53
SV types	DEL: 13; DUP: 14; h2hINV: 14; t2tINV: 11; TRA: 1
SVs in sample	133
Oscillating CN (2 and 3 states)	5, 12
CN segments	89
FDR fragment joints	0.9299383
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.61, 1.81




	HX25
Cancer type	Liver-HCC
Position	5:29249343–44428121
Type	With other complex events
Interleaved intrachr. SVs	15
Total SVs (intrachr. + transl.)	15
SV types	DEL: 3; DUP: 4; h2hINV: 4; t2tINV: 4; TRA: 0
SVs in sample	111
Oscillating CN (2 and 3 states)	6, 8
CN segments	18
FDR fragment joints	0.9905774
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.77, 1.73




	HX28
Cancer type	Liver-HCC
Position	6:63623695–135334641
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	14
SV types	DEL: 1; DUP: 3; h2hINV: 1; t2tINV: 1; TRA: 8
SVs in sample	160
Oscillating CN (2 and 3 states)	4, 5
CN segments	12
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.65, 3.46




	HX35
Cancer type	Liver-HCC
Position	4:1056612-57295598
Type	With other complex events
Interleaved intrachr. SVs	29
Total SVs (intrachr. + transl.)	29
SV types	DEL: 6; DUP: 4; h2hiINV: 10; t2tiINV: 9; TRA: 0
SVs in sample	135
Oscillating CN (2 and 3 states)	4, 8
CN segments	36
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.75, 3.67




	HX35
Cancer type	Liver-HCC
Position	17:8507299-11666681
Type	With other complex events
Interleaved intrachr. SVs	17
Total SVs (intrachr. + transl.)	19
SV types	DEL: 4; DUP: 4; h2hiINV: 4; t2tiINV: 5; TRA: 2
SVs in sample	135
Oscillating CN (2 and 3 states)	6, 12
CN segments	28
FDR fragment joints	0.9958447
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.75, 3.67




	RK003
Cancer type	Liver-HCC
Position	17:35358262-80803775
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	10
SV types	DEL: 1; DUP: 3; h2hiINV: 3; t2tiINV: 3; TRA: 0
SVs in sample	51
Oscillating CN (2 and 3 states)	5, 5
CN segments	24
FDR fragment joints	0.8572806
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.54, 3.3




	RK038
Cancer type	Liver-HCC
Position	6:102965111-108005363
Type	Canonical without polyploidization
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	11
SV types	DEL: 2; DUP: 3; h2hiINV: 3; t2tiINV: 2; TRA: 1
SVs in sample	99
Oscillating CN (2 and 3 states)	6, 8
CN segments	8
FDR fragment joints	0.9804396
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.69, 1.92




	RK042
Cancer type	Liver-HCC
Position	4:26444895-45511514
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	10
SV types	DEL: 0; DUP: 2; h2hINV: 3; t2tINV: 2; TRA: 3
SVs in sample	93
Oscillating CN (2 and 3 states)	5, 9
CN segments	17
FDR fragment joints	0.8572806
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.88, 1.81




	RK061
Cancer type	Liver-HCC
Position	7:1738702-57285072
Type	With other complex events
Interleaved intrachr. SVs	28
Total SVs (intrachr. + transl.)	28
SV types	DEL: 7; DUP: 5; h2hINV: 6; t2tINV: 10; TRA: 0
SVs in sample	229
Oscillating CN (2 and 3 states)	6, 9
CN segments	28
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.82, 1.85




	RK061
Cancer type	Liver-HCC
Position	8:24743909-48399104
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	10
SV types	DEL: 2; DUP: 1; h2hINV: 2; t2tINV: 2; TRA: 3
SVs in sample	229
Oscillating CN (2 and 3 states)	5, 9
CN segments	20
FDR fragment joints	0.9625775
FDR chr. breakp. enrich.	0.02
Linked to chrs	
Purity, ploidy	0.82, 1.85




	RK072
Cancer type	Liver-HCC
Position	3:144516195-181561816
Type	With other complex events
Interleaved intrachr. SVs	52
Total SVs (intrachr. + transl.)	58
SV types	DEL: 13; DUP: 13; h2hINV: 14; t2tINV: 12; TRA: 6
SVs in sample	282
Oscillating CN (2 and 3 states)	4, 10
CN segments	67
FDR fragment joints	0.8644076
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.7, 4.49




	RK079
Cancer type	Liver-HCC
Position	8:92616813-123287245
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	7
SV types	DEL: 1; DUP: 2; h2hINV: 2; t2tINV: 2; TRA: 0
SVs in sample	80
Oscillating CN (2 and 3 states)	4, 9
CN segments	9
FDR fragment joints	0.9599662
FDR chr. breakp. enrich.	0.01
Linked to chrs	
Purity, ploidy	0.76, 1.92




	RK079
Cancer type	Liver-HCC
Position	9:3532306-27548765
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	9
SV types	DEL: 0; DUP: 3; h2hINV: 1; t2tINV: 2; TRA: 3
SVs in sample	80
Oscillating CN (2 and 3 states)	5, 5
CN segments	11
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.76, 1.92




	RK085
Cancer type	Liver-HCC
Position	7:68220087-124871888
Type	With other complex events
Interleaved intrachr. SVs	98
Total SVs (intrachr. + transl.)	106
SV types	DEL: 29; DUP: 32; h2hINV: 16; t2tINV: 21; TRA: 8
SVs in sample	208
Oscillating CN (2 and 3 states)	5, 7
CN segments	147
FDR fragment joints	0.5435077
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.49, 3.12




	RK085
Cancer type	Liver-HCC
Position	8:87033701-105868006
Type	With other complex events
Interleaved intrachr. SVs	11
Total SVs (intrachr. + transl.)	13
SV types	DEL: 4; DUP: 2; h2hINV: 3; t2tINV: 2; TRA: 2
SVs in sample	208
Oscillating CN (2 and 3 states)	4, 5
CN segments	20
FDR fragment joints	0.9000538
FDR chr. breakp. enrich.	0.51
Linked to chrs	
Purity, ploidy	0.49, 3.12




	RK087
Cancer type	Liver-HCC
Position	12:24148141-34697150
Type	With other complex events
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	9
SV types	DEL: 2; DUP: 3; h2hINV: 2; t2tINV: 2; TRA: 0
SVs in sample	62
Oscillating CN (2 and 3 states)	4, 5
CN segments	14
FDR fragment joints	0.9723381
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.26, 1.9




	RK088
Cancer type	Liver-HCC
Position	6:18913889-66058087
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	7
SV types	DEL: 0; DUP: 3; h2hINV: 2; t2tINV: 2; TRA: 0
SVs in sample	75
Oscillating CN (2 and 3 states)	6, 7
CN segments	13
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.78, 3.47




	RK089
Cancer type	Liver-HCC
Position	9:23213827-137506288
Type	With other complex events
Interleaved intrachr. SVs	13
Total SVs (intrachr. + transl.)	13
SV types	DEL: 1; DUP: 5; h2hINV: 3; t2tINV: 4; TRA: 0
SVs in sample	57
Oscillating CN (2 and 3 states)	5, 9
CN segments	17
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.63, 1.65




	RK091
Cancer type	Liver-HCC
Position	12:46659315-73611218
Type	With other complex events
Interleaved intrachr. SVs	39
Total SVs (intrachr. + transl.)	43
SV types	DEL: 12; DUP: 9; h2hINV: 9; t2tINV: 9; TRA: 4
SVs in sample	427
Oscillating CN (2 and 3 states)	5, 6
CN segments	61
FDR fragment joints	0.9077541
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.74, 1.97




	RK092
Cancer type	Liver-HCC
Position	4:26100061-63228862
Type	With other complex events
Interleaved intrachr. SVs	23
Total SVs (intrachr. + transl.)	26
SV types	DEL: 4; DUP: 8; h2hINV: 7; t2tINV: 4; TRA: 3
SVs in sample	89
Oscillating CN (2 and 3 states)	4, 4
CN segments	30
FDR fragment joints	0.8172348
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.55, 1.93




	RK098
Cancer type	Liver-HCC
Position	11:2705633-93356459
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	22
SV types	DEL: 3; DUP: 1; h2hINV: 2; t2tINV: 2; TRA: 14
SVs in sample	145
Oscillating CN (2 and 3 states)	5, 8
CN segments	21
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.38, 3.78




	RK098
Cancer type	Liver-HCC
Position	X:63781853-76077025
Type	With other complex events
Interleaved intrachr. SVs	15
Total SVs (intrachr. + transl.)	19
SV types	DEL: 6; DUP: 4; h2hINV: 3; t2tINV: 2; TRA: 4
SVs in sample	145
Oscillating CN (2 and 3 states)	5, 6
CN segments	24
FDR fragment joints	0.8082862
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.38, 3.78




	RK099
Cancer type	Liver-HCC
Position	8:50144650-144536434
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	9
SV types	DEL: 2; DUP: 3; h2hINV: 0; t2tINV: 2; TRA: 2
SVs in sample	56
Oscillating CN (2 and 3 states)	5, 12
CN segments	12
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.56, 1.7




	RK100
Cancer type	Liver-HCC
Position	X:48002589-124488576
Type	With other complex events
Interleaved intrachr. SVs	12
Total SVs (intrachr. + transl.)	12
SV types	DEL: 2; DUP: 3; h2hINV: 2; t2tINV: 5; TRA: 0
SVs in sample	104
Oscillating CN (2 and 3 states)	5, 7
CN segments	18
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.56, 3.33




	RK101
Cancer type	Liver-HCC
Position	11:69040190-120528008
Type	With other complex events
Interleaved intrachr. SVs	59
Total SVs (intrachr. + transl.)	73
SV types	DEL: 18; DUP: 15; h2hINV: 14; t2tINV: 12; TRA: 14
SVs in sample	218
Oscillating CN (2 and 3 states)	5, 7
CN segments	92
FDR fragment joints	0.8246614
FDR chr. breakp. enrich.	0
Linked to chrs	9:4642656-38474065;
Purity, ploidy	0.81, 3.69




	RK111
Cancer type	Liver-HCC
Position	10:73592301-80444902
Type	Canonical without polyploidization
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	10
SV types	DEL: 4; DUP: 2; h2hINV: 2; t2tINV: 2; TRA: 0
SVs in sample	176
Oscillating CN (2 and 3 states)	6, 6
CN segments	6
FDR fragment joints	0.8572806
FDR chr. breakp. enrich.	0.05
Linked to chrs	
Purity, ploidy	0.9, 1.83




	RK117
Cancer type	Liver-HCC
Position	16:12581311-86577989
Type	Canonical without polyploidization
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	8
SV types	DEL: 3; DUP: 1; h2hINV: 1; t2tINV: 1; TRA: 2
SVs in sample	130
Oscillating CN (2 and 3 states)	5, 5
CN segments	5
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0.01
Linked to chrs	13:29029306-51769998;
Purity, ploidy	0.73, 1.94




	RK119
Cancer type	Liver-HCC
Position	2:152075233-182020726
Type	With other complex events
Interleaved intrachr. SVs	21
Total SVs (intrachr. + transl.)	22
SV types	DEL: 6; DUP: 4; h2hINV: 8; t2tINV: 3; TRA: 1
SVs in sample	110
Oscillating CN (2 and 3 states)	6, 7
CN segments	37
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.7, 2.09




	RK135
Cancer type	Liver-HCC
Position	8:124217126-136178634
Type	With other complex events
Interleaved intrachr. SVs	27
Total SVs (intrachr. + transl.)	78
SV types	DEL: 7; DUP: 8; h2hINV: 5; t2tINV: 7; TRA: 51
SVs in sample	192
Oscillating CN (2 and 3 states)	4, 6
CN segments	29
FDR fragment joints	0.7510435
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.7, 1.9




	RK135
Cancer type	Liver-HCC
Position	14:31416617-39741028
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	45
SV types	DEL: 1; DUP: 1; h2hINV: 3; t2tINV: 1; TRA: 39
SVs in sample	192
Oscillating CN (2 and 3 states)	4, 6
CN segments	16
FDR fragment joints	0.793803
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.7, 1.9




	RK141
Cancer type	Liver-HCC
Position	6:63658682-134453042
Type	With other complex events
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	13
SV types	DEL: 3; DUP: 1; h2hINV: 3; t2tINV: 2; TRA: 4
SVs in sample	30
Oscillating CN (2 and 3 states)	5, 7
CN segments	18
FDR fragment joints	0.900538
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.7, 2.08




	RK152
Cancer type	Liver-HCC
Position	8:43410563–143686658
Type	With other complex events
Interleaved intrachr. SVs	11
Total SVs (intrachr. + transl.)	12
SV types	DEL: 4; DUP: 5; h2hINV: 0; t2tINV: 2; TRA: 1
SVs in sample	53
Oscillating CN (2 and 3 states)	6, 7
CN segments	15
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.35, 2.24




	RK166
Cancer type	Liver-HCC
Position	13:96936658–104475344
Type	With other complex events
Interleaved intrachr. SVs	15
Total SVs (intrachr. + transl.)	17
SV types	DEL: 4; DUP: 1; h2hINV: 3; t2tINV: 7; TRA: 2
SVs in sample	74
Oscillating CN (2 and 3 states)	5, 7
CN segments	18
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.48, 1.74




	RK169
Cancer type	Liver-HCC
Position	14:73252280–85449372
Type	With other complex events
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	15
SV types	DEL: 1; DUP: 4; h2hINV: 2; t2tINV: 2; TRA: 6
SVs in sample	75
Oscillating CN (2 and 3 states)	6, 6
CN segments	22
FDR fragment joints	0.7257048
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.24, 3.37




	RK171
Cancer type	Liver-HCC
Position	8:33403096–52649600
Type	Canonical without polyploidization
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	6
SV types	DEL: 1; DUP: 1; h2hINV: 2; t2tINV: 2; TRA: 0
SVs in sample	11
Oscillating CN (2 and 3 states)	5, 6
CN segments	8
FDR fragment joints	0.9284301
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.39, 2.23




	RK176
Cancer type	Liver-HCC
Position	5:99356960-113044705
Type	Canonical without polyploidization
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	8
SV types	DEL: 2; DUP: 0; h2hINV: 1; t2tINV: 3; TRA: 2
SVs in sample	94
Oscillating CN (2 and 3 states)	5, 5
CN segments	5
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0.16
Linked to chrs	
Purity, ploidy	0.62, 2.03




	RK178
Cancer type	Liver-HCC
Position	1:191304671-213916961
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	11
SV types	DEL: 4; DUP: 1; h2hINV: 2; t2tINV: 3; TRA: 1
SVs in sample	63
Oscillating CN (2 and 3 states)	4, 7
CN segments	16
FDR fragment joints	0.7425546
FDR chr. breakp. enrich.	0.02
Linked to chrs	
Purity, ploidy	0.47, 2.18




	RK191
Cancer type	Liver-HCC
Position	4:9755982-47376821
Type	With other complex events
Interleaved intrachr. SVs	34
Total SVs (intrachr. + transl.)	34
SV types	DEL: 9; DUP: 7; h2hINV: 9; t2tINV: 9; TRA: 0
SVs in sample	64
Oscillating CN (2 and 3 states)	5, 13
CN segments	44
FDR fragment joints	0.9717738
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.41, 1.87




	RK195
Cancer type	Liver-HCC
Position	1:5994422-74247978
Type	With other complex events
Interleaved intrachr. SVs	14
Total SVs (intrachr. + transl.)	17
SV types	DEL: 4; DUP: 3; h2hINV: 4; t2tINV: 3; TRA: 3
SVs in sample	121
Oscillating CN (2 and 3 states)	4, 12
CN segments	14
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.8, 2.02




	RK195
Cancer type	Liver-HCC
Position	6:1017490-56519171
Type	With other complex events
Interleaved intrachr. SVs	44
Total SVs (intrachr. + transl.)	44
SV types	DEL: 11; DUP: 9; h2hiINV: 10; i2tiINV: 14; TRA: 0
SVs in sample	121
Oscillating CN (2 and 3 states)	5, 8
CN segments	63
FDR fragment joints	0.845361
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.8, 2.02




	RK200
Cancer type	Liver-HCC
Position	1:157162614-246658065
Type	With other complex events
Interleaved intrachr. SVs	29
Total SVs (intrachr. + transl.)	29
SV types	DEL: 6; DUP: 9; h2hiINV: 7; i2tiINV: 7; TRA: 0
SVs in sample	79
Oscillating CN (2 and 3 states)	5, 9
CN segments	21
FDR fragment joints	0.930656
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.57, 3.64




	RK201
Cancer type	Liver-HCC
Position	8:40469509-138579299
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	12
SV types	DEL: 2; DUP: 1; h2hiINV: 2; i2tiINV: 2; TRA: 5
SVs in sample	65
Oscillating CN (2 and 3 states)	6, 10
CN segments	17
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	6:57987979-165869685;
Purity, ploidy	0.29, 2.15




	RK207
Cancer type	Liver-HCC
Position	11:33703119-70073261
Type	With other complex events
Interleaved intrachr. SVs	23
Total SVs (intrachr. + transl.)	26
SV types	DEL: 9; DUP: 6; h2hiINV: 5; i2tiINV: 3; TRA: 3
SVs in sample	122
Oscillating CN (2 and 3 states)	4, 6
CN segments	40
FDR fragment joints	0.7510435
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.38, 3.72




	RK214
Cancer type	Liver-HCC
Position	17:5363418–21101598
Type	Canonical without polyploidization
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	10
SV types	DEL: 2; DUP: 3; h2hINV: 2; t2tINV: 3; TRA: 0
SVs in sample	43
Oscillating CN (2 and 3 states)	6, 6
CN segments	6
FDR fragment joints	0.9625775
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.93, 1.96




	RK216
Cancer type	Liver-HCC
Position	11:94543805–123946518
Type	Before polyploidization
Interleaved intrachr. SVs	14
Total SVs (intrachr. + transl.)	23
SV types	DEL: 4; DUP: 1; h2hINV: 5; t2tINV: 4; TRA: 9
SVs in sample	38
Oscillating CN (2 and 3 states)	6, 10
CN segments	10
FDR fragment joints	0.7861024
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.84, 3.4




	RK217
Cancer type	Liver-HCC
Position	6:2765669–66192793
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	7
SV types	DEL: 2; DUP: 0; h2hINV: 2; t2tINV: 2; TRA: 1
SVs in sample	44
Oscillating CN (2 and 3 states)	4, 8
CN segments	9
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0.01
Linked to chrs	
Purity, ploidy	0.46, 1.7




	RK232
Cancer type	Liver-HCC
Position	17:20606173–77059952
Type	With other complex events
Interleaved intrachr. SVs	18
Total SVs (intrachr. + transl.)	18
SV types	DEL: 2; DUP: 6; h2hINV: 4; t2tINV: 6; TRA: 0
SVs in sample	56
Oscillating CN (2 and 3 states)	6, 9
CN segments	25
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.61, 2.06




	RK256
Cancer type	Liver-HCC
Position	17:27669465–62576041
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	10
SV types	DEL: 1; DUP: 5; h2hINV: 2; t2tINV: 2; TRA: 0
SVs in sample	91
Oscillating CN (2 and 3 states)	6, 8
CN segments	18
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.89, 1.86





	RK256
Cancer type	Liver-HCC
Position	19:28565715–32327841
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	8
SV types	DEL: 2; DUP: 4; h2hINV: 1; t2tINV: 1; TRA: 0
SVs in sample	91
Oscillating CN (2 and 3 states)	5, 5
CN segments	12
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.89, 1.86



	RK275
Cancer type	Liver-HCC
Position	12:86498848–132672926
Type	Canonical without polyploidization
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	10
SV types	DEL: 3; DUP: 2; h2hINV: 3; t2tINV: 2; TRA: 0
SVs in sample	69
Oscillating CN (2 and 3 states)	6, 6
CN segments	6
FDR fragment joints	0.9625775
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.64, 1.96





	RK280
Cancer type	Liver-HCC
Position	12:69541748–115904220
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	8
SV types	DEL: 1; DUP: 3; h2hINV: 2; t2tINV: 2; TRA: 0
SVs in sample	111
Oscillating CN (2 and 3 states)	5, 8
CN segments	14
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0.03
Linked to chrs	
Purity, ploidy	0.87, 3.75




	RK282
Cancer type	Liver-HCC
Position	12:1853016-122894996
Type	Canonical without polyploidization
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	10
SV types	DEL: 1; DUP: 2; h2hINV: 3; t2iINV: 3; TRA: 1
SVs in sample	40
Oscillating CN (2 and 3 states)	4, 4
CN segments	4
FDR fragment joints	0.8572806
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.93, 2.24

	RK297
Cancer type	Liver-HCC
Position	9:9687693-31438879
Type	Canonical without polyploidization
Interleaved intrachr. SVs	11
Total SVs (intrachr. + transl.)	11
SV types	DEL: 4; DUP: 5; h2hINV: 1; t2iINV: 1; TRA: 0
SVs in sample	34
Oscillating CN (2 and 3 states)	6, 9
CN segments	9
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.33, 1.95




	0d66bf6c-eed0-4726-bd5b-3bf6d610b4e0
Cancer type	Lung-AdenoCA
Position	9:524316-133004751
Type	With other complex events
Interleaved intrachr. SVs	30
Total SVs (intrachr. + transl.)	74
SV types	DEL: 10; DUP: 7; h2hINV: 9; t2iINV: 4; TRA: 44
SVs in sample	414
Oscillating CN (2 and 3 states)	6, 8
CN segments	90
FDR fragment joints	0.7745035
FDR chr. breakp. enrich.	0
Linked to chrs	12:61686111-128942892;6:26318534-27718360
Purity, ploidy	0.48, 3.84


	0d66bf6c-eed0-4726-bd5b-3bf6d610b4e0
Cancer type	Lung-AdenoCA
Position	19:14859949-58216996
Type	With other complex events
Interleaved intrachr. SVs	41
Total SVs (intrachr. + transl.)	51
SV types	DEL: 7; DUP: 9; h2hINV: 12; t2iINV: 13; TRA: 10
SVs in sample	414
Oscillating CN (2 and 3 states)	4, 5
CN segments	64
FDR fragment joints	0.6434443
FDR chr. breakp. enrich.	0
Linked to chrs	12:61686111-128942892;X:1621688-36004056
Purity, ploidy	0.48, 3.84




Odf573ee-28f0-4244-b434-09e6ca59fbf0	
Cancer type	Lung-AdenoCA
Position	8:56923598-143961644
Type	With other complex events
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	22
SV types	DEL: 2; DUP: 2; h2hINV: 3; t2tINV: 2; TRA: 13
SVs in sample	350
Oscillating CN (2 and 3 states)	4, 5
CN segments	25
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	20:15841444-61654373;
Purity, ploidy	0.42, 2.67




Odf573ee-28f0-4244-b434-09e6ca59fbf0	
Cancer type	Lung-AdenoCA
Position	14:33787461-97407133
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	12
SV types	DEL: 3; DUP: 2; h2hINV: 1; t2tINV: 0; TRA: 6
SVs in sample	350
Oscillating CN (2 and 3 states)	5, 10
CN segments	36
FDR fragment joints	0.8298498
FDR chr. breakp. enrich.	0
Linked to chrs	13:30424355-100177239;
Purity, ploidy	0.42, 2.67



31c96e35-5e2f-429c-b12a-7bc5a497a300	
Cancer type	Lung-AdenoCA
Position	2:141983404-237479460
Type	With other complex events
Interleaved intrachr. SVs	11
Total SVs (intrachr. + transl.)	31
SV types	DEL: 0; DUP: 6; h2hINV: 2; t2tINV: 3; TRA: 20
SVs in sample	276
Oscillating CN (2 and 3 states)	4, 8
CN segments	34
FDR fragment joints	0.5435077
FDR chr. breakp. enrich.	0
Linked to chrs	1:14760541-105675265;
Purity, ploidy	0.49, 4.79




31c96e35-5e2f-429c-b12a-7bc5a497a300	
Cancer type	Lung-AdenoCA
Position	18:18573755-77402934
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	10
SV types	DEL: 2; DUP: 3; h2hINV: 2; t2tINV: 1; TRA: 2
SVs in sample	276
Oscillating CN (2 and 3 states)	5, 9
CN segments	15
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.49, 4.79




35cb7841-9b09-465a-90c5-e3b8a9faad49

Cancer type	Lung-AdenoCA
Position	5:78381-54831894
Type	With other complex events
Interleaved intrachr. SVs	57
Total SVs (intrachr. + transl.)	71
SV types	DEL: 16; DUP: 18; h2hINV: 13; t2tINV: 10; TRA: 14
SVs in sample	208
Oscillating CN (2 and 3 states)	5, 10
CN segments	109
FDR fragment joints	0.9037055
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.26, 2.72




61c655ec-52b5-453f-a6cc-b2aba445b027

Cancer type	Lung-AdenoCA
Position	8:78610917-146172492
Type	With other complex events
Interleaved intrachr. SVs	14
Total SVs (intrachr. + transl.)	21
SV types	DEL: 2; DUP: 3; h2hINV: 5; t2tINV: 4; TRA: 7
SVs in sample	44
Oscillating CN (2 and 3 states)	5, 7
CN segments	30
FDR fragment joints	0.8419568
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.72, 2.02





6dfd47d2-831a-4386-9051-f78199a16bb5

Cancer type	Lung-AdenoCA
Position	21:15568990-47382700
Type	With other complex events
Interleaved intrachr. SVs	15
Total SVs (intrachr. + transl.)	15
SV types	DEL: 4; DUP: 4; h2hINV: 2; t2tINV: 5; TRA: 0
SVs in sample	113
Oscillating CN (2 and 3 states)	5, 7
CN segments	23
FDR fragment joints	0.8462769
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.86, 1.97





762dea8a-5b41-4058-979a-b7876ed13d7e

Cancer type	Lung-AdenoCA
Position	15:60153021-74051084
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	10
SV types	DEL: 2; DUP: 3; h2hINV: 1; t2tINV: 2; TRA: 2
SVs in sample	74
Oscillating CN (2 and 3 states)	5, 6
CN segments	14
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.62, 2.94





97831d28-ab41-4c18-bfc2-c4c6bc757d13	
Cancer type	Lung-AdenoCA
Position	8:19746812-144761257
Type	With other complex events
Interleaved intrachr. SVs	34
Total SVs (intrachr. + transl.)	68
SV types	DEL: 12; DUP: 6; h2hINV: 5; t2tINV: 11; TRA: 34
SVs in sample	229
Oscillating CN (2 and 3 states)	5, 8
CN segments	79
FDR fragment joints	1
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.82, 3.49

97831d28-ab41-4c18-bfc2-c4c6bc757d13	
Cancer type	Lung-AdenoCA
Position	17:18917497-78501499
Type	With other complex events
Interleaved intrachr. SVs	23
Total SVs (intrachr. + transl.)	45
SV types	DEL: 6; DUP: 4; h2hINV: 6; t2tINV: 7; TRA: 22
SVs in sample	229
Oscillating CN (2 and 3 states)	4, 9
CN segments	46
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chr	8:19746812-144761256;
Purity, ploidy	0.82, 3.49



9b132e4f-7e35-4cc5-8711-43ad62b906d0	
Cancer type	Lung-AdenoCA
Position	1:194754133-247990684
Type	With other complex events
Interleaved intrachr. SVs	73
Total SVs (intrachr. + transl.)	73
SV types	DEL: 21; DUP: 18; h2hINV: 18; t2tINV: 16; TRA: 0
SVs in sample	209
Oscillating CN (2 and 3 states)	5, 9
CN segments	79
FDR fragment joints	0.9284301
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.9, 4.33

9b132e4f-7e35-4cc5-8711-43ad62b906d0	
Cancer type	Lung-AdenoCA
Position	7:27678717-58038295
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	6
SV types	DEL: 2; DUP: 1; h2hINV: 1; t2tINV: 2; TRA: 0
SVs in sample	209
Oscillating CN (2 and 3 states)	5, 5
CN segments	14
FDR fragment joints	0.9284301
FDR chr. breakp. enrich.	0.37
Linked to chr	
Purity, ploidy	0.9, 4.33





9b132e4f-7e35-4cc5-8711-43ad62b906d0

Cancer type	Lung-AdenoCA
Position	13:28780200-112141515
Type	With other complex events
Interleaved intrachr. SVs	21
Total SVs (intrachr. + transl.)	32
SV types	DEL: 5; DUP: 2; h2hINV: 8; t2tINV: 6; TRA: 11
SVs in sample	209
Oscillating CN (2 and 3 states)	6, 7
CN segments	31
FDR fragment joints	0.7379502
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.9, 4.33

9b132e4f-7e35-4cc5-8711-43ad62b906d0

Cancer type	Lung-AdenoCA
Position	18:26992235-64244136
Type	After polyploidization
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	10
SV types	DEL: 2; DUP: 1; h2hINV: 2; t2tINV: 1; TRA: 4
SVs in sample	209
Oscillating CN (2 and 3 states)	4, 6
CN segments	6
FDR fragment joints	0.9625775
FDR chr. breakp. enrich.	0.06
Linked to chr	13:28780200-112141514;
Purity, ploidy	0.9, 4.33




9b132e4f-7e35-4cc5-8711-43ad62b906d0

Cancer type	Lung-AdenoCA
Position	19:13858390-58445196
Type	With other complex events
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	16
SV types	DEL: 2; DUP: 3; h2hINV: 2; t2tINV: 2; TRA: 7
SVs in sample	209
Oscillating CN (2 and 3 states)	4, 7
CN segments	22
FDR fragment joints	0.9501265
FDR chr. breakp. enrich.	0
Linked to chr	13:28780200-112141514;
Purity, ploidy	0.9, 4.33


a8d6694c-a213-4544-ac0b-63bce16d8f4e

Cancer type	Lung-AdenoCA
Position	1:20472132-114994801
Type	Canonical without polyploidization
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	8
SV types	DEL: 3; DUP: 0; h2hINV: 2; t2tINV: 3; TRA: 0
SVs in sample	21
Oscillating CN (2 and 3 states)	5, 5
CN segments	8
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.62, 2.3




bf15f7ad-9d92-473b-91d1-f24aa373ab97

Cancer type	Lung-AdenoCA
Position	7:147214684-153396315
Type	With other complex events
Interleaved intrachr. SVs	11
Total SVs (intrachr. + transl.)	11
SV types	DEL: 2; DUP: 4; h2hINV: 3; t2tINV: 2; TRA: 0
SVs in sample	108
Oscillating CN (2 and 3 states)	5, 7
CN segments	19
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.4, 3.48




bf15f7ad-9d92-473b-91d1-f24aa373ab97

Cancer type	Lung-AdenoCA
Position	14:23868021-40684899
Type	With other complex events
Interleaved intrachr. SVs	35
Total SVs (intrachr. + transl.)	35
SV types	DEL: 8; DUP: 9; h2hINV: 8; t2tINV: 10; TRA: 0
SVs in sample	108
Oscillating CN (2 and 3 states)	4, 8
CN segments	54
FDR fragment joints	0.9757835
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.4, 3.48




cc4bd56a-25c5-4c48-b583-ac3aeb778ca6

Cancer type	Lung-AdenoCA
Position	7:83811028-152303288
Type	With other complex events
Interleaved intrachr. SVs	14
Total SVs (intrachr. + transl.)	18
SV types	DEL: 3; DUP: 2; h2hINV: 5; t2tINV: 4; TRA: 4
SVs in sample	237
Oscillating CN (2 and 3 states)	5, 15
CN segments	27
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.5, 5.16




cc4bd56a-25c5-4c48-b583-ac3aeb778ca6

Cancer type	Lung-AdenoCA
Position	19:28395079-36324916
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	12
SV types	DEL: 1; DUP: 1; h2hINV: 4; t2tINV: 4; TRA: 2
SVs in sample	237
Oscillating CN (2 and 3 states)	5, 6
CN segments	11
FDR fragment joints	0.8298498
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.5, 5.16




cd0dc947-b708-464e-beb7-954c9d4583e7

Cancer type	Lung-AdenoCA
Position	8:898539-112976203
Type	With other complex events
Interleaved intrachr. SVs	14
Total SVs (intrachr. + transl.)	28
SV types	DEL: 6; DUP: 1; h2hINV: 5; i2iINV: 2; TRA: 14
SVs in sample	73
Oscillating CN (2 and 3 states)	4, 8
CN segments	49
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	3:111543-188368918;
Purity, ploidy	0.36, 3.47




d5326429-9805-47f9-97b0-fbda658e3f01

Cancer type	Lung-AdenoCA
Position	6:39244076-50016258
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	11
SV types	DEL: 2; DUP: 2; h2hINV: 3; i2iINV: 3; TRA: 1
SVs in sample	209
Oscillating CN (2 and 3 states)	5, 5
CN segments	14
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.63, 2.78




d5326429-9805-47f9-97b0-fbda658e3f01

Cancer type	Lung-AdenoCA
Position	12:49376535-90124478
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	26
SV types	DEL: 3; DUP: 3; h2hINV: 1; i2iINV: 0; TRA: 19
SVs in sample	209
Oscillating CN (2 and 3 states)	5, 20
CN segments	41
FDR fragment joints	0.7510435
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.63, 2.78




d5326429-9805-47f9-97b0-fbda658e3f01


Cancer type	Lung-AdenoCA
Position	13:33846175-41641608
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	6
SV types	DEL: 1; DUP: 2; h2hINV: 1; i2iINV: 2; TRA: 0
SVs in sample	209
Oscillating CN (2 and 3 states)	4, 5
CN segments	13
FDR fragment joints	0.9284301
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.63, 2.78




dbd5b0de-94c9-45dd-afb3-6820a7ecaca2	
Cancer type	Lung-AdenoCA
Position	17:9065515-76403933
Type	Canonical without polyploidization
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	10
SV types	DEL: 3; DUP: 0; h2hINV: 2; t2tINV: 1; TRA: 4
SVs in sample	40
Oscillating CN (2 and 3 states)	6, 6
CN segments	6
FDR fragment joints	0.8572806
FDR chr. breakp. enrich.	0
Linked to chrs	6:3073059-49773929;
Purity, ploidy	0.72, 2.22




f063ddbb-1668-40df-9ec2-b0a23ca2c389	
Cancer type	Lung-AdenoCA
Position	12:60485092-69941157
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	10
SV types	DEL: 3; DUP: 5; h2hINV: 0; t2tINV: 2; TRA: 0
SVs in sample	20
Oscillating CN (2 and 3 states)	4, 14
CN segments	20
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.42, 2.05




037c57d1-b4a5-45dc-bda4-0550461d321b	
Cancer type	Lung-SCC
Position	15:74425114-99150104
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	8
SV types	DEL: 2; DUP: 0; h2hINV: 2; t2tINV: 2; TRA: 2
SVs in sample	307
Oscillating CN (2 and 3 states)	5, 5
CN segments	9
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0.08
Linked to chrs	
Purity, ploidy	0.35, 2.51




0398eae1-7216-4595-80a5-6b117d96e070	
Cancer type	Lung-SCC
Position	9:15996503-22530833
Type	With other complex events
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	9
SV types	DEL: 2; DUP: 3; h2hINV: 2; t2tINV: 2; TRA: 0
SVs in sample	209
Oscillating CN (2 and 3 states)	5, 10
CN segments	10
FDR fragment joints	0.9723381
FDR chr. breakp. enrich.	0.9
Linked to chrs	
Purity, ploidy	0.57, 3.08




0398eae1-7216-4595-80a5-6b117d96e070	
Cancer type	Lung-SCC
Position	18:1190790-67995083
Type	With other complex events
Interleaved intrachr. SVs	25
Total SVs (intrachr. + transl.)	41
SV types	DEL: 8; DUP: 8; h2hINV: 3; t2iINV: 6; TRA: 16
SVs in sample	209
Oscillating CN (2 and 3 states)	6, 7
CN segments	46
FDR fragment joints	0.8053298
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.57, 3.08




0398eae1-7216-4595-80a5-6b117d96e070	
Cancer type	Lung-SCC
Position	21:14366223-44334417
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	18
SV types	DEL: 2; DUP: 2; h2hINV: 2; t2iINV: 1; TRA: 11
SVs in sample	209
Oscillating CN (2 and 3 states)	6, 10
CN segments	20
FDR fragment joints	0.641841
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.57, 3.08



1ee543d5-b8c0-4f79-8373-6bb6319f2ee2	
Cancer type	Lung-SCC
Position	8:127118996-135131269
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	30
SV types	DEL: 4; DUP: 0; h2hINV: 1; t2iINV: 1; TRA: 24
SVs in sample	287
Oscillating CN (2 and 3 states)	4, 5
CN segments	23
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	5:8531769-45801498;
Purity, ploidy	0.4, 2.43




1f11de87-a5fe-49fd-80c1-e279b2bc69de	
Cancer type	Lung-SCC
Position	3:143326907-193269619
Type	With other complex events
Interleaved intrachr. SVs	17
Total SVs (intrachr. + transl.)	28
SV types	DEL: 4; DUP: 5; h2hINV: 5; t2iINV: 3; TRA: 11
SVs in sample	165
Oscillating CN (2 and 3 states)	5, 5
CN segments	53
FDR fragment joints	0.9794281
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.63, 3.26




1f6b2aca-7357-40d1-ba7a-99227d9900a2

Cancer type	Lung-SCC
Position	3:77709025-174601176
Type	With other complex events
Interleaved intrachr. SVs	16
Total SVs (intrachr. + transl.)	26
SV types	DEL: 2; DUP: 5; h2hINV: 5; t2tINV: 4; TRA: 10
SVs in sample	602
Oscillating CN (2 and 3 states)	5, 9
CN segments	49
FDR fragment joints	0.8172348
FDR chr. breakp. enrich.	0.1
Linked to chrs	21:14740825-17506647;4:2720902-165169008
Purity, ploidy	0.86, 2.97




1f6b2aca-7357-40d1-ba7a-99227d9900a2

Cancer type	Lung-SCC
Position	11:46508302-111537992
Type	With other complex events
Interleaved intrachr. SVs	112
Total SVs (intrachr. + transl.)	195
SV types	DEL: 27; DUP: 31; h2hINV: 26; t2tINV: 28; TRA: 83
SVs in sample	602
Oscillating CN (2 and 3 states)	5, 8
CN segments	129
FDR fragment joints	0.9723381
FDR chr. breakp. enrich.	0
Linked to chrs	12:4696888-43872964;18:21140095-63388412 4:2720902-165169008;6:47045197-150310816
Purity, ploidy	0.86, 2.97





1f6b2aca-7357-40d1-ba7a-99227d9900a2

Cancer type	Lung-SCC
Position	12:4696888-43872965
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	20
SV types	DEL: 3; DUP: 1; h2hINV: 0; t2tINV: 3; TRA: 13
SVs in sample	602
Oscillating CN (2 and 3 states)	4, 5
CN segments	14
FDR fragment joints	0.8572806
FDR chr. breakp. enrich.	0.35
Linked to chrs	11:46508302-111537991;18:21140095-63388412
Purity, ploidy	0.86, 2.97





1f6b2aca-7357-40d1-ba7a-99227d9900a2

Cancer type	Lung-SCC
Position	21:14740825-17506648
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	13
SV types	DEL: 2; DUP: 1; h2hINV: 3; t2tINV: 4; TRA: 3
SVs in sample	602
Oscillating CN (2 and 3 states)	5, 6
CN segments	12
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.86, 2.97




3666bc65-8e40-409e-9a1f-41583dd6d978	
Cancer type	Lung-SCC
Position	3:121469766-183835935
Type	With other complex events
Interleaved intrachr. SVs	16
Total SVs (intrachr. + transl.)	18
SV types	DEL: 3; DUP: 5; h2hINV: 4; t2tINV: 4; TRA: 2
SVs in sample	154
Oscillating CN (2 and 3 states)	4, 4
CN segments	28
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.64, 3.53

3666bc65-8e40-409e-9a1f-41583dd6d978	
Cancer type	Lung-SCC
Position	7:8021176-96585488
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	20
SV types	DEL: 3; DUP: 1; h2hINV: 2; t2tINV: 0; TRA: 14
SVs in sample	154
Oscillating CN (2 and 3 states)	4, 5
CN segments	38
FDR fragment joints	0.8572806
FDR chr. breakp. enrich.	0
Linked to chrs	5:1891003-59309258;
Purity, ploidy	0.64, 3.53




376dfd27-68e8-4a1a-9c4f-5064279b2a9e	
Cancer type	Lung-SCC
Position	3:84207634-196397331
Type	With other complex events
Interleaved intrachr. SVs	30
Total SVs (intrachr. + transl.)	35
SV types	DEL: 6; DUP: 10; h2hINV: 8; t2tINV: 6; TRA: 5
SVs in sample	234
Oscillating CN (2 and 3 states)	5, 5
CN segments	76
FDR fragment joints	0.8007013
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.44, 3.03

376dfd27-68e8-4a1a-9c4f-5064279b2a9e	
Cancer type	Lung-SCC
Position	14:29694281-42596449
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	8
SV types	DEL: 2; DUP: 1; h2hINV: 3; t2tINV: 2; TRA: 0
SVs in sample	234
Oscillating CN (2 and 3 states)	4, 5
CN segments	9
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0.7
Linked to chrs	
Purity, ploidy	0.44, 3.03




376dfd27-68e8-4a1a-9c4f-5064279b2a9e

Cancer type	Lung-SCC
Position	X:714035-155073186
Type	Canonical without polyploidization
Interleaved intrachr. SVs	55
Total SVs (intrachr. + transl.)	55
SV types	DEL: 13; DUP: 16; h2hiINV: 14; i2hiINV: 12; TRA: 0
SVs in sample	234
Oscillating CN (2 and 3 states)	4, 6
CN segments	6
FDR fragment joints	0.930656
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.44, 3.03




395babb3-3f5d-4e71-a675-af4443f23028

Cancer type	Lung-SCC
Position	1:71829305-246323132
Type	With other complex events
Interleaved intrachr. SVs	19
Total SVs (intrachr. + transl.)	20
SV types	DEL: 7; DUP: 4; h2hiINV: 4; i2hiINV: 4; TRA: 1
SVs in sample	113
Oscillating CN (2 and 3 states)	6, 11
CN segments	38
FDR fragment joints	0.8572806
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.38, 3.13





43abe847-4ba7-466e-8283-5d7b80b999a7

Cancer type	Lung-SCC
Position	8:30016639-108126673
Type	With other complex events
Interleaved intrachr. SVs	13
Total SVs (intrachr. + transl.)	31
SV types	DEL: 8; DUP: 9; h2hiINV: 4; i2hiINV: 5; TRA: 5
SVs in sample	500
Oscillating CN (2 and 3 states)	5, 7
CN segments	82
FDR fragment joints	0.7013708
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.69, 3.74





43abe847-4ba7-466e-8283-5d7b80b999a7

Cancer type	Lung-SCC
Position	10:44557512-95329436
Type	With other complex events
Interleaved intrachr. SVs	17
Total SVs (intrachr. + transl.)	31
SV types	DEL: 4; DUP: 6; h2hiINV: 3; i2hiINV: 4; TRA: 14
SVs in sample	500
Oscillating CN (2 and 3 states)	4, 8
CN segments	34
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0.01
Linked to chrs	
Purity, ploidy	0.69, 3.74







4ca13c92-84b4-4edf-842a-b20b7e713415	
Cancer type	Lung-SCC
Position	2:54467990-78652935
Type	With other complex events
Interleaved intrachr. SVs	17
Total SVs (intrachr. + transl.)	19
SV types	DEL: 5; DUP: 5; h2hINV: 4; t2tINV: 3; TRA: 2
SVs in sample	103
Oscillating CN (2 and 3 states)	5, 6
CN segments	16
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.4, 1.72



585e6487-b0a3-4828-8a06-46bee01dff74	
Cancer type	Lung-SCC
Position	X:1585455-33684999
Type	With other complex events
Interleaved intrachr. SVs	45
Total SVs (intrachr. + transl.)	45
SV types	DEL: 9; DUP: 13; h2hINV: 11; t2tINV: 12; TRA: 0
SVs in sample	129
Oscillating CN (2 and 3 states)	4, 5
CN segments	41
FDR fragment joints	0.9161301
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.64, 3.46



6fd72426-f6c8-47ca-a500-d5d3600b9b15	
Cancer type	Lung-SCC
Position	3:181546045-189173080
Type	With other complex events
Interleaved intrachr. SVs	13
Total SVs (intrachr. + transl.)	13
SV types	DEL: 1; DUP: 5; h2hINV: 5; t2tINV: 2; TRA: 0
SVs in sample	130
Oscillating CN (2 and 3 states)	4, 8
CN segments	18
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.8, 3.37



6fd72426-f6c8-47ca-a500-d5d3600b9b15	
Cancer type	Lung-SCC
Position	17:18108890-41996624
Type	With other complex events
Interleaved intrachr. SVs	18
Total SVs (intrachr. + transl.)	21
SV types	DEL: 6; DUP: 2; h2hINV: 2; t2tINV: 8; TRA: 3
SVs in sample	130
Oscillating CN (2 and 3 states)	6, 12
CN segments	33
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.8, 3.37






9af6ed4e-8cdc-4f49-84e9-ba1053b5b3ca	
Cancer type	Lung-SCC
Position	5:30463771-37215413
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	9
SV types	DEL: 0; DUP: 2; h2hINV: 2; t2iINV: 2; TRA: 3
SVs in sample	428
Oscillating CN (2 and 3 states)	4, 8
CN segments	10
FDR fragment joints	0.9723381
FDR chr. breakp. enrich.	0.78
Linked to chrs	1:76535798-99663064;
Purity, ploidy	0.82, 3.26

aecf85cc-058c-46f3-9cdc-3573ac3b8438	
Cancer type	Lung-SCC
Position	19:9018583-18930769
Type	With other complex events
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	13
SV types	DEL: 0; DUP: 5; h2hINV: 1; t2iINV: 3; TRA: 4
SVs in sample	232
Oscillating CN (2 and 3 states)	5, 8
CN segments	19
FDR fragment joints	0.5435077
FDR chr. breakp. enrich.	0
Linked to chrs	2:24457554-239354640;
Purity, ploidy	0.56, 3.19




c2598334-f866-4cc3-93ec-2d2e8b85d319	
Cancer type	Lung-SCC
Position	3:141119758-191946026
Type	With other complex events
Interleaved intrachr. SVs	43
Total SVs (intrachr. + transl.)	44
SV types	DEL: 3; DUP: 14; h2hINV: 14; t2iINV: 12; TRA: 1
SVs in sample	165
Oscillating CN (2 and 3 states)	5, 21
CN segments	61
FDR fragment joints	0.5076332
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.72, 1.86

c2598334-f866-4cc3-93ec-2d2e8b85d319	
Cancer type	Lung-SCC
Position	16:81457961-89793192
Type	Canonical without polyploidization
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	13
SV types	DEL: 3; DUP: 4; h2hINV: 0; t2iINV: 2; TRA: 4
SVs in sample	165
Oscillating CN (2 and 3 states)	5, 7
CN segments	8
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.72, 1.86




ce8612ab-3149-4a6a-b424-29c0c21c9b8b

Cancer type	Lung-SCC
Position	3:145882159-191906843
Type	With other complex events
Interleaved intrachr. SVs	65
Total SVs (intrachr. + transl.)	73
SV types	DEL: 16; DUP: 10; h2hINV: 23; i2iINV: 16; TRA: 8
SVs in sample	213
Oscillating CN (2 and 3 states)	5, 14
CN segments	88
FDR fragment joints	0.5435077
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.59, 3.12




e6b72c24-1607-43b9-8b8a-7bf83eea5895

Cancer type	Lung-SCC
Position	6:62569792-169514744
Type	With other complex events
Interleaved intrachr. SVs	48
Total SVs (intrachr. + transl.)	52
SV types	DEL: 12; DUP: 17; h2hINV: 10; i2iINV: 9; TRA: 4
SVs in sample	265
Oscillating CN (2 and 3 states)	4, 8
CN segments	78
FDR fragment joints	0.6338796
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.53, 3.12




a8e2df1e-4042-42af-9231-3a00e83489f0

Cancer type	Lymph-BNHL
Position	1:52105012-170864080
Type	Canonical without polyploidization
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	7
SV types	DEL: 1; DUP: 1; h2hINV: 2; i2iINV: 3; TRA: 0
SVs in sample	112
Oscillating CN (2 and 3 states)	5, 5
CN segments	5
FDR fragment joints	0.7735152
FDR chr. breakp. enrich.	1
Linked to chrs	
Purity, ploidy	0.88, 1.98




a8e2df1e-4042-42af-9231-3a00e83489f0

Cancer type	Lymph-BNHL
Position	2:60753889-124345172
Type	With other complex events
Interleaved intrachr. SVs	29
Total SVs (intrachr. + transl.)	31
SV types	DEL: 8; DUP: 5; h2hINV: 7; i2iINV: 9; TRA: 2
SVs in sample	112
Oscillating CN (2 and 3 states)	4, 5
CN segments	34
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.88, 1.98




f0a326d2-1f3e-4a5d-bca8-32aaccc52338

Cancer type	Lymph-BNHL
Position	9:8189397-96357054
Type	With other complex events
Interleaved intrachr. SVs	30
Total SVs (intrachr. + transl.)	89
SV types	DEL: 10; DUP: 4; h2hiINV: 9; i2hiINV: 7; TRA: 59
SVs in sample	194
Oscillating CN (2 and 3 states)	6, 12
CN segments	49
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	18:24492930-66759171;
Purity, ploidy	0.8, 2.27




4101316

Cancer type	Lymph-BNHL
Position	3:81591651-155801731
Type	With other complex events
Interleaved intrachr. SVs	32
Total SVs (intrachr. + transl.)	33
SV types	DEL: 4; DUP: 6; h2hiINV: 13; i2hiINV: 9; TRA: 1
SVs in sample	69
Oscillating CN (2 and 3 states)	5, 11
CN segments	64
FDR fragment joints	0.565038
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.18, 2.41




4111337

Cancer type	Lymph-BNHL
Position	11:114660441-124818719
Type	With other complex events
Interleaved intrachr. SVs	18
Total SVs (intrachr. + transl.)	69
SV types	DEL: 3; DUP: 6; h2hiINV: 3; i2hiINV: 6; TRA: 51
SVs in sample	226
Oscillating CN (2 and 3 states)	4, 5
CN segments	27
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.62, 4.03




4115001


Cancer type	Lymph-BNHL
Position	17:35776511-77685244
Type	With other complex events
Interleaved intrachr. SVs	19
Total SVs (intrachr. + transl.)	21
SV types	DEL: 3; DUP: 5; h2hiINV: 5; i2hiINV: 6; TRA: 2
SVs in sample	61
Oscillating CN (2 and 3 states)	4, 8
CN segments	15
FDR fragment joints	0.7568568
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.46, 3.56




	4120193
Cancer type	Lymph-BNHL
Position	9:2435903-130371802
Type	With other complex events
Interleaved intrachr. SVs	40
Total SVs (intrachr. + transl.)	40
SV types	DEL: 8; DUP: 10; h2hINV: 12; t2iINV: 10; TRA: 0
SVs in sample	101
Oscillating CN (2 and 3 states)	5, 7
CN segments	64
FDR fragment joints	0.9109641
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.47, 2.12




	4120193
Cancer type	Lymph-BNHL
Position	19:11710100-28359979
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	8
SV types	DEL: 2; DUP: 3; h2hINV: 1; t2iINV: 2; TRA: 0
SVs in sample	101
Oscillating CN (2 and 3 states)	4, 8
CN segments	8
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.47, 2.12




	4133511
Cancer type	Lymph-BNHL
Position	13:64436002-110393802
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	13
SV types	DEL: 2; DUP: 1; h2hINV: 3; t2iINV: 2; TRA: 5
SVs in sample	33
Oscillating CN (2 and 3 states)	5, 10
CN segments	19
FDR fragment joints	0.9000538
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.81, 1.95




	4135099
Cancer type	Lymph-BNHL
Position	1:1563247-89014486
Type	With other complex events
Interleaved intrachr. SVs	13
Total SVs (intrachr. + transl.)	13
SV types	DEL: 3; DUP: 5; h2hINV: 3; t2iINV: 2; TRA: 0
SVs in sample	297
Oscillating CN (2 and 3 states)	5, 13
CN segments	28
FDR fragment joints	0.7995907
FDR chr. breakp. enrich.	0.37
Linked to chrs	
Purity, ploidy	0.79, 1.91




4139696	
Cancer type	Lymph-BNHL
Position	4:172175721-178144474
Type	Canonical without polyploidization
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	8
SV types	DEL: 1; DUP: 0; h2hINV: 3; t2tINV: 3; TRA: 1
SVs in sample	33
Oscillating CN (2 and 3 states)	6, 6
CN segments	6
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0.01
Linked to chrs	
Purity, ploidy	0.44, 2.02




4147081	
Cancer type	Lymph-BNHL
Position	6:97247266-142316157
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	9
SV types	DEL: 2; DUP: 1; h2hINV: 2; t2tINV: 2; TRA: 2
SVs in sample	107
Oscillating CN (2 and 3 states)	6, 11
CN segments	11
FDR fragment joints	0.854603
FDR chr. breakp. enrich.	0.03
Linked to chrs	5:149829718-164575330;
Purity, ploidy	0.78, 1.94




4157186	
Cancer type	Lymph-BNHL
Position	2:36073033-243043088
Type	With other complex events
Interleaved intrachr. SVs	15
Total SVs (intrachr. + transl.)	28
SV types	DEL: 0; DUP: 3; h2hINV: 6; t2tINV: 6; TRA: 13
SVs in sample	46
Oscillating CN (2 and 3 states)	5, 10
CN segments	10
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.75, 2.04




4157186	
Cancer type	Lymph-BNHL
Position	4:69602537-108006799
Type	Canonical without polyploidization
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	8
SV types	DEL: 2; DUP: 2; h2hINV: 2; t2tINV: 2; TRA: 0
SVs in sample	46
Oscillating CN (2 and 3 states)	4, 4
CN segments	4
FDR fragment joints	1
FDR chr. breakp. enrich.	0.01
Linked to chrs	
Purity, ploidy	0.75, 2.04




4158726
Cancer type Lymph-BNHL
Position 9:20938863-81861602
Type With other complex events
Interleaved intrachr. SVs 6
Total SVs (intrachr. + transl.) 11
SV types DEL: 3; DUP: 0; h2hINV: 1; t2tINV: 2; TRA: 5
SVs in sample 47
Oscillating CN (2 and 3 states) 6, 11
CN segments 11
FDR fragment joints 0.7425546
FDR chr. breakp. enrich. 0
Linked to chrs 18:49801362-72732255;
Purity, ploidy 0.45, 1.93




4160100
Cancer type Lymph-BNHL
Position 19:945638-56277099
Type With other complex events
Interleaved intrachr. SVs 9
Total SVs (intrachr. + transl.) 9
SV types DEL: 1; DUP: 5; h2hINV: 1; t2tINV: 2; TRA: 0
SVs in sample 60
Oscillating CN (2 and 3 states) 4, 5
CN segments 24
FDR fragment joints 0.615458
FDR chr. breakp. enrich. 0
Linked to chrs
Purity, ploidy 0.76, 2.08




AOCs-060
Cancer type Ovary-AdenoCA
Position 8:34955549-139173410
Type With other complex events
Interleaved intrachr. SVs 9
Total SVs (intrachr. + transl.) 23
SV types DEL: 1; DUP: 4; h2hINV: 2; t2tINV: 2; TRA: 14
SVs in sample 197
Oscillating CN (2 and 3 states) 4, 6
CN segments 36
FDR fragment joints 0.7861024
FDR chr. breakp. enrich. 0
Linked to chrs 19:10867230-47792769;3:721690-195014230
Purity, ploidy 0.68, 2.95




AOCs-061
Cancer type Ovary-AdenoCA
Position 19:29415891-40712326
Type With other complex events
Interleaved intrachr. SVs 13
Total SVs (intrachr. + transl.) 14
SV types DEL: 3; DUP: 6; h2hINV: 2; t2tINV: 2; TRA: 1
SVs in sample 177
Oscillating CN (2 and 3 states) 4, 5
CN segments 34
FDR fragment joints 0.615458
FDR chr. breakp. enrich. 0
Linked to chrs
Purity, ploidy 0.88, 3.14




AOCs-080	
Cancer type	Ovary-AdenoCA
Position	19:15866356-45529483
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	21
SV types	DEL: 3; DUP: 0; h2hINV: 3; t2tINV: 4; TRA: 11
SVs in sample	207
Oscillating CN (2 and 3 states)	4, 8
CN segments	30
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chr	20:15018409-22766306;
Purity, ploidy	0.92, 3.05




AOCs-083	
Cancer type	Ovary-AdenoCA
Position	19:3716326-58806899
Type	With other complex events
Interleaved intrachr. SVs	37
Total SVs (intrachr. + transl.)	42
SV types	DEL: 13; DUP: 11; h2hINV: 5; t2tINV: 8; TRA: 5
SVs in sample	242
Oscillating CN (2 and 3 states)	4, 6
CN segments	75
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chr	16:4385507-32390908;
Purity, ploidy	0.56, 4.18




AOCs-084	
Cancer type	Ovary-AdenoCA
Position	8:124079382-137843454
Type	With other complex events
Interleaved intrachr. SVs	11
Total SVs (intrachr. + transl.)	13
SV types	DEL: 2; DUP: 5; h2hINV: 1; t2tINV: 3; TRA: 2
SVs in sample	146
Oscillating CN (2 and 3 states)	5, 7
CN segments	32
FDR fragment joints	0.7995907
FDR chr. breakp. enrich.	0
Linked to chr	1:37638433-46640508;
Purity, ploidy	0.64, 3.09




AOCs-090	
Cancer type	Ovary-AdenoCA
Position	19:36827818-51385886
Type	With other complex events
Interleaved intrachr. SVs	14
Total SVs (intrachr. + transl.)	15
SV types	DEL: 5; DUP: 6; h2hINV: 1; t2tINV: 2; TRA: 1
SVs in sample	334
Oscillating CN (2 and 3 states)	5, 9
CN segments	34
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.78, 2.65




AOCs-096	
Cancer type	Ovary-AdenoCA
Position	17:6837884-79840758
Type	With other complex events
Interleaved intrachr. SVs	14
Total SVs (intrachr. + transl.)	14
SV types	DEL: 1; DUP: 3; h2hINV: 5; t2tINV: 5; TRA: 0
SVs in sample	197
Oscillating CN (2 and 3 states)	6, 9
CN segments	22
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.57, 3.38




AOCs-096	
Cancer type	Ovary-AdenoCA
Position	19:12910667-55473944
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	14
SV types	DEL: 3; DUP: 4; h2hINV: 2; t2tINV: 1; TRA: 4
SVs in sample	197
Oscillating CN (2 and 3 states)	5, 9
CN segments	43
FDR fragment joints	0.9794281
FDR chr. breakp. enrich.	0
Linked to chrs	3:967694-180645312;5:129143431-180006097
Purity, ploidy	0.57, 3.38




AOCs-097	
Cancer type	Ovary-AdenoCA
Position	1:15828920-34169833
Type	Canonical without polyploidization
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	6
SV types	DEL: 2; DUP: 2; h2hINV: 1; t2tINV: 1; TRA: 0
SVs in sample	51
Oscillating CN (2 and 3 states)	6, 6
CN segments	6
FDR fragment joints	0.9284301
FDR chr. breakp. enrich.	0.01
Linked to chrs	
Purity, ploidy	0.94, 1.81




AOCs-111	
Cancer type	Ovary-AdenoCA
Position	19:28894477-56155202
Type	With other complex events
Interleaved intrachr. SVs	36
Total SVs (intrachr. + transl.)	39
SV types	DEL: 9; DUP: 13; h2hINV: 6; t2tINV: 8; TRA: 3
SVs in sample	106
Oscillating CN (2 and 3 states)	5, 10
CN segments	54
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	21:17237944-40394459;
Purity, ploidy	0.62, 3.09




AOCs-120
Cancer type Ovary-AdenoCA
Position 17:3078252-65644573
Type With other complex events
Interleaved intrachr. SVs 6
Total SVs (intrachr. + transl.) 20
SV types DEL: 3; DUP: 4; h2hINV: 3; t2tINV: 2; TRA: 8
SVs in sample 790
Oscillating CN (2 and 3 states) 5, 11
CN segments 17
FDR fragment joints 0.7735152
FDR chr. breakp. enrich. 0.07
Linked to chrs 15:40235127-98220741;
Purity, ploidy 0.84, 2.89




AOCs-120
Cancer type Ovary-AdenoCA
Position 20:24772924-44101646
Type With other complex events
Interleaved intrachr. SVs 18
Total SVs (intrachr. + transl.) 27
SV types DEL: 6; DUP: 7; h2hINV: 3; t2tINV: 2; TRA: 9
SVs in sample 790
Oscillating CN (2 and 3 states) 4, 7
CN segments 37
FDR fragment joints 0.6776251
FDR chr. breakp. enrich. 0
Linked to chrs 9:16411704-136399897;X:6640984-97824094
Purity, ploidy 0.84, 2.89




AOCs-128
Cancer type Ovary-AdenoCA
Position 1:3190607-179536707
Type With other complex events
Interleaved intrachr. SVs 37
Total SVs (intrachr. + transl.) 47
SV types DEL: 9; DUP: 9; h2hINV: 10; t2tINV: 9; TRA: 10
SVs in sample 496
Oscillating CN (2 and 3 states) 6, 13
CN segments 64
FDR fragment joints 0.6776251
FDR chr. breakp. enrich. 0
Linked to chrs 2:19515679-227555411;
Purity, ploidy 0.37, 3.11




AOCs-142
Cancer type Ovary-AdenoCA
Position 6:73883485-159307243
Type With other complex events
Interleaved intrachr. SVs 13
Total SVs (intrachr. + transl.) 26
SV types DEL: 1; DUP: 2; h2hINV: 2; t2tINV: 8; TRA: 13
SVs in sample 587
Oscillating CN (2 and 3 states) 4, 6
CN segments 30
FDR fragment joints 0.615458
FDR chr. breakp. enrich. 0
Linked to chrs
Purity, ploidy 0.4, 3.64




AOCs-142	
Cancer type	Ovary-AdenoCA
Position	8:35024834-35538986
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	12
SV types	DEL: 5; DUP: 1; h2hINV: 2; t2tINV: 2; TRA: 2
SVs in sample	587
Oscillating CN (2 and 3 states)	4, 11
CN segments	17
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	1:14110378-72283224;
Purity, ploidy	0.4, 3.64




AOCs-142	
Cancer type	Ovary-AdenoCA
Position	10:2950088-32730004
Type	With other complex events
Interleaved intrachr. SVs	16
Total SVs (intrachr. + transl.)	70
SV types	DEL: 7; DUP: 2; h2hINV: 3; t2tINV: 4; TRA: 54
SVs in sample	587
Oscillating CN (2 and 3 states)	4, 5
CN segments	96
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	1:14110378-72283224;5:5590317-141885071 7:978895-144549791;
Purity, ploidy	0.4, 3.64




AOCs-155	
Cancer type	Ovary-AdenoCA
Position	15:20012055-76793985
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	13
SV types	DEL: 1; DUP: 1; h2hINV: 2; t2tINV: 3; TRA: 6
SVs in sample	268
Oscillating CN (2 and 3 states)	5, 7
CN segments	14
FDR fragment joints	0.9865804
FDR chr. breakp. enrich.	0.01
Linked to chrs	
Purity, ploidy	0.81, 3.71




AOCs-159	
Cancer type	Ovary-AdenoCA
Position	11:8857856-44579253
Type	With other complex events
Interleaved intrachr. SVs	17
Total SVs (intrachr. + transl.)	27
SV types	DEL: 3; DUP: 4; h2hINV: 6; t2tINV: 4; TRA: 10
SVs in sample	259
Oscillating CN (2 and 3 states)	6, 11
CN segments	55
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	18:132344-49228551;
Purity, ploidy	0.65, 2.93




AOCs-159	
Cancer type	Ovary-AdenoCA
Position	18:132344-49228552
Type	With other complex events
Interleaved intrachr. SVs	30
Total SVs (intrachr. + transl.)	43
SV types	DEL: 7; DUP: 5; h2hINV: 8; t2tINV: 10; TRA: 13
SVs in sample	259
Oscillating CN (2 and 3 states)	5, 14
CN segments	69
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.65, 2.93





AOCs-162	
Cancer type	Ovary-AdenoCA
Position	8:84960470-142202378
Type	With other complex events
Interleaved intrachr. SVs	20
Total SVs (intrachr. + transl.)	21
SV types	DEL: 5; DUP: 7; h2hINV: 3; t2tINV: 5; TRA: 1
SVs in sample	172
Oscillating CN (2 and 3 states)	4, 6
CN segments	45
FDR fragment joints	0.8882853
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.79, 3.31



AOCs-163	
Cancer type	Ovary-AdenoCA
Position	13:55650980-65277402
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	11
SV types	DEL: 2; DUP: 2; h2hINV: 1; t2tINV: 2; TRA: 4
SVs in sample	152
Oscillating CN (2 and 3 states)	4, 9
CN segments	13
FDR fragment joints	0.9804396
FDR chr. breakp. enrich.	0
Linked to chr	18:11220437-65546089;
Purity, ploidy	0.81, 3.24





098acb76-0bf5-44e5-bcae-f919cf5fa5e5	
Cancer type	Ovary-AdenoCA
Position	13:24753200-112130103
Type	With other complex events
Interleaved intrachr. SVs	12
Total SVs (intrachr. + transl.)	13
SV types	DEL: 4; DUP: 5; h2hINV: 1; t2tINV: 2; TRA: 1
SVs in sample	718
Oscillating CN (2 and 3 states)	6, 12
CN segments	36
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0.2
Linked to chr	
Purity, ploidy	0.82, 3.31




15556b28-c6bd-455a-87b6-4b7b3e33d0e4	
Cancer type	Ovary-AdenoCA
Position	12:280423-20208244
Type	With other complex events
Interleaved intrachr. SVs	20
Total SVs (intrachr. + transl.)	20
SV types	DEL: 6; DUP: 5; h2hINV: 4; t2tINV: 5; TRA: 0
SVs in sample	154
Oscillating CN (2 and 3 states)	4, 4
CN segments	29
FDR fragment joints	0.9625775
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.84, 3.91

21f6bf91-dfc6-4a59-8b76-88a0f95c7b47	
Cancer type	Ovary-AdenoCA
Position	5:12399998-45103030
Type	With other complex events
Interleaved intrachr. SVs	18
Total SVs (intrachr. + transl.)	46
SV types	DEL: 4; DUP: 6; h2hINV: 1; t2tINV: 7; TRA: 28
SVs in sample	204
Oscillating CN (2 and 3 states)	6, 6
CN segments	64
FDR fragment joints	0.7198692
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.9, 2.96




21f6bf91-dfc6-4a59-8b76-88a0f95c7b47	
Cancer type	Ovary-AdenoCA
Position	19:30340862-58891648
Type	With other complex events
Interleaved intrachr. SVs	24
Total SVs (intrachr. + transl.)	47
SV types	DEL: 10; DUP: 4; h2hINV: 5; t2tINV: 5; TRA: 23
SVs in sample	204
Oscillating CN (2 and 3 states)	5, 6
CN segments	68
FDR fragment joints	0.6933701
FDR chr. breakp. enrich.	0
Linked to chrs	1:8799389-247051700;4:42264826-44424729
Purity, ploidy	0.9, 2.96


58d34254-4f5b-40a4-9e9f-7160062fb2a4	
Cancer type	Ovary-AdenoCA
Position	12:17804209-25436246
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	6
SV types	DEL: 3; DUP: 2; h2hINV: 1; t2tINV: 0; TRA: 0
SVs in sample	113
Oscillating CN (2 and 3 states)	4, 4
CN segments	15
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.93, 1.9




5c127332-5ca0-45f1-a5ac-4876ad94e491	
Cancer type	Ovary-AdenoCA
Position	1:19995601-44453593
Type	With other complex events
Interleaved intrachr. SVs	14
Total SVs (intrachr. + transl.)	29
SV types	DEL: 4; DUP: 7; h2hiINV: 1; i2hiINV: 2; TRA: 15
SVs in sample	318
Oscillating CN (2 and 3 states)	5, 8
CN segments	44
FDR fragment joints	0.6482122
FDR chr. breakp. enrich.	0
Linked to chrs	5:37201411-40485616;
Purity, ploidy	0.8, 3.95





5c127332-5ca0-45f1-a5ac-4876ad94e491	
Cancer type	Ovary-AdenoCA
Position	12:44542331-85299341
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	36
SV types	DEL: 3; DUP: 0; h2hiINV: 2; i2hiINV: 2; TRA: 29
SVs in sample	318
Oscillating CN (2 and 3 states)	4, 5
CN segments	44
FDR fragment joints	0.641841
FDR chr. breakp. enrich.	0
Linked to chrs	10:4028896-29263432;2:29255147-191672688
Purity, ploidy	0.8, 3.95



62379be5-13f0-474b-94d3-6f944ec4ee96	
Cancer type	Ovary-AdenoCA
Position	3:79636893-115666941
Type	With other complex events
Interleaved intrachr. SVs	36
Total SVs (intrachr. + transl.)	48
SV types	DEL: 9; DUP: 12; h2hiINV: 7; i2hiINV: 8; TRA: 12
SVs in sample	216
Oscillating CN (2 and 3 states)	5, 7
CN segments	57
FDR fragment joints	0.9031749
FDR chr. breakp. enrich.	0
Linked to chrs	7:17472055-156811082;
Purity, ploidy	0.94, 2.68





6d10d4ee-6331-4bba-93bc-a7b64cc0b22a	
Cancer type	Ovary-AdenoCA
Position	6:1989523-147659776
Type	With other complex events
Interleaved intrachr. SVs	15
Total SVs (intrachr. + transl.)	18
SV types	DEL: 4; DUP: 2; h2hiINV: 4; i2hiINV: 5; TRA: 3
SVs in sample	239
Oscillating CN (2 and 3 states)	6, 6
CN segments	28
FDR fragment joints	0.9875525
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.87, 1.84




90f4b65c-cfd4-4066-a5b9-842885c172e2	
Cancer type	Ovary-AdenoCA
Position	19:14465820-33816769
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	8
SV types	DEL: 2; DUP: 3; h2hINV: 2; t2tINV: 1; TRA: 0
SVs in sample	163
Oscillating CN (2 and 3 states)	5, 6
CN segments	18
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.85, 3.35

90f4b65c-cfd4-4066-a5b9-842885c172e2	
Cancer type	Ovary-AdenoCA
Position	20:85330-26233761
Type	With other complex events
Interleaved intrachr. SVs	52
Total SVs (intrachr. + transl.)	52
SV types	DEL: 12; DUP: 16; h2hINV: 13; t2tINV: 11; TRA: 0
SVs in sample	163
Oscillating CN (2 and 3 states)	5, 9
CN segments	72
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.85, 3.35




ee0a4a13-613e-4c5d-96c3-8083a013702d	
Cancer type	Ovary-AdenoCA
Position	11:70316616-123074109
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	12
SV types	DEL: 3; DUP: 3; h2hINV: 1; t2tINV: 1; TRA: 4
SVs in sample	173
Oscillating CN (2 and 3 states)	6, 15
CN segments	15
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.55, 1.67

ff530f28-0ec0-4494-bb54-44bb055bae1c	
Cancer type	Ovary-AdenoCA
Position	3:96961383-117251520
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	14
SV types	DEL: 4; DUP: 3; h2hINV: 2; t2tINV: 1; TRA: 4
SVs in sample	170
Oscillating CN (2 and 3 states)	4, 6
CN segments	23
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0.01
Linked to chrs	4:20228916-83508024;
Purity, ploidy	0.7, 3.15




ff530f28-0ec0-4494-bb54-44bb055bae1c

Cancer type	Ovary-AdenoCA
Position	8:41830249-134064686
Type	With other complex events
Interleaved intrachr. SVs	15
Total SVs (intrachr. + transl.)	17
SV types	DEL: 6; DUP: 5; h2hINV: 1; t2tINV: 3; TRA: 2
SVs in sample	170
Oscillating CN (2 and 3 states)	6, 6
CN segments	36
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.7, 3.15




ICGC_0006

Cancer type	Panc-AdenoCA
Position	4:119147689-190577193
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	10
SV types	DEL: 2; DUP: 1; h2hINV: 3; t2tINV: 2; TRA: 2
SVs in sample	258
Oscillating CN (2 and 3 states)	6, 8
CN segments	14
FDR fragment joints	0.9625775
FDR chr. breakp. enrich.	1
Linked to chrs	2:7594273-219080787;
Purity, ploidy	0.41, 3.23




ICGC_0006

Cancer type	Panc-AdenoCA
Position	11:3857736-45323041
Type	With other complex events
Interleaved intrachr. SVs	46
Total SVs (intrachr. + transl.)	47
SV types	DEL: 10; DUP: 17; h2hINV: 9; t2tINV: 10; TRA: 1
SVs in sample	258
Oscillating CN (2 and 3 states)	4, 5
CN segments	49
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.41, 3.23




ICGC_0009


Cancer type	Panc-AdenoCA
Position	10:80347920-132334500
Type	With other complex events
Interleaved intrachr. SVs	31
Total SVs (intrachr. + transl.)	31
SV types	DEL: 5; DUP: 14; h2hINV: 7; t2tINV: 5; TRA: 0
SVs in sample	41
Oscillating CN (2 and 3 states)	5, 6
CN segments	31
FDR fragment joints	0.5435077
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.7, 1.86




	ICGC_0021
Cancer type	Panc-AdenoCA
Position	18:394262-19382550
Type	With other complex events
Interleaved intrachr. SVs	33
Total SVs (intrachr. + transl.)	33
SV types	DEL: 11; DUP: 2; h2hINV: 11; t2tINV: 9; TRA: 0
SVs in sample	162
Oscillating CN (2 and 3 states)	5, 8
CN segments	42
FDR fragment joints	0.5435077
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.43, 2.88




	ICGC_0025
Cancer type	Panc-AdenoCA
Position	7:93519827-153063819
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	6
SV types	DEL: 3; DUP: 0; h2hINV: 2; t2tINV: 1; TRA: 0
SVs in sample	118
Oscillating CN (2 and 3 states)	4, 5
CN segments	7
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0.2
Linked to chrs	
Purity, ploidy	0.51, 1.65




	ICGC_0026
Cancer type	Panc-AdenoCA
Position	X:30577518-57551527
Type	With other complex events
Interleaved intrachr. SVs	14
Total SVs (intrachr. + transl.)	14
SV types	DEL: 4; DUP: 2; h2hINV: 3; t2tINV: 5; TRA: 0
SVs in sample	66
Oscillating CN (2 and 3 states)	4, 8
CN segments	22
FDR fragment joints	0.8066159
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.62, 3.55




	ICGC_0037
Cancer type	Panc-AdenoCA
Position	13:22638525-90523945
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	31
SV types	DEL: 2; DUP: 0; h2hINV: 4; t2tINV: 1; TRA: 24
SVs in sample	165
Oscillating CN (2 and 3 states)	6, 13
CN segments	13
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.48, 2.75




ICGC_0059	
Cancer type	Panc-AdenoCA
Position	3:78038205-190530121
Type	With other complex events
Interleaved intrachr. SVs	13
Total SVs (intrachr. + transl.)	13
SV types	DEL: 3; DUP: 3; h2hINV: 4; t2tINV: 3; TRA: 0
SVs in sample	68
Oscillating CN (2 and 3 states)	5, 5
CN segments	44
FDR fragment joints	0.9865804
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.44, 3.41




ICGC_0066	
Cancer type	Panc-AdenoCA
Position	15:23941952-39581480
Type	With other complex events
Interleaved intrachr. SVs	16
Total SVs (intrachr. + transl.)	17
SV types	DEL: 5; DUP: 4; h2hINV: 4; t2tINV: 3; TRA: 1
SVs in sample	66
Oscillating CN (2 and 3 states)	4, 7
CN segments	17
FDR fragment joints	0.930656
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.42, 3.85




ICGC_0069	
Cancer type	Panc-AdenoCA
Position	15:62553528-96290031
Type	With other complex events
Interleaved intrachr. SVs	17
Total SVs (intrachr. + transl.)	17
SV types	DEL: 1; DUP: 5; h2hINV: 4; t2tINV: 7; TRA: 0
SVs in sample	73
Oscillating CN (2 and 3 states)	6, 8
CN segments	26
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.58, 1.81




ICGC_0087	
Cancer type	Panc-AdenoCA
Position	7:17124522-62387137
Type	With other complex events
Interleaved intrachr. SVs	11
Total SVs (intrachr. + transl.)	14
SV types	DEL: 2; DUP: 4; h2hINV: 3; t2tINV: 2; TRA: 3
SVs in sample	79
Oscillating CN (2 and 3 states)	5, 12
CN segments	15
FDR fragment joints	0.8988396
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.29, 2.33




ICGC_0087	
Cancer type	Panc-AdenoCA
Position	18:18629528–22549984
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	8
SV types	DEL: 4; DUP: 2; h2hINV: 1; t2tINV: 1; TRA: 0
SVs in sample	79
Oscillating CN (2 and 3 states)	5, 5
CN segments	12
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.29, 2.33




ICGC_0103	
Cancer type	Panc-AdenoCA
Position	13:20741975–20956570
Type	Canonical without polyploidization
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	8
SV types	DEL: 3; DUP: 2; h2hINV: 1; t2tINV: 1; TRA: 1
SVs in sample	28
Oscillating CN (2 and 3 states)	6, 7
CN segments	8
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.32, 3.16




ICGC_0108	
Cancer type	Panc-AdenoCA
Position	19:793019–40693235
Type	With other complex events
Interleaved intrachr. SVs	14
Total SVs (intrachr. + transl.)	21
SV types	DEL: 2; DUP: 2; h2hINV: 5; t2tINV: 5; TRA: 7
SVs in sample	130
Oscillating CN (2 and 3 states)	4, 4
CN segments	34
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.31, 3.02




ICGC_0114	
Cancer type	Panc-AdenoCA
Position	6:92940256–139746601
Type	With other complex events
Interleaved intrachr. SVs	33
Total SVs (intrachr. + transl.)	36
SV types	DEL: 7; DUP: 7; h2hINV: 9; t2tINV: 10; TRA: 3
SVs in sample	195
Oscillating CN (2 and 3 states)	6, 14
CN segments	66
FDR fragment joints	0.9284301
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.68, 2.73




ICGC_0115	
Cancer type	Panc-AdenoCA
Position	16:3802028–23118217
Type	With other complex events
Interleaved intrachr. SVs	13
Total SVs (intrachr. + transl.)	13
SV types	DEL: 3; DUP: 3; h2hINV: 2; t2tINV: 5; TRA: 0
SVs in sample	104
Oscillating CN (2 and 3 states)	4, 5
CN segments	26
FDR fragment joints	0.7995907
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.39, 3.3




ICGC_0149	
Cancer type	Panc-AdenoCA
Position	8:39662139–131797224
Type	With other complex events
Interleaved intrachr. SVs	63
Total SVs (intrachr. + transl.)	63
SV types	DEL: 16; DUP: 18; h2hINV: 11; t2tINV: 18; TRA: 0
SVs in sample	238
Oscillating CN (2 and 3 states)	6, 7
CN segments	59
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.56, 1.87




ICGC_0150	
Cancer type	Panc-AdenoCA
Position	19:14991068–24021988
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	12
SV types	DEL: 3; DUP: 1; h2hINV: 3; t2tINV: 1; TRA: 4
SVs in sample	115
Oscillating CN (2 and 3 states)	5, 10
CN segments	17
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.65, 3.71




ICGC_0207	
Cancer type	Panc-AdenoCA
Position	7:121034912–151110416
Type	Canonical without polyploidization
Interleaved intrachr. SVs	12
Total SVs (intrachr. + transl.)	12
SV types	DEL: 5; DUP: 2; h2hINV: 3; t2tINV: 2; TRA: 0
SVs in sample	27
Oscillating CN (2 and 3 states)	6, 6
CN segments	6
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.61, 1.91




ICGC_0224	
Cancer type	Panc-AdenoCA
Position	14:61112011-65419128
Type	With other complex events
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	9
SV types	DEL: 4; DUP: 1; h2hINV: 3; t2tINV: 1; TRA: 0
SVs in sample	76
Oscillating CN (2 and 3 states)	5, 9
CN segments	9
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.77, 1.96




ICGC_0296	
Cancer type	Panc-AdenoCA
Position	18:350045-21877313
Type	With other complex events
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	13
SV types	DEL: 2; DUP: 1; h2hINV: 3; t2tINV: 3; TRA: 4
SVs in sample	115
Oscillating CN (2 and 3 states)	5, 11
CN segments	15
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.54, 1.83




ICGC_0300	
Cancer type	Panc-AdenoCA
Position	13:27875998-52774140
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	10
SV types	DEL: 1; DUP: 2; h2hINV: 2; t2tINV: 2; TRA: 3
SVs in sample	68
Oscillating CN (2 and 3 states)	5, 5
CN segments	12
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	9:20973200-32637210;
Purity, ploidy	0.56, 2.02




ICGC_0301	
Cancer type	Panc-AdenoCA
Position	18:25572442-75675714
Type	With other complex events
Interleaved intrachr. SVs	15
Total SVs (intrachr. + transl.)	16
SV types	DEL: 4; DUP: 4; h2hINV: 4; t2tINV: 3; TRA: 1
SVs in sample	27
Oscillating CN (2 and 3 states)	4, 4
CN segments	18
FDR fragment joints	0.9501265
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.61, 1.78




ICGC_0303	
Cancer type	Panc-AdenoCA
Position	2:10700671-144337304
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	14
SV types	DEL: 3; DUP: 3; h2hINV: 1; t2tINV: 0; TRA: 7
SVs in sample	132
Oscillating CN (2 and 3 states)	4, 6
CN segments	18
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	1:109159140-230863765;
Purity, ploidy	0.58, 1.9




ICGC_0304	
Cancer type	Panc-AdenoCA
Position	18:1490133-31586695
Type	With other complex events
Interleaved intrachr. SVs	12
Total SVs (intrachr. + transl.)	12
SV types	DEL: 2; DUP: 3; h2hINV: 3; t2tINV: 4; TRA: 0
SVs in sample	55
Oscillating CN (2 and 3 states)	5, 5
CN segments	17
FDR fragment joints	0.9284301
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.67, 1.96




ICGC_0393	
Cancer type	Panc-AdenoCA
Position	22:18789020-50349275
Type	With other complex events
Interleaved intrachr. SVs	22
Total SVs (intrachr. + transl.)	62
SV types	DEL: 6; DUP: 5; h2hINV: 6; t2tINV: 5; TRA: 40
SVs in sample	158
Oscillating CN (2 and 3 states)	5, 7
CN segments	51
FDR fragment joints	0.8249489
FDR chr. breakp. enrich.	0
Linked to chrs	13:24905703-113852940;
Purity, ploidy	0.44, 2.08




ICGC_0395	
Cancer type	Panc-AdenoCA
Position	7:86041901-153362571
Type	With other complex events
Interleaved intrachr. SVs	11
Total SVs (intrachr. + transl.)	16
SV types	DEL: 2; DUP: 6; h2hINV: 2; t2tINV: 1; TRA: 5
SVs in sample	87
Oscillating CN (2 and 3 states)	5, 5
CN segments	24
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.43, 3.29




	ICGC_0502
Cancer type	Panc-AdenoCA
Position	5:23468779–45905623
Type	Canonical without polyploidization
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	10
SV types	DEL: 3; DUP: 3; h2hINV: 2; t2tINV: 2; TRA: 0
SVs in sample	120
Oscillating CN (2 and 3 states)	5, 5
CN segments	5
FDR fragment joints	0.9625775
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.53, 1.85




	ICGC_0521
Cancer type	Panc-AdenoCA
Position	4:131685289–183295953
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	8
SV types	DEL: 3; DUP: 3; h2hINV: 1; t2tINV: 1; TRA: 0
SVs in sample	107
Oscillating CN (2 and 3 states)	5, 16
CN segments	16
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0.12
Linked to chrs	
Purity, ploidy	0.57, 3.43




	ICGC_0522
Cancer type	Panc-AdenoCA
Position	1:35264067–46448813
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	12
SV types	DEL: 0; DUP: 2; h2hINV: 3; t2tINV: 2; TRA: 5
SVs in sample	80
Oscillating CN (2 and 3 states)	4, 6
CN segments	13
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	8:12160765–82189365;
Purity, ploidy	0.4, 3.42




	ICGC_0526
Cancer type	Panc-AdenoCA
Position	6:11005830–53074096
Type	With other complex events
Interleaved intrachr. SVs	16
Total SVs (intrachr. + transl.)	16
SV types	DEL: 3; DUP: 3; h2hINV: 5; t2tINV: 5; TRA: 0
SVs in sample	127
Oscillating CN (2 and 3 states)	4, 6
CN segments	28
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0.01
Linked to chrs	
Purity, ploidy	0.54, 1.78




	ICGC_0535
Cancer type	Panc-AdenoCA
Position	10:89522467-110477428
Type	Canonical without polyploidization
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	7
SV types	DEL: 2; DUP: 2; h2hINV: 1; t2tINV: 1; TRA: 1
SVs in sample	102
Oscillating CN (2 and 3 states)	5, 8
CN segments	8
FDR fragment joints	0.9599662
FDR chr. breakp. enrich.	0.1
Linked to chrs	
Purity, ploidy	0.46, 1.85




	ICGC_0535
Cancer type	Panc-AdenoCA
Position	18:896558-21110916
Type	With other complex events
Interleaved intrachr. SVs	12
Total SVs (intrachr. + transl.)	12
SV types	DEL: 3; DUP: 5; h2hINV: 2; t2tINV: 2; TRA: 0
SVs in sample	102
Oscillating CN (2 and 3 states)	4, 7
CN segments	18
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.46, 1.85




	ICGC_0535
Cancer type	Panc-AdenoCA
Position	X:141345603-144825631
Type	Canonical without polyploidization
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	6
SV types	DEL: 1; DUP: 2; h2hINV: 1; t2tINV: 2; TRA: 0
SVs in sample	102
Oscillating CN (2 and 3 states)	5, 7
CN segments	7
FDR fragment joints	0.9284301
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.46, 1.85




	ICGC_0543
Cancer type	Panc-AdenoCA
Position	9:187480-137300565
Type	With other complex events
Interleaved intrachr. SVs	14
Total SVs (intrachr. + transl.)	16
SV types	DEL: 2; DUP: 2; h2hINV: 5; t2tINV: 5; TRA: 2
SVs in sample	161
Oscillating CN (2 and 3 states)	6, 10
CN segments	32
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	7:28956141-31357723;
Purity, ploidy	0.53, 1.89




ICGC_0543	
Cancer type	Panc-AdenoCA
Position	20:15750921–60842706
Type	With other complex events
Interleaved intrachr. SVs	18
Total SVs (intrachr. + transl.)	19
SV types	DEL: 8; DUP: 2; h2hiINV: 5; t2tiINV: 3; TRA: 1
SVs in sample	161
Oscillating CN (2 and 3 states)	6, 7
CN segments	19
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.53, 1.89




PCSI_0001	
Cancer type	Panc-AdenoCA
Position	18:18631561–76740272
Type	With other complex events
Interleaved intrachr. SVs	22
Total SVs (intrachr. + transl.)	22
SV types	DEL: 4; DUP: 3; h2hiINV: 6; t2tiINV: 9; TRA: 0
SVs in sample	37
Oscillating CN (2 and 3 states)	4, 5
CN segments	32
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.15, 1.99




PCSI_0015	
Cancer type	Panc-AdenoCA
Position	4:10893126–58422207
Type	With other complex events
Interleaved intrachr. SVs	26
Total SVs (intrachr. + transl.)	35
SV types	DEL: 9; DUP: 5; h2hiINV: 6; t2tiINV: 6; TRA: 9
SVs in sample	541
Oscillating CN (2 and 3 states)	5, 7
CN segments	29
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chr	8:100785898–143451879;
Purity, ploidy	0.94, 2.58




PCSI_0044	
Cancer type	Panc-AdenoCA
Position	6:2763282–35849850
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	10
SV types	DEL: 1; DUP: 4; h2hiINV: 2; t2tiINV: 3; TRA: 0
SVs in sample	98
Oscillating CN (2 and 3 states)	5, 8
CN segments	18
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.68, 1.87




PCSI_0044	
Cancer type	Panc-AdenoCA
Position	12:46852610-65968411
Type	With other complex events
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	28
SV types	DEL: 3; DUP: 2; h2hINV: 4; t2tINV: 0; TRA: 19
SVs in sample	98
Oscillating CN (2 and 3 states)	5, 8
CN segments	22
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chr	18:42542834-54212828;
Purity, ploidy	0.68, 1.87




PCSI_0044	
Cancer type	Panc-AdenoCA
Position	18:42542834-54212829
Type	With other complex events
Interleaved intrachr. SVs	15
Total SVs (intrachr. + transl.)	28
SV types	DEL: 1; DUP: 5; h2hINV: 5; t2tINV: 4; TRA: 13
SVs in sample	98
Oscillating CN (2 and 3 states)	6, 10
CN segments	30
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chr	12:46852610-65968410;
Purity, ploidy	0.68, 1.87




PCSI_0077	
Cancer type	Panc-AdenoCA
Position	9:32610603-37173324
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	10
SV types	DEL: 2; DUP: 1; h2hINV: 3; t2tINV: 2; TRA: 2
SVs in sample	74
Oscillating CN (2 and 3 states)	5, 6
CN segments	19
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.56, 1.81




PCSI_0077	
Cancer type	Panc-AdenoCA
Position	18:6803844-24203012
Type	With other complex events
Interleaved intrachr. SVs	11
Total SVs (intrachr. + transl.)	11
SV types	DEL: 2; DUP: 3; h2hINV: 4; t2tINV: 2; TRA: 0
SVs in sample	74
Oscillating CN (2 and 3 states)	5, 6
CN segments	18
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.56, 1.81




PCSI_0078	
Cancer type	Panc-AdenoCA
Position	18:49556708–77332270
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	8
SV types	DEL: 0; DUP: 1; h2hINV: 2; t2tINV: 4; TRA: 1
SVs in sample	101
Oscillating CN (2 and 3 states)	4, 7
CN segments	15
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.7, 2.14




PCSI_0081	
Cancer type	Panc-AdenoCA
Position	5:145519578–179491764
Type	With other complex events
Interleaved intrachr. SVs	50
Total SVs (intrachr. + transl.)	54
SV types	DEL: 14; DUP: 17; h2hINV: 9; t2tINV: 10; TRA: 4
SVs in sample	195
Oscillating CN (2 and 3 states)	4, 5
CN segments	8
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	19:33279297–57149842;
Purity, ploidy	0.85, 1.65




PCSI_0081	
Cancer type	Panc-AdenoCA
Position	20:5377429–36576271
Type	With other complex events
Interleaved intrachr. SVs	20
Total SVs (intrachr. + transl.)	20
SV types	DEL: 6; DUP: 5; h2hINV: 5; t2tINV: 4; TRA: 0
SVs in sample	195
Oscillating CN (2 and 3 states)	5, 13
CN segments	31
FDR fragment joints	0.9625775
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.85, 1.65




PCSI_0082	
Cancer type	Panc-AdenoCA
Position	12:10809610–87566605
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	11
SV types	DEL: 2; DUP: 2; h2hINV: 2; t2tINV: 1; TRA: 4
SVs in sample	160
Oscillating CN (2 and 3 states)	4, 6
CN segments	19
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.67, 2.94




PCSI_0082	
Cancer type	Panc-AdenoCA
Position	18:1716536–32009794
Type	With other complex events
Interleaved intrachr. SVs	17
Total SVs (intrachr. + transl.)	18
SV types	DEL: 3; DUP: 8; h2hINV: 2; t2tINV: 4; TRA: 1
SVs in sample	160
Oscillating CN (2 and 3 states)	5, 13
CN segments	36
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.67, 2.94




PCSI_0086	
Cancer type	Panc-AdenoCA
Position	18:1082109–77329138
Type	Canonical without polyploidization
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	7
SV types	DEL: 0; DUP: 2; h2hINV: 3; t2tINV: 2; TRA: 0
SVs in sample	23
Oscillating CN (2 and 3 states)	5, 7
CN segments	7
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.55, 1.88




PCSI_0101	
Cancer type	Panc-AdenoCA
Position	22:17987673–43447488
Type	With other complex events
Interleaved intrachr. SVs	22
Total SVs (intrachr. + transl.)	22
SV types	DEL: 2; DUP: 7; h2hINV: 5; t2tINV: 8; TRA: 0
SVs in sample	202
Oscillating CN (2 and 3 states)	4, 7
CN segments	30
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.21, 1.76




PCSI_0105	
Cancer type	Panc-AdenoCA
Position	3:33556195–40791777
Type	With other complex events
Interleaved intrachr. SVs	11
Total SVs (intrachr. + transl.)	12
SV types	DEL: 2; DUP: 1; h2hINV: 3; t2tINV: 5; TRA: 1
SVs in sample	91
Oscillating CN (2 and 3 states)	4, 16
CN segments	18
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.56, 3.69




PCSI_0105	
Cancer type	Panc-AdenoCA
Position	13:34326449-109417492
Type	With other complex events
Interleaved intrachr. SVs	12
Total SVs (intrachr. + transl.)	12
SV types	DEL: 3; DUP: 3; h2hINV: 2; t2tINV: 4; TRA: 0
SVs in sample	91
Oscillating CN (2 and 3 states)	5, 5
CN segments	34
FDR fragment joints	0.9284301
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.56, 3.69




PCSI_0111	
Cancer type	Panc-AdenoCA
Position	6:104571922-165438064
Type	With other complex events
Interleaved intrachr. SVs	42
Total SVs (intrachr. + transl.)	46
SV types	DEL: 10; DUP: 10; h2hINV: 11; t2tINV: 11; TRA: 4
SVs in sample	260
Oscillating CN (2 and 3 states)	6, 11
CN segments	37
FDR fragment joints	0.9599662
FDR chr. breakp. enrich.	0
Linked to chr	3:35128015-182834758;
Purity, ploidy	0.81, 3.09




PCSI_0145	
Cancer type	Panc-AdenoCA
Position	3:76628774-82950282
Type	With other complex events
Interleaved intrachr. SVs	11
Total SVs (intrachr. + transl.)	24
SV types	DEL: 5; DUP: 2; h2hINV: 0; t2tINV: 4; TRA: 13
SVs in sample	550
Oscillating CN (2 and 3 states)	5, 8
CN segments	23
FDR fragment joints	0.5435077
FDR chr. breakp. enrich.	0
Linked to chr	15:29942435-85558504;
Purity, ploidy	0.87, 2.72




PCSI_0145	
Cancer type	Panc-AdenoCA
Position	8:19058905-142399781
Type	With other complex events
Interleaved intrachr. SVs	11
Total SVs (intrachr. + transl.)	35
SV types	DEL: 2; DUP: 3; h2hINV: 3; t2tINV: 3; TRA: 24
SVs in sample	550
Oscillating CN (2 and 3 states)	4, 9
CN segments	41
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chr	14:32259593-106721662;7:3292583-143127799
Purity, ploidy	0.87, 2.72




PCSI_0145	
Cancer type	Panc-AdenoCA
Position	18:3500844-76201208
Type	With other complex events
Interleaved intrachr. SVs	21
Total SVs (intrachr. + transl.)	28
SV types	DEL: 8; DUP: 6; h2hINV: 3; t2tINV: 4; TRA: 7
SVs in sample	550
Oscillating CN (2 and 3 states)	6, 13
CN segments	28
FDR fragment joints	0.8066159
FDR chr. breakp. enrich.	0
Linked to chr	13:62732753-113705989;
Purity, ploidy	0.87, 2.72




PCSI_0145	
Cancer type	Panc-AdenoCA
Position	19:8923906-46548614
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	33
SV types	DEL: 2; DUP: 1; h2hINV: 2; t2tINV: 2; TRA: 26
SVs in sample	550
Oscillating CN (2 and 3 states)	4, 6
CN segments	41
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chr	14:32259593-106721662;3:76628774-82950281
Purity, ploidy	0.87, 2.72




PCSI_0162	
Cancer type	Panc-AdenoCA
Position	16:33791525-89932613
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	9
SV types	DEL: 3; DUP: 1; h2hINV: 2; t2tINV: 2; TRA: 1
SVs in sample	66
Oscillating CN (2 and 3 states)	4, 7
CN segments	23
FDR fragment joints	0.9723381
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.72, 2.93




PCSI_0173	
Cancer type	Panc-AdenoCA
Position	5:9311584-45281354
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	11
SV types	DEL: 2; DUP: 3; h2hINV: 2; t2tINV: 3; TRA: 1
SVs in sample	140
Oscillating CN (2 and 3 states)	5, 9
CN segments	21
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0.01
Linked to chr	
Purity, ploidy	0.42, 3.5




PCSI_0173	
Cancer type	Panc-AdenoCA
Position	18:10487843–54651877
Type	With other complex events
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	10
SV types	DEL: 4; DUP: 0; h2hINV: 3; t2tINV: 2; TRA: 1
SVs in sample	140
Oscillating CN (2 and 3 states)	6, 7
CN segments	22
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.42, 3.5




PCSI_0208	
Cancer type	Panc-AdenoCA
Position	17:27512548–52837653
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	10
SV types	DEL: 1; DUP: 4; h2hINV: 2; t2tINV: 3; TRA: 0
SVs in sample	27
Oscillating CN (2 and 3 states)	6, 6
CN segments	17
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.95, 1.91




PCSI_0210	
Cancer type	Panc-AdenoCA
Position	3:161515687–194895663
Type	With other complex events
Interleaved intrachr. SVs	45
Total SVs (intrachr. + transl.)	47
SV types	DEL: 12; DUP: 12; h2hINV: 9; t2tINV: 12; TRA: 2
SVs in sample	194
Oscillating CN (2 and 3 states)	4, 8
CN segments	35
FDR fragment joints	0.9625775
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.86, 2




PCSI_0210	
Cancer type	Panc-AdenoCA
Position	8:33791127–43503910
Type	With other complex events
Interleaved intrachr. SVs	15
Total SVs (intrachr. + transl.)	21
SV types	DEL: 4; DUP: 4; h2hINV: 3; t2tINV: 4; TRA: 6
SVs in sample	194
Oscillating CN (2 and 3 states)	4, 6
CN segments	30
FDR fragment joints	0.7568568
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.86, 2




PCSI_0230	
Cancer type	Panc-AdenoCA
Position	18:29885709–75219927
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	10
SV types	DEL: 2; DUP: 0; h2hINV: 4; t2tINV: 2; TRA: 2
SVs in sample	235
Oscillating CN (2 and 3 states)	5, 13
CN segments	20
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.92, 1.83




PCSI_0233	
Cancer type	Panc-AdenoCA
Position	8:32367518–100716200
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	15
SV types	DEL: 1; DUP: 2; h2hINV: 2; t2tINV: 1; TRA: 9
SVs in sample	71
Oscillating CN (2 and 3 states)	6, 15
CN segments	19
FDR fragment joints	0.6471662
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.26, 2.92




PCSI_0240	
Cancer type	Panc-AdenoCA
Position	21:23137397–41798616
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	17
SV types	DEL: 3; DUP: 2; h2hINV: 1; t2tINV: 2; TRA: 9
SVs in sample	65
Oscillating CN (2 and 3 states)	6, 10
CN segments	18
FDR fragment joints	0.930656
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.65, 3.53




PCSI_0261	
Cancer type	Panc-AdenoCA
Position	2:143484174–151012579
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	13
SV types	DEL: 0; DUP: 1; h2hINV: 3; t2tINV: 3; TRA: 6
SVs in sample	382
Oscillating CN (2 and 3 states)	4, 8
CN segments	10
FDR fragment joints	0.900538
FDR chr. breakp. enrich.	0.03
Linked to chr	
Purity, ploidy	0.55, 2.88




PCSI_0261	
Cancer type	Panc-AdenoCA
Position	5:55427909-147893239
Type	With other complex events
Interleaved intrachr. SVs	18
Total SVs (intrachr. + transl.)	26
SV types	DEL: 6; DUP: 4; h2hINV: 4; t2tINV: 4; TRA: 8
SVs in sample	382
Oscillating CN (2 and 3 states)	4, 13
CN segments	19
FDR fragment joints	0.7510435
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.55, 2.88




PCSI_0261	
Cancer type	Panc-AdenoCA
Position	8:47403900-133181064
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	11
SV types	DEL: 2; DUP: 2; h2hINV: 2; t2tINV: 1; TRA: 4
SVs in sample	382
Oscillating CN (2 and 3 states)	4, 11
CN segments	18
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0.66
Linked to chr	12:34059230-90708383;
Purity, ploidy	0.55, 2.88




PCSI_0268	
Cancer type	Panc-AdenoCA
Position	1:1109651-22405832
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	14
SV types	DEL: 0; DUP: 2; h2hINV: 3; t2tINV: 2; TRA: 7
SVs in sample	104
Oscillating CN (2 and 3 states)	4, 5
CN segments	34
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.67, 2.21




PCSI_0279	
Cancer type	Panc-AdenoCA
Position	22:18521810-51136116
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	8
SV types	DEL: 2; DUP: 2; h2hINV: 2; t2tINV: 2; TRA: 0
SVs in sample	57
Oscillating CN (2 and 3 states)	6, 8
CN segments	16
FDR fragment joints	1
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.6, 2.03




PCSI_0281	
Cancer type	Panc-AdenoCA
Position	5:75405316–169709323
Type	With other complex events
Interleaved intrachr. SVs	13
Total SVs (intrachr. + transl.)	13
SV types	DEL: 3; DUP: 4; h2hiINV: 4; t2tiINV: 2; TRA: 0
SVs in sample	85
Oscillating CN (2 and 3 states)	4, 5
CN segments	8
FDR fragment joints	0.9000538
FDR chr. breakp. enrich.	0.01
Linked to chrs	
Purity, ploidy	0.47, 3.9




PCSI_0281	
Cancer type	Panc-AdenoCA
Position	18:18569763–26413726
Type	With other complex events
Interleaved intrachr. SVs	16
Total SVs (intrachr. + transl.)	16
SV types	DEL: 3; DUP: 0; h2hiINV: 8; t2tiINV: 5; TRA: 0
SVs in sample	85
Oscillating CN (2 and 3 states)	4, 6
CN segments	22
FDR fragment joints	0.4637733
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.47, 3.9




PCSI_0284	
Cancer type	Panc-AdenoCA
Position	8:25945162–132424548
Type	With other complex events
Interleaved intrachr. SVs	40
Total SVs (intrachr. + transl.)	42
SV types	DEL: 14; DUP: 8; h2hiINV: 10; t2tiINV: 8; TRA: 2
SVs in sample	238
Oscillating CN (2 and 3 states)	4, 7
CN segments	68
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.56, 3.12




PCSI_0285	
Cancer type	Panc-AdenoCA
Position	17:57949419–61791871
Type	With other complex events
Interleaved intrachr. SVs	63
Total SVs (intrachr. + transl.)	70
SV types	DEL: 21; DUP: 14; h2hiINV: 13; t2tiINV: 15; TRA: 7
SVs in sample	446
Oscillating CN (2 and 3 states)	4, 8
CN segments	50
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	4:117110284–186019797;
Purity, ploidy	0.56, 3.15




PCSI_0287	
Cancer type	Panc-AdenoCA
Position	11:31044158-45136475
Type	Canonical without polyploidization
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	7
SV types	DEL: 2; DUP: 1; h2hINV: 2; t2tINV: 2; TRA: 0
SVs in sample	152
Oscillating CN (2 and 3 states)	5, 5
CN segments	5
FDR fragment joints	0.9599662
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.94, 1.94




PCSI_0290	
Cancer type	Panc-AdenoCA
Position	8:42316395-146260778
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	8
SV types	DEL: 2; DUP: 2; h2hINV: 2; t2tINV: 0; TRA: 2
SVs in sample	137
Oscillating CN (2 and 3 states)	4, 9
CN segments	14
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	11:55509544-78804415;
Purity, ploidy	0.72, 3.1




PCSI_0290	
Cancer type	Panc-AdenoCA
Position	18:1700778-25341902
Type	With other complex events
Interleaved intrachr. SVs	32
Total SVs (intrachr. + transl.)	39
SV types	DEL: 9; DUP: 8; h2hINV: 8; t2tINV: 7; TRA: 7
SVs in sample	137
Oscillating CN (2 and 3 states)	5, 10
CN segments	56
FDR fragment joints	0.952954
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.72, 3.1




PCSI_0300	
Cancer type	Panc-AdenoCA
Position	7:139885932-159081404
Type	With other complex events
Interleaved intrachr. SVs	35
Total SVs (intrachr. + transl.)	36
SV types	DEL: 9; DUP: 9; h2hINV: 9; t2tINV: 8; TRA: 1
SVs in sample	208
Oscillating CN (2 and 3 states)	6, 13
CN segments	46
FDR fragment joints	0.9875525
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.58, 2.82




PCSI_0300	
Cancer type	Panc-AdenoCA
Position	12:24383751-68089214
Type	With other complex events
Interleaved intrachr. SVs	76
Total SVs (intrachr. + transl.)	78
SV types	DEL: 17; DUP: 21; h2hiINV: 22; i2tiINV: 16; TRA: 2
SVs in sample	208
Oscillating CN (2 and 3 states)	6, 7
CN segments	72
FDR fragment joints	0.7027324
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.58, 2.82




PCSI_0324	
Cancer type	Panc-AdenoCA
Position	8:78094013-140299410
Type	Canonical without polyploidization
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	8
SV types	DEL: 0; DUP: 5; h2hiINV: 2; i2tiINV: 1; TRA: 0
SVs in sample	204
Oscillating CN (2 and 3 states)	6, 6
CN segments	6
FDR fragment joints	0.5435077
FDR chr. breakp. enrich.	0.23
Linked to chrs	
Purity, ploidy	0.56, 1.86




PCSI_0325	
Cancer type	Panc-AdenoCA
Position	3:85734262-174611972
Type	With other complex events
Interleaved intrachr. SVs	56
Total SVs (intrachr. + transl.)	59
SV types	DEL: 15; DUP: 13; h2hiINV: 16; i2tiINV: 12; TRA: 3
SVs in sample	207
Oscillating CN (2 and 3 states)	6, 6
CN segments	85
FDR fragment joints	0.9589247
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.67, 2.85




PCSI_0337	
Cancer type	Panc-AdenoCA
Position	9:16003998-24326188
Type	With other complex events
Interleaved intrachr. SVs	13
Total SVs (intrachr. + transl.)	13
SV types	DEL: 4; DUP: 2; h2hiINV: 4; i2tiINV: 3; TRA: 0
SVs in sample	54
Oscillating CN (2 and 3 states)	6, 7
CN segments	20
FDR fragment joints	0.9000538
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.63, 2.05




PCSI_0337	
Cancer type	Panc-AdenoCA
Position	19:11827395–17911949
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	7
SV types	DEL: 1; DUP: 2; h2hINV: 2; t2tINV: 2; TRA: 0
SVs in sample	54
Oscillating CN (2 and 3 states)	4, 5
CN segments	8
FDR fragment joints	0.9599662
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.63, 2.05




PCSI_0340	
Cancer type	Panc-AdenoCA
Position	2:3167627–206554663
Type	With other complex events
Interleaved intrachr. SVs	14
Total SVs (intrachr. + transl.)	22
SV types	DEL: 6; DUP: 2; h2hINV: 3; t2tINV: 3; TRA: 8
SVs in sample	237
Oscillating CN (2 and 3 states)	5, 7
CN segments	38
FDR fragment joints	0.5435077
FDR chr. breakp. enrich.	0.06
Linked to chr	
Purity, ploidy	0.41, 3.29




PCSI_0345	
Cancer type	Panc-AdenoCA
Position	19:21513068–58739452
Type	With other complex events
Interleaved intrachr. SVs	11
Total SVs (intrachr. + transl.)	24
SV types	DEL: 1; DUP: 1; h2hINV: 5; t2tINV: 4; TRA: 13
SVs in sample	92
Oscillating CN (2 and 3 states)	6, 8
CN segments	17
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.53, 1.87




PCSI_0347	
Cancer type	Panc-AdenoCA
Position	1:73507136–231782377
Type	With other complex events
Interleaved intrachr. SVs	12
Total SVs (intrachr. + transl.)	19
SV types	DEL: 5; DUP: 4; h2hINV: 1; t2tINV: 2; TRA: 7
SVs in sample	63
Oscillating CN (2 and 3 states)	6, 9
CN segments	26
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	NA, NA




PCSI_0352	
Cancer type	Panc-AdenoCA
Position	6:40037807–56846580
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	14
SV types	DEL: 2; DUP: 0; h2hiINV: 1; t2tiINV: 3; TRA: 8
SVs in sample	72
Oscillating CN (2 and 3 states)	6, 12
CN segments	29
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chr	14:20953269–101623828;
Purity, ploidy	NA, NA




PCSI_0353	
Cancer type	Panc-AdenoCA
Position	6:31811163–53484589
Type	With other complex events
Interleaved intrachr. SVs	17
Total SVs (intrachr. + transl.)	17
SV types	DEL: 3; DUP: 2; h2hiINV: 6; t2tiINV: 6; TRA: 0
SVs in sample	105
Oscillating CN (2 and 3 states)	5, 17
CN segments	17
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.95, 3.75




PCSI_0353	
Cancer type	Panc-AdenoCA
Position	14:20259866–102375473
Type	With other complex events
Interleaved intrachr. SVs	38
Total SVs (intrachr. + transl.)	40
SV types	DEL: 8; DUP: 9; h2hiINV: 12; t2tiINV: 9; TRA: 2
SVs in sample	105
Oscillating CN (2 and 3 states)	5, 9
CN segments	58
FDR fragment joints	0.9109641
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.95, 3.75




PCSI_0356	
Cancer type	Panc-AdenoCA
Position	12:31165322–84134078
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	12
SV types	DEL: 1; DUP: 4; h2hiINV: 2; t2tiINV: 3; TRA: 2
SVs in sample	228
Oscillating CN (2 and 3 states)	5, 9
CN segments	22
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0.07
Linked to chr	
Purity, ploidy	0.77, 3.33




PCSI_0356	
Cancer type	Panc-AdenoCA
Position	18:1947225-25427315
Type	With other complex events
Interleaved intrachr. SVs	13
Total SVs (intrachr. + transl.)	13
SV types	DEL: 5; DUP: 2; h2hINV: 4; t2tINV: 2; TRA: 0
SVs in sample	228
Oscillating CN (2 and 3 states)	6, 6
CN segments	26
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.77, 3.33




PCSI_0392	
Cancer type	Panc-AdenoCA
Position	6:8838119-69082829
Type	With other complex events
Interleaved intrachr. SVs	34
Total SVs (intrachr. + transl.)	36
SV types	DEL: 5; DUP: 9; h2hINV: 13; t2tINV: 7; TRA: 2
SVs in sample	160
Oscillating CN (2 and 3 states)	5, 6
CN segments	57
FDR fragment joints	0.641841
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.99, 3.89




PCSI_0392	
Cancer type	Panc-AdenoCA
Position	8:9593359-135574872
Type	With other complex events
Interleaved intrachr. SVs	27
Total SVs (intrachr. + transl.)	28
SV types	DEL: 5; DUP: 11; h2hINV: 5; t2tINV: 6; TRA: 1
SVs in sample	160
Oscillating CN (2 and 3 states)	6, 17
CN segments	37
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.99, 3.89




PCSI_0392	
Cancer type	Panc-AdenoCA
Position	18:20260488-25314382
Type	With other complex events
Interleaved intrachr. SVs	13
Total SVs (intrachr. + transl.)	13
SV types	DEL: 1; DUP: 3; h2hINV: 5; t2tINV: 4; TRA: 0
SVs in sample	160
Oscillating CN (2 and 3 states)	4, 7
CN segments	15
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.99, 3.89




PCSI_0450	
Cancer type	Panc-AdenoCA
Position	19:34867315–47884220
Type	With other complex events
Interleaved intrachr. SVs	20
Total SVs (intrachr. + transl.)	25
SV types	DEL: 8; DUP: 2; h2hINV: 7; t2tINV: 3; TRA: 5
SVs in sample	80
Oscillating CN (2 and 3 states)	4, 6
CN segments	37
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.95, 1.78




PCSI_0450	
Cancer type	Panc-AdenoCA
Position	X:9534069–137725602
Type	Canonical without polyploidization
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	6
SV types	DEL: 3; DUP: 1; h2hINV: 1; t2tINV: 1; TRA: 0
SVs in sample	80
Oscillating CN (2 and 3 states)	6, 6
CN segments	6
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0.55
Linked to chrs	
Purity, ploidy	0.95, 1.78




PCSI_0453	
Cancer type	Panc-AdenoCA
Position	17:26321720–77389422
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	8
SV types	DEL: 1; DUP: 0; h2hINV: 3; t2tINV: 2; TRA: 2
SVs in sample	102
Oscillating CN (2 and 3 states)	6, 25
CN segments	25
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0
Linked to chrs	5:11299550–143890321;
Purity, ploidy	0.99, 1.96




PCSI_0456	
Cancer type	Panc-AdenoCA
Position	18:52279996–66883860
Type	With other complex events
Interleaved intrachr. SVs	12
Total SVs (intrachr. + transl.)	15
SV types	DEL: 3; DUP: 2; h2hINV: 4; t2tINV: 3; TRA: 3
SVs in sample	99
Oscillating CN (2 and 3 states)	6, 11
CN segments	21
FDR fragment joints	0.8462769
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.8, 3.6




PCSI_0468	
Cancer type	Panc-AdenoCA
Position	9:5835505-36865594
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	19
SV types	DEL: 2; DUP: 1; h2hINV: 2; t2tINV: 3; TRA: 11
SVs in sample	105
Oscillating CN (2 and 3 states)	5, 12
CN segments	12
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.79, 3.59




PCSI_0472	
Cancer type	Panc-AdenoCA
Position	3:13788797-189021715
Type	With other complex events
Interleaved intrachr. SVs	12
Total SVs (intrachr. + transl.)	18
SV types	DEL: 2; DUP: 4; h2hINV: 4; t2tINV: 2; TRA: 6
SVs in sample	238
Oscillating CN (2 and 3 states)	5, 9
CN segments	20
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0.01
Linked to chr	10:28947349-34511967;
Purity, ploidy	0.91, 1.74




PCSI_0528	
Cancer type	Panc-AdenoCA
Position	17:63528018-67790466
Type	With other complex events
Interleaved intrachr. SVs	24
Total SVs (intrachr. + transl.)	24
SV types	DEL: 9; DUP: 5; h2hINV: 5; t2tINV: 5; TRA: 0
SVs in sample	76
Oscillating CN (2 and 3 states)	4, 7
CN segments	14
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.52, 3.06




PCSI_0531	
Cancer type	Panc-AdenoCA
Position	18:9032446-50330464
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	11
SV types	DEL: 3; DUP: 3; h2hINV: 1; t2tINV: 1; TRA: 3
SVs in sample	96
Oscillating CN (2 and 3 states)	6, 8
CN segments	17
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.31, 1.86




PCSI_0572
Cancer type Panc-AdenoCA
Position 1:107128798-114787742
Type With other complex events
Interleaved intrachr. SVs 6
Total SVs (intrachr. + transl.) 10
SV types DEL: 2; DUP: 3; h2hINV: 0; t2tINV: 1; TRA: 4
SVs in sample 86
Oscillating CN (2 and 3 states) 5, 5
CN segments 5
FDR fragment joints 0.615458
FDR chr. breakp. enrich. 0
Linked to chrs 2:21945480-110876000;
Purity, ploidy 0.49, 2.71




ITNET-0134
Cancer type Panc-Endocrine
Position 8:80326174-145581514
Type Canonical without polyploidization
Interleaved intrachr. SVs 10
Total SVs (intrachr. + transl.) 14
SV types DEL: 1; DUP: 3; h2hINV: 3; t2tINV: 3; TRA: 4
SVs in sample 55
Oscillating CN (2 and 3 states) 4, 4
CN segments 4
FDR fragment joints 0.6776251
FDR chr. breakp. enrich. 0
Linked to chrs
Purity, ploidy 0.61, 2.02




ITNET-1047
Cancer type Panc-Endocrine
Position 9:29933578-36500038
Type With other complex events
Interleaved intrachr. SVs 9
Total SVs (intrachr. + transl.) 9
SV types DEL: 2; DUP: 3; h2hINV: 2; t2tINV: 2; TRA: 0
SVs in sample 245
Oscillating CN (2 and 3 states) 4, 7
CN segments 18
FDR fragment joints 0.9723381
FDR chr. breakp. enrich. 0
Linked to chrs
Purity, ploidy 0.9, 1.64




ITNET-1047
Cancer type Panc-Endocrine
Position 11:48710192-61425002
Type Canonical without polyploidization
Interleaved intrachr. SVs 9
Total SVs (intrachr. + transl.) 10
SV types DEL: 4; DUP: 2; h2hINV: 2; t2tINV: 1; TRA: 1
SVs in sample 245
Oscillating CN (2 and 3 states) 6, 10
CN segments 10
FDR fragment joints 0.8572806
FDR chr. breakp. enrich. 0
Linked to chrs
Purity, ploidy 0.9, 1.64




	EOPC-022
Cancer type	Prost-AdenoCA
Position	2:25811734-39390809
Type	Canonical without polyploidization
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	23
SV types	DEL: 1; DUP: 0; h2hINV: 2; t2tINV: 5; TRA: 15
SVs in sample	46
Oscillating CN (2 and 3 states)	4, 4
CN segments	4
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	1:100218185-116714121;
Purity, ploidy	0.34, 1.9




	EOPC-030
Cancer type	Prost-AdenoCA
Position	12:9146108-106049040
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	21
SV types	DEL: 2; DUP: 2; h2hINV: 3; t2tINV: 0; TRA: 14
SVs in sample	116
Oscillating CN (2 and 3 states)	5, 12
CN segments	12
FDR fragment joints	0.7568568
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.67, 1.97




	EOPC-030
Cancer type	Prost-AdenoCA
Position	13:22615390-105145326
Type	With other complex events
Interleaved intrachr. SVs	12
Total SVs (intrachr. + transl.)	12
SV types	DEL: 5; DUP: 1; h2hINV: 3; t2tINV: 3; TRA: 0
SVs in sample	116
Oscillating CN (2 and 3 states)	6, 11
CN segments	11
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.67, 1.97




	EOPC-041
Cancer type	Prost-AdenoCA
Position	2:20591505-103430435
Type	With other complex events
Interleaved intrachr. SVs	16
Total SVs (intrachr. + transl.)	36
SV types	DEL: 4; DUP: 4; h2hINV: 4; t2tINV: 4; TRA: 20
SVs in sample	131
Oscillating CN (2 and 3 states)	5, 9
CN segments	25
FDR fragment joints	0.9284301
FDR chr. breakp. enrich.	0
Linked to chrs	19:42614927-44488344;
Purity, ploidy	0.44, 3.28




EOPC-041	
Cancer type	Prost-AdenoCA
Position	8:14804569-76501181
Type	With other complex events
Interleaved intrachr. SVs	14
Total SVs (intrachr. + transl.)	15
SV types	DEL: 5; DUP: 2; h2hINV: 3; t2tINV: 4; TRA: 1
SVs in sample	131
Oscillating CN (2 and 3 states)	4, 9
CN segments	33
FDR fragment joints	0.925252
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.44, 3.28




EOPC-041	
Cancer type	Prost-AdenoCA
Position	19:42614927-44488345
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	30
SV types	DEL: 2; DUP: 1; h2hINV: 2; t2tINV: 3; TRA: 22
SVs in sample	131
Oscillating CN (2 and 3 states)	6, 9
CN segments	15
FDR fragment joints	0.9284301
FDR chr. breakp. enrich.	0
Linked to chrs	2:20591505-103430434;
Purity, ploidy	0.44, 3.28




EOPC-049	
Cancer type	Prost-AdenoCA
Position	10:129911442-133833453
Type	Canonical without polyploidization
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	19
SV types	DEL: 4; DUP: 1; h2hINV: 1; t2tINV: 2; TRA: 11
SVs in sample	50
Oscillating CN (2 and 3 states)	4, 4
CN segments	4
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.68, 1.9




CPG0047	
Cancer type	Prost-AdenoCA
Position	21:39834144-44199722
Type	Canonical without polyploidization
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	9
SV types	DEL: 4; DUP: 3; h2hINV: 1; t2tINV: 1; TRA: 0
SVs in sample	74
Oscillating CN (2 and 3 states)	5, 5
CN segments	5
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.62, 1.91




CPCG0094	
Cancer type	Prost-AdenoCA
Position	1:8589683–155821955
Type	With other complex events
Interleaved intrachr. SVs	15
Total SVs (intrachr. + transl.)	33
SV types	DEL: 5; DUP: 4; h2hINV: 2; t2tINV: 4; TRA: 18
SVs in sample	75
Oscillating CN (2 and 3 states)	5, 8
CN segments	10
FDR fragment joints	0.8378534
FDR chr. breakp. enrich.	0
Linked to chrs	2:13930709–194034057;
Purity, ploidy	0.46, 1.79




CPCG0099	
Cancer type	Prost-AdenoCA
Position	7:48017345–154624761
Type	With other complex events
Interleaved intrachr. SVs	20
Total SVs (intrachr. + transl.)	20
SV types	DEL: 5; DUP: 8; h2hINV: 4; t2tINV: 3; TRA: 0
SVs in sample	116
Oscillating CN (2 and 3 states)	6, 21
CN segments	46
FDR fragment joints	0.662962
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.62, 1.84




CPCG0123	
Cancer type	Prost-AdenoCA
Position	4:40113263–89954086
Type	Canonical without polyploidization
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	18
SV types	DEL: 2; DUP: 4; h2hINV: 2; t2tINV: 1; TRA: 9
SVs in sample	144
Oscillating CN (2 and 3 states)	5, 5
CN segments	5
FDR fragment joints	0.9875525
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.44, 1.9




CPCG0124	
Cancer type	Prost-AdenoCA
Position	8:5872316–42557666
Type	With other complex events
Interleaved intrachr. SVs	15
Total SVs (intrachr. + transl.)	46
SV types	DEL: 4; DUP: 4; h2hINV: 3; t2tINV: 4; TRA: 31
SVs in sample	121
Oscillating CN (2 and 3 states)	4, 7
CN segments	14
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.47, 1.87




CPCG0166	
Cancer type	Prost-AdenoCA
Position	10:89626569-95441303
Type	Canonical without polyploidization
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	6
SV types	DEL: 3; DUP: 1; h2hINV: 1; t2tINV: 1; TRA: 0
SVs in sample	126
Oscillating CN (2 and 3 states)	5, 5
CN segments	5
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0.63
Linked to chrs	
Purity, ploidy	0.18, 1.86




CPCG0189	
Cancer type	Prost-AdenoCA
Position	11:78278095-82964421
Type	Canonical without polyploidization
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	8
SV types	DEL: 1; DUP: 0; h2hINV: 3; t2tINV: 2; TRA: 2
SVs in sample	92
Oscillating CN (2 and 3 states)	5, 5
CN segments	5
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.61, 1.89




CPCG0191	
Cancer type	Prost-AdenoCA
Position	10:6994207-108361744
Type	With other complex events
Interleaved intrachr. SVs	23
Total SVs (intrachr. + transl.)	25
SV types	DEL: 3; DUP: 5; h2hINV: 7; t2tINV: 8; TRA: 2
SVs in sample	121
Oscillating CN (2 and 3 states)	4, 9
CN segments	14
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.55, 1.84




CPCG0196	
Cancer type	Prost-AdenoCA
Position	2:71553010-204756130
Type	Canonical without polyploidization
Interleaved intrachr. SVs	15
Total SVs (intrachr. + transl.)	15
SV types	DEL: 5; DUP: 2; h2hINV: 4; t2tINV: 4; TRA: 0
SVs in sample	116
Oscillating CN (2 and 3 states)	5, 5
CN segments	5
FDR fragment joints	0.8462769
FDR chr. breakp. enrich.	0.1
Linked to chrs	
Purity, ploidy	0.7, 1.91




CPCG0206	
Cancer type	Prost-AdenoCA
Position	11:45858528–97193270
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	9
SV types	DEL: 1; DUP: 1; h2hiINV: 2; t2tiINV: 2; TRA: 3
SVs in sample	173
Oscillating CN (2 and 3 states)	4, 7
CN segments	12
FDR fragment joints	0.9723381
FDR chr. breakp. enrich.	0.26
Linked to chr	
Purity, ploidy	0.3, 1.94





CPCG0236	
Cancer type	Prost-AdenoCA
Position	20:30850339–33795463
Type	With other complex events
Interleaved intrachr. SVs	15
Total SVs (intrachr. + transl.)	15
SV types	DEL: 7; DUP: 4; h2hiINV: 2; t2tiINV: 2; TRA: 0
SVs in sample	237
Oscillating CN (2 and 3 states)	5, 5
CN segments	10
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chr	
Purity, ploidy	0.48, 1.9



CPCG0242	
Cancer type	Prost-AdenoCA
Position	9:82867617–108956321
Type	With other complex events
Interleaved intrachr. SVs	15
Total SVs (intrachr. + transl.)	17
SV types	DEL: 3; DUP: 2; h2hiINV: 6; t2tiINV: 4; TRA: 2
SVs in sample	217
Oscillating CN (2 and 3 states)	4, 4
CN segments	23
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0
Linked to chr	8:8188079–96079991;
Purity, ploidy	0.65, 1.95





CPCG0249	
Cancer type	Prost-AdenoCA
Position	12:40224539–88916203
Type	With other complex events
Interleaved intrachr. SVs	12
Total SVs (intrachr. + transl.)	20
SV types	DEL: 5; DUP: 5; h2hiINV: 1; t2tiINV: 1; TRA: 8
SVs in sample	458
Oscillating CN (2 and 3 states)	6, 6
CN segments	11
FDR fragment joints	0.8572806
FDR chr. breakp. enrich.	0.1
Linked to chr	
Purity, ploidy	0.69, 1.87




CPCG0251	
Cancer type	Prost-AdenoCA
Position	3:9531696–111833851
Type	Canonical without polyploidization
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	20
SV types	DEL: 1; DUP: 2; h2hINV: 3; t2tINV: 4; TRA: 10
SVs in sample	67
Oscillating CN (2 and 3 states)	5, 6
CN segments	6
FDR fragment joints	0.9625775
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.24, 2.2

CPCG0263	
Cancer type	Prost-AdenoCA
Position	3:51760828–135855244
Type	With other complex events
Interleaved intrachr. SVs	21
Total SVs (intrachr. + transl.)	21
SV types	DEL: 6; DUP: 5; h2hINV: 6; t2tINV: 4; TRA: 0
SVs in sample	67
Oscillating CN (2 and 3 states)	5, 7
CN segments	17
FDR fragment joints	0.9462199
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.39, 1.97




CPCG0268	
Cancer type	Prost-AdenoCA
Position	6:66095219–128649048
Type	Canonical without polyploidization
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	10
SV types	DEL: 1; DUP: 3; h2hINV: 2; t2tINV: 3; TRA: 1
SVs in sample	135
Oscillating CN (2 and 3 states)	5, 5
CN segments	5
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0.02
Linked to chrs	
Purity, ploidy	0.34, 1.89


CPCG0342	
Cancer type	Prost-AdenoCA
Position	2:61542346–65123885
Type	Canonical without polyploidization
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	10
SV types	DEL: 3; DUP: 2; h2hINV: 2; t2tINV: 3; TRA: 0
SVs in sample	72
Oscillating CN (2 and 3 states)	6, 6
CN segments	6
FDR fragment joints	0.9625775
FDR chr. breakp. enrich.	0.01
Linked to chrs	
Purity, ploidy	0.34, 1.92




CPCG0357	
Cancer type	Prost-AdenoCA
Position	1:234433222-235613195
Type	With other complex events
Interleaved intrachr. SVs	33
Total SVs (intrachr. + transl.)	71
SV types	DEL: 11; DUP: 11; h2hINV: 7; t2tINV: 4; TRA: 38
SVs in sample	162
Oscillating CN (2 and 3 states)	4, 8
CN segments	13
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	11:33186637-34681925;
Purity, ploidy	0.55, 1.92




CPCG0357	
Cancer type	Prost-AdenoCA
Position	11:33186637-34681926
Type	With other complex events
Interleaved intrachr. SVs	15
Total SVs (intrachr. + transl.)	44
SV types	DEL: 4; DUP: 3; h2hINV: 5; t2tINV: 3; TRA: 29
SVs in sample	162
Oscillating CN (2 and 3 states)	4, 5
CN segments	7
FDR fragment joints	0.6372084
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.55, 1.92




CPCG0379	
Cancer type	Prost-AdenoCA
Position	17:45491837-70847983
Type	After polyploidization
Interleaved intrachr. SVs	13
Total SVs (intrachr. + transl.)	20
SV types	DEL: 4; DUP: 3; h2hINV: 3; t2tINV: 3; TRA: 7
SVs in sample	107
Oscillating CN (2 and 3 states)	6, 9
CN segments	9
FDR fragment joints	0.8572806
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.71, 1.98




0091_CRUK_PC_0091	
Cancer type	Prost-AdenoCA
Position	18:8673012-67370977
Type	Canonical without polyploidization
Interleaved intrachr. SVs	11
Total SVs (intrachr. + transl.)	13
SV types	DEL: 5; DUP: 1; h2hINV: 3; t2tINV: 2; TRA: 2
SVs in sample	308
Oscillating CN (2 and 3 states)	5, 7
CN segments	8
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	3:69780654-86522448;
Purity, ploidy	0.86, 3.7




A21-0096_CRUK_PC_0096	
Cancer type	Prost-AdenoCA
Position	X:32559602-90575521
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	16
SV types	DEL: 2; DUP: 4; h2hINV: 1; t2tINV: 0; TRA: 9
SVs in sample	496
Oscillating CN (2 and 3 states)	5, 7
CN segments	24
FDR fragment joints	0.9501265
FDR chr. breakp. enrich.	0.55
Linked to chrs	
Purity, ploidy	NA, NA




A22-0016_CRUK_PC_0016	
Cancer type	Prost-AdenoCA
Position	4:25070963-26242242
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	25
SV types	DEL: 0; DUP: 1; h2hINV: 2; t2tINV: 3; TRA: 19
SVs in sample	156
Oscillating CN (2 and 3 states)	6, 13
CN segments	13
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0
Linked to chrs	2:210205164-210324505;5:54361714-175053850
Purity, ploidy	NA, NA




A22-0016_CRUK_PC_0016	
Cancer type	Prost-AdenoCA
Position	6:12626345-160987932
Type	With other complex events
Interleaved intrachr. SVs	11
Total SVs (intrachr. + transl.)	26
SV types	DEL: 2; DUP: 3; h2hINV: 3; t2tINV: 3; TRA: 15
SVs in sample	156
Oscillating CN (2 and 3 states)	5, 7
CN segments	24
FDR fragment joints	0.5435077
FDR chr. breakp. enrich.	0
Linked to chrs	12:32463480-122655729;
Purity, ploidy	NA, NA




A29-0017_CRUK_PC_0017	
Cancer type	Prost-AdenoCA
Position	8:55705727-120347671
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	33
SV types	DEL: 1; DUP: 3; h2hINV: 3; t2tINV: 3; TRA: 23
SVs in sample	322
Oscillating CN (2 and 3 states)	4, 5
CN segments	17
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	5:13735145-179718725;
Purity, ploidy	NA, NA




A29-0017_CRUK_PC_0017	
Cancer type	Prost-AdenoCA
Position	17:7580636-45324930
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	14
SV types	DEL: 0; DUP: 1; h2hINV: 2; t2tINV: 3; TRA: 8
SVs in sample	322
Oscillating CN (2 and 3 states)	4, 5
CN segments	8
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0.13
Linked to chrs	
Purity, ploidy	NA, NA




A32-0019_CRUK_PC_0019	
Cancer type	Prost-AdenoCA
Position	2:171308068-191866282
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	12
SV types	DEL: 4; DUP: 0; h2hINV: 1; t2tINV: 1; TRA: 6
SVs in sample	192
Oscillating CN (2 and 3 states)	5, 7
CN segments	14
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	3:32985863-156750376;
Purity, ploidy	NA, NA



A32-0019_CRUK_PC_0019	
Cancer type	Prost-AdenoCA
Position	3:32985863-156750377
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	12
SV types	DEL: 3; DUP: 0; h2hINV: 4; t2tINV: 3; TRA: 2
SVs in sample	192
Oscillating CN (2 and 3 states)	5, 12
CN segments	12
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0.03
Linked to chrs	2:171308068-191866281;
Purity, ploidy	NA, NA




A34-0022_CRUK_PC_0022	
Cancer type	Prost-AdenoCA
Position	13:75922651-79259286
Type	Canonical without polyploidization
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	6
SV types	DEL: 2; DUP: 2; h2hINV: 1; t2tINV: 1; TRA: 0
SVs in sample	461
Oscillating CN (2 and 3 states)	6, 6
CN segments	6
FDR fragment joints	0.9284301
FDR chr. breakp. enrich.	0.17
Linked to chrs	
Purity, ploidy	NA, NA




c039014f-821c-43d6-9d3c-914f9c8d98fa

Cancer type	Prost-AdenoCA
Position	6:57910476-98537020
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	10
SV types	DEL: 1; DUP: 1; h2hINV: 3; t2tINV: 5; TRA: 0
SVs in sample	222
Oscillating CN (2 and 3 states)	5, 9
CN segments	9
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0.93
Linked to chrs	
Purity, ploidy	0.85, 1.96




c039014f-821c-43d6-9d3c-914f9c8d98fa

Cancer type	Prost-AdenoCA
Position	11:29320290-106781287
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	7
SV types	DEL: 1; DUP: 1; h2hINV: 2; t2tINV: 3; TRA: 0
SVs in sample	222
Oscillating CN (2 and 3 states)	6, 9
CN segments	20
FDR fragment joints	0.7735152
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.85, 1.96




f6381367-142c-45d0-92b3-c1727d1813ce

Cancer type	Prost-AdenoCA
Position	10:59938517-98135181
Type	Canonical without polyploidization
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	8
SV types	DEL: 1; DUP: 2; h2hINV: 2; t2tINV: 2; TRA: 1
SVs in sample	133
Oscillating CN (2 and 3 states)	5, 5
CN segments	5
FDR fragment joints	1
FDR chr. breakp. enrich.	0.03
Linked to chrs	
Purity, ploidy	0.92, 1.9




MELA-0001


Cancer type	Skin-Melanoma
Position	8:54422125-99862970
Type	With other complex events
Interleaved intrachr. SVs	14
Total SVs (intrachr. + transl.)	45
SV types	DEL: 4; DUP: 6; h2hINV: 2; t2tINV: 2; TRA: 31
SVs in sample	460
Oscillating CN (2 and 3 states)	4, 7
CN segments	57
FDR fragment joints	0.5435077
FDR chr. breakp. enrich.	0
Linked to chrs	11:57335469-97526274;4:18741843-110768808
Purity, ploidy	0.75, 3.01




	MELA-0002
Cancer type	Skin-Melanoma
Position	22:17741148-36618400
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	14
SV types	DEL: 1; DUP: 1; h2hINV: 2; t2iINV: 2; TRA: 8
SVs in sample	748
Oscillating CN (2 and 3 states)	6, 8
CN segments	13
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	2:11161529-144813239;7:1508469-101805271
Purity, ploidy	0.54, 2.62




	MELA-0003
Cancer type	Skin-Melanoma
Position	1:15885881-58152236
Type	With other complex events
Interleaved intrachr. SVs	71
Total SVs (intrachr. + transl.)	308
SV types	DEL: 20; DUP: 20; h2hINV: 15; t2iINV: 16; TRA: 237
SVs in sample	1187
Oscillating CN (2 and 3 states)	6, 6
CN segments	160
FDR fragment joints	0.5558459
FDR chr. breakp. enrich.	0
Linked to chrs	12:43076099-128657836;5:1296136-45874995
Purity, ploidy	0.96, 1.84




	MELA-0005
Cancer type	Skin-Melanoma
Position	6:8393693-111434013
Type	With other complex events
Interleaved intrachr. SVs	11
Total SVs (intrachr. + transl.)	35
SV types	DEL: 2; DUP: 5; h2hINV: 2; t2iINV: 2; TRA: 24
SVs in sample	220
Oscillating CN (2 and 3 states)	6, 7
CN segments	53
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	5:1027171-19705106;
Purity, ploidy	0.79, 1.98




	MELA-0005
Cancer type	Skin-Melanoma
Position	11:78619623-104782805
Type	With other complex events
Interleaved intrachr. SVs	22
Total SVs (intrachr. + transl.)	34
SV types	DEL: 4; DUP: 6; h2hINV: 6; t2iINV: 6; TRA: 12
SVs in sample	220
Oscillating CN (2 and 3 states)	4, 5
CN segments	60
FDR fragment joints	0.9332614
FDR chr. breakp. enrich.	0
Linked to chrs	5:1027171-19705106;6:8393693-111434012
Purity, ploidy	0.79, 1.98




MELA-0007	
Cancer type	Skin-Melanoma
Position	22:24125398-51210651
Type	With other complex events
Interleaved intrachr. SVs	67
Total SVs (intrachr. + transl.)	171
SV types	DEL: 19; DUP: 17; h2hINV: 18; t2tINV: 13; TRA: 104
SVs in sample	377
Oscillating CN (2 and 3 states)	6, 9
CN segments	150
FDR fragment joints	1
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.69, 3.61




MELA-0008	
Cancer type	Skin-Melanoma
Position	11:77104049-134650672
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	14
SV types	DEL: 4; DUP: 3; h2hINV: 0; t2tINV: 1; TRA: 6
SVs in sample	142
Oscillating CN (2 and 3 states)	5, 10
CN segments	15
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	22:41378272-41557630;
Purity, ploidy	0.79, 3.81




MELA-0009	
Cancer type	Skin-Melanoma
Position	3:19250926-195326589
Type	With other complex events
Interleaved intrachr. SVs	23
Total SVs (intrachr. + transl.)	33
SV types	DEL: 7; DUP: 6; h2hINV: 5; t2tINV: 5; TRA: 10
SVs in sample	351
Oscillating CN (2 and 3 states)	5, 12
CN segments	53
FDR fragment joints	0.7286575
FDR chr. breakp. enrich.	0
Linked to chrs	22:31415162-49131332;
Purity, ploidy	0.49, 3.33




MELA-0009	
Cancer type	Skin-Melanoma
Position	11:41485920-112489309
Type	With other complex events
Interleaved intrachr. SVs	40
Total SVs (intrachr. + transl.)	94
SV types	DEL: 10; DUP: 11; h2hINV: 10; t2tINV: 9; TRA: 54
SVs in sample	351
Oscillating CN (2 and 3 states)	5, 8
CN segments	69
FDR fragment joints	0.7392975
FDR chr. breakp. enrich.	0
Linked to chrs	20:50318897-61655151;
Purity, ploidy	0.49, 3.33




MELA-0012
Cancer type Skin-Melanoma
Position 9:4860008-31734961
Type With other complex events
Interleaved intrachr. SVs 27
Total SVs (intrachr. + transl.) 32
SV types DEL: 11; DUP: 5; h2hINV: 5; t2tINV: 6; TRA: 5
SVs in sample 508
Oscillating CN (2 and 3 states) 6, 21
CN segments 34
FDR fragment joints 0.615458
FDR chr. breakp. enrich. 0
Linked to chrs 7:32236661-117391258;
Purity, ploidy 0.79, 2.87




MELA-0012
Cancer type Skin-Melanoma
Position 10:34937946-111551297
Type With other complex events
Interleaved intrachr. SVs 8
Total SVs (intrachr. + transl.) 11
SV types DEL: 3; DUP: 3; h2hINV: 1; t2tINV: 1; TRA: 3
SVs in sample 508
Oscillating CN (2 and 3 states) 5, 11
CN segments 21
FDR fragment joints 0.615458
FDR chr. breakp. enrich. 0.53
Linked to chrs
Purity, ploidy 0.79, 2.87




MELA-0012
Cancer type Skin-Melanoma
Position 11:60665556-76908360
Type With other complex events
Interleaved intrachr. SVs 47
Total SVs (intrachr. + transl.) 80
SV types DEL: 12; DUP: 10; h2hINV: 14; t2tINV: 11; TRA: 33
SVs in sample 508
Oscillating CN (2 and 3 states) 5, 9
CN segments 96
FDR fragment joints 0.9783158
FDR chr. breakp. enrich. 0
Linked to chrs 12:62098962-89622896;3:131435629-180741701
Purity, ploidy 0.79, 2.87




MELA-0015
Cancer type Skin-Melanoma
Position 19:29765034-58719123
Type With other complex events
Interleaved intrachr. SVs 15
Total SVs (intrachr. + transl.) 17
SV types DEL: 2; DUP: 4; h2hINV: 4; t2tINV: 5; TRA: 2
SVs in sample 201
Oscillating CN (2 and 3 states) 4, 5
CN segments 31
FDR fragment joints 0.6776251
FDR chr. breakp. enrich. 0
Linked to chrs
Purity, ploidy 0.55, 3.39




MELA-0043	
Cancer type	Skin-Melanoma
Position	20:924675-9380462
Type	With other complex events
Interleaved intrachr. SVs	11
Total SVs (intrachr. + transl.)	12
SV types	DEL: 3; DUP: 4; h2hINV: 1; t2tINV: 3; TRA: 1
SVs in sample	106
Oscillating CN (2 and 3 states)	4, 7
CN segments	22
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.63, 3.54




MELA-0048	
Cancer type	Skin-Melanoma
Position	5:1054293-127185143
Type	With other complex events
Interleaved intrachr. SVs	32
Total SVs (intrachr. + transl.)	163
SV types	DEL: 11; DUP: 6; h2hINV: 7; t2tINV: 8; TRA: 131
SVs in sample	444
Oscillating CN (2 and 3 states)	6, 7
CN segments	161
FDR fragment joints	0.6942198
FDR chr. breakp. enrich.	0
Linked to chrs	2:35447197-238700316;7:858862-151538982
Purity, ploidy	0.9, 2.98




MELA-0050	
Cancer type	Skin-Melanoma
Position	11:51487991-83958719
Type	With other complex events
Interleaved intrachr. SVs	26
Total SVs (intrachr. + transl.)	28
SV types	DEL: 11; DUP: 9; h2hINV: 4; t2tINV: 2; TRA: 2
SVs in sample	94
Oscillating CN (2 and 3 states)	6, 6
CN segments	52
FDR fragment joints	0.332153
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.82, 2.77




MELA-0060	
Cancer type	Skin-Melanoma
Position	11:2569509-63788627
Type	With other complex events
Interleaved intrachr. SVs	20
Total SVs (intrachr. + transl.)	22
SV types	DEL: 4; DUP: 5; h2hINV: 5; t2tINV: 6; TRA: 2
SVs in sample	213
Oscillating CN (2 and 3 states)	5, 11
CN segments	31
FDR fragment joints	0.9419607
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.46, 3.71




MELA-0064	
Cancer type	Skin-Melanoma
Position	5:75710-38913517
Type	With other complex events
Interleaved intrachr. SVs	79
Total SVs (intrachr. + transl.)	104
SV types	DEL: 22; DUP: 14; h2hINV: 21; t2iINV: 22; TRA: 25
SVs in sample	380
Oscillating CN (2 and 3 states)	5, 8
CN segments	105
FDR fragment joints	0.7995907
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.66, 3.77




MELA-0064	
Cancer type	Skin-Melanoma
Position	7:67546621-151505707
Type	With other complex events
Interleaved intrachr. SVs	29
Total SVs (intrachr. + transl.)	49
SV types	DEL: 5; DUP: 8; h2hINV: 4; t2iINV: 12; TRA: 20
SVs in sample	380
Oscillating CN (2 and 3 states)	4, 7
CN segments	29
FDR fragment joints	0.5435077
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.66, 3.77




MELA-0064	
Cancer type	Skin-Melanoma
Position	11:51188282-94965346
Type	With other complex events
Interleaved intrachr. SVs	90
Total SVs (intrachr. + transl.)	178
SV types	DEL: 25; DUP: 23; h2hINV: 23; t2iINV: 19; TRA: 88
SVs in sample	380
Oscillating CN (2 and 3 states)	4, 7
CN segments	94
FDR fragment joints	0.7789125
FDR chr. breakp. enrich.	0
Linked to chrs	16:6114212-66283259;5:75710-38913516
Purity, ploidy	0.66, 3.77




MELA-0066	
Cancer type	Skin-Melanoma
Position	1:160797429-216909159
Type	With other complex events
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	11
SV types	DEL: 1; DUP: 2; h2hINV: 4; t2iINV: 2; TRA: 2
SVs in sample	355
Oscillating CN (2 and 3 states)	5, 11
CN segments	17
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0.03
Linked to chrs	
Purity, ploidy	0.42, 3.25




MELA-0069	
Cancer type	Skin-Melanoma
Position	2:13198317-216809264
Type	With other complex events
Interleaved intrachr. SVs	11
Total SVs (intrachr. + transl.)	26
SV types	DEL: 3; DUP: 2; h2hINV: 4; t2tINV: 2; TRA: 15
SVs in sample	401
Oscillating CN (2 and 3 states)	5, 8
CN segments	51
FDR fragment joints	0.7510435
FDR chr. breakp. enrich.	0.27
Linked to chrs	6:3865883-64390629;9:1637851-118991851
Purity, ploidy	0.97, 3.9







MELA-0069	
Cancer type	Skin-Melanoma
Position	6:3865883-64390630
Type	With other complex events
Interleaved intrachr. SVs	49
Total SVs (intrachr. + transl.)	129
SV types	DEL: 11; DUP: 9; h2hINV: 15; t2tINV: 14; TRA: 80
SVs in sample	401
Oscillating CN (2 and 3 states)	6, 7
CN segments	106
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	14:77426835-91651121;2:13198317-216809263
Purity, ploidy	0.97, 3.9









MELA-0069	
Cancer type	Skin-Melanoma
Position	11:66817953-80753867
Type	With other complex events
Interleaved intrachr. SVs	64
Total SVs (intrachr. + transl.)	134
SV types	DEL: 20; DUP: 14; h2hINV: 16; t2tINV: 14; TRA: 70
SVs in sample	401
Oscillating CN (2 and 3 states)	4, 7
CN segments	122
FDR fragment joints	0.8690452
FDR chr. breakp. enrich.	0
Linked to chrs	6:3865883-64390629;9:1637851-118991851
Purity, ploidy	0.97, 3.9



MELA-0070	
Cancer type	Skin-Melanoma
Position	3:107828103-110133076
Type	With other complex events
Interleaved intrachr. SVs	20
Total SVs (intrachr. + transl.)	65
SV types	DEL: 5; DUP: 7; h2hINV: 3; t2tINV: 5; TRA: 45
SVs in sample	450
Oscillating CN (2 and 3 states)	5, 7
CN segments	13
FDR fragment joints	0.7333688
FDR chr. breakp. enrich.	0
Linked to chrs	12:55086091-64480689;
Purity, ploidy	0.75, 2.64










MELA-0187	
Cancer type	Skin-Melanoma
Position	11:54893769-126272083
Type	With other complex events
Interleaved intrachr. SVs	198
Total SVs (intrachr. + transl.)	218
SV types	DEL: 51; DUP: 52; h2hINV: 50; t2iINV: 45; TRA: 20
SVs in sample	313
Oscillating CN (2 and 3 states)	6, 12
CN segments	179
FDR fragment joints	0.930656
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.75, 3.27

MELA-0192	
Cancer type	Skin-Melanoma
Position	X:62938682-74484110
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	10
SV types	DEL: 2; DUP: 1; h2hINV: 2; t2iINV: 5; TRA: 0
SVs in sample	55
Oscillating CN (2 and 3 states)	5, 5
CN segments	11
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.75, 3.28




MELA-0193	
Cancer type	Skin-Melanoma
Position	12:30161467-133173511
Type	With other complex events
Interleaved intrachr. SVs	11
Total SVs (intrachr. + transl.)	28
SV types	DEL: 2; DUP: 3; h2hINV: 2; t2iINV: 4; TRA: 17
SVs in sample	264
Oscillating CN (2 and 3 states)	5, 6
CN segments	31
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	11:4690426-90534995;19:5218983-35407312
Purity, ploidy	0.9, 4.07


MELA-0196	
Cancer type	Skin-Melanoma
Position	2:38033476-88438303
Type	With other complex events
Interleaved intrachr. SVs	59
Total SVs (intrachr. + transl.)	68
SV types	DEL: 15; DUP: 17; h2hINV: 11; t2iINV: 16; TRA: 9
SVs in sample	101
Oscillating CN (2 and 3 states)	6, 12
CN segments	84
FDR fragment joints	0.905477
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.73, 1.88




	MELA-0202
Cancer type	Skin-Melanoma
Position	7:6051022-155559216
Type	With other complex events
Interleaved intrachr. SVs	42
Total SVs (intrachr. + transl.)	42
SV types	DEL: 10; DUP: 12; h2hINV: 11; t2tINV: 9; TRA: 0
SVs in sample	103
Oscillating CN (2 and 3 states)	5, 9
CN segments	44
FDR fragment joints	0.9550868
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.73, 1.84




	MELA-0205
Cancer type	Skin-Melanoma
Position	9:11612380-31055136
Type	With other complex events
Interleaved intrachr. SVs	14
Total SVs (intrachr. + transl.)	14
SV types	DEL: 4; DUP: 3; h2hINV: 3; t2tINV: 4; TRA: 0
SVs in sample	33
Oscillating CN (2 and 3 states)	5, 8
CN segments	28
FDR fragment joints	0.9794281
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.24, 1.97




	MELA-0213
Cancer type	Skin-Melanoma
Position	22:19600873-50879547
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	6
SV types	DEL: 1; DUP: 2; h2hINV: 0; t2tINV: 3; TRA: 0
SVs in sample	34
Oscillating CN (2 and 3 states)	5, 6
CN segments	10
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.15, 3.66




	MELA-0223
Cancer type	Skin-Melanoma
Position	20:264096-23474579
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	14
SV types	DEL: 4; DUP: 2; h2hINV: 3; t2tINV: 1; TRA: 4
SVs in sample	104
Oscillating CN (2 and 3 states)	4, 4
CN segments	24
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.87, 4.03




MELA-0226
Cancer type Skin-Melanoma
Position 11:2979632-83289483
Type With other complex events
Interleaved intrachr. SVs 13
Total SVs (intrachr. + transl.) 13
SV types DEL: 4; DUP: 1; h2hINV: 4; t2hINV: 4; TRA: 0
SVs in sample 152
Oscillating CN (2 and 3 states) 6, 11
CN segments 11
FDR fragment joints 0.6776251
FDR chr. breakp. enrich. 0
Linked to chrs
Purity, ploidy 0.48, 1.86




MELA-0226
Cancer type Skin-Melanoma
Position 14:76917881-90636670
Type Canonical without polyploidization
Interleaved intrachr. SVs 11
Total SVs (intrachr. + transl.) 13
SV types DEL: 3; DUP: 4; h2hINV: 1; t2hINV: 3; TRA: 2
SVs in sample 152
Oscillating CN (2 and 3 states) 5, 8
CN segments 8
FDR fragment joints 0.6776251
FDR chr. breakp. enrich. 0
Linked to chrs 7:123055563-158071676;
Purity, ploidy 0.48, 1.86




MELA-0231
Cancer type Skin-Melanoma
Position 4:58934408-183626934
Type With other complex events
Interleaved intrachr. SVs 10
Total SVs (intrachr. + transl.) 38
SV types DEL: 2; DUP: 2; h2hINV: 4; t2hINV: 2; TRA: 28
SVs in sample 1234
Oscillating CN (2 and 3 states) 5, 10
CN segments 47
FDR fragment joints 0.615458
FDR chr. breakp. enrich. 0.03
Linked to chrs 10:19180867-131722345;18:58999177-77021614
Purity, ploidy 0.92, 4.03




MELA-0231
Cancer type Skin-Melanoma
Position 7:712296-54531288
Type With other complex events
Interleaved intrachr. SVs 23
Total SVs (intrachr. + transl.) 38
SV types DEL: 8; DUP: 5; h2hINV: 6; t2hINV: 4; TRA: 15
SVs in sample 1234
Oscillating CN (2 and 3 states) 5, 26
CN segments 37
FDR fragment joints 0.7282798
FDR chr. breakp. enrich. 0
Linked to chrs 1:49615754-106759580;12:4111597-34617369
Purity, ploidy 0.92, 4.03




MELA-0231	
Cancer type	Skin-Melanoma
Position	8:9543398-106192556
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	54
SV types	DEL: 2; DUP: 6; h2hINV: 4; t2tINV: 2; TRA: 40
SVs in sample	1234
Oscillating CN (2 and 3 states)	6, 8
CN segments	61
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	12:4111597-34617369;15:27228030-90601941 18:58999177-77021614;2:5310579-242675571 6:76285221-169646111;
Purity, ploidy	0.92, 4.03




MELA-0231	
Cancer type	Skin-Melanoma
Position	14:27456610-34055768
Type	With other complex events
Interleaved intrachr. SVs	17
Total SVs (intrachr. + transl.)	33
SV types	DEL: 5; DUP: 9; h2hINV: 1; t2tINV: 2; TRA: 16
SVs in sample	1234
Oscillating CN (2 and 3 states)	5, 5
CN segments	16
FDR fragment joints	0.6735663
FDR chr. breakp. enrich.	0
Linked to chrs	2:5310579-242675571;
Purity, ploidy	0.92, 4.03




MELA-0231	
Cancer type	Skin-Melanoma
Position	16:76956420-89223828
Type	With other complex events
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	18
SV types	DEL: 2; DUP: 4; h2hINV: 0; t2tINV: 3; TRA: 9
SVs in sample	1234
Oscillating CN (2 and 3 states)	5, 9
CN segments	18
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	1
Linked to chrs	11:85905386-127883070;X:114145722-144057314
Purity, ploidy	0.92, 4.03




MELA-0231	
Cancer type	Skin-Melanoma
Position	18:58999177-77021615
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	35
SV types	DEL: 4; DUP: 2; h2hINV: 2; t2tINV: 2; TRA: 25
SVs in sample	1234
Oscillating CN (2 and 3 states)	6, 10
CN segments	39
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	6:76285221-169646111;
Purity, ploidy	0.92, 4.03




MELA-0256	
Cancer type	Skin-Melanoma
Position	X:119143192-141952863
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	6
SV types	DEL: 2; DUP: 3; h2hINV: 1; t2iINV: 0; TRA: 0
SVs in sample	92
Oscillating CN (2 and 3 states)	4, 10
CN segments	10
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0.34
Linked to chrs	
Purity, ploidy	0.7, 3.38





1404791b-86bf-4dfd-85b4-c8ff356f109c	
Cancer type	Skin-Melanoma
Position	7:306183-65693059
Type	With other complex events
Interleaved intrachr. SVs	31
Total SVs (intrachr. + transl.)	98
SV types	DEL: 7; DUP: 7; h2hINV: 7; t2iINV: 10; TRA: 67
SVs in sample	573
Oscillating CN (2 and 3 states)	6, 10
CN segments	89
FDR fragment joints	0.8988396
FDR chr. breakp. enrich.	0
Linked to chrs	11:33008500-79611121;19:32205724-58908288 22:29353674-50585361;6:503244-53879503 8:118357384-142919751;
Purity, ploidy	0.89, 2.68



1404791b-86bf-4dfd-85b4-c8ff356f109c	
Cancer type	Skin-Melanoma
Position	22:29353674-50585362
Type	With other complex events
Interleaved intrachr. SVs	45
Total SVs (intrachr. + transl.)	127
SV types	DEL: 12; DUP: 15; h2hINV: 10; t2iINV: 8; TRA: 82
SVs in sample	573
Oscillating CN (2 and 3 states)	5, 8
CN segments	73
FDR fragment joints	0.9625775
FDR chr. breakp. enrich.	0
Linked to chrs	1:1375298-247642164;11:33008500-79611121 19:32205724-58908288;6:503244-53879503 7:306183-65693058;
Purity, ploidy	0.89, 2.68





238111f9-a08b-49b4-9035-cc43026330e7	
Cancer type	Skin-Melanoma
Position	10:881509-38175147
Type	With other complex events
Interleaved intrachr. SVs	11
Total SVs (intrachr. + transl.)	11
SV types	DEL: 5; DUP: 3; h2hINV: 1; t2iINV: 2; TRA: 0
SVs in sample	87
Oscillating CN (2 and 3 states)	6, 11
CN segments	30
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.89, 2.79





296f44f9-3ecb-4b40-ae51-c3a06e3fbe00	
Cancer type	Skin-Melanoma
Position	6:4799433-14498344
Type	With other complex events
Interleaved intrachr. SVs	79
Total SVs (intrachr. + transl.)	83
SV types	DEL: 22; DUP: 22; h2hINV: 17; t2tINV: 18; TRA: 4
SVs in sample	170
Oscillating CN (2 and 3 states)	4, 8
CN segments	57
FDR fragment joints	0.7735152
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.86, 3.45

296f44f9-3ecb-4b40-ae51-c3a06e3fbe00	
Cancer type	Skin-Melanoma
Position	12:68553802-74066796
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	11
SV types	DEL: 1; DUP: 2; h2hINV: 4; t2tINV: 3; TRA: 1
SVs in sample	170
Oscillating CN (2 and 3 states)	5, 5
CN segments	24
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.86, 3.45





3fea3f02-2db3-44e0-984e-c61130d92c9b	
Cancer type	Skin-Melanoma
Position	7:90201391-158391119
Type	With other complex events
Interleaved intrachr. SVs	21
Total SVs (intrachr. + transl.)	21
SV types	DEL: 2; DUP: 9; h2hINV: 5; t2tINV: 5; TRA: 0
SVs in sample	262
Oscillating CN (2 and 3 states)	4, 11
CN segments	45
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.74, 3.05

3fea3f02-2db3-44e0-984e-c61130d92c9b	
Cancer type	Skin-Melanoma
Position	20:31479759-60071503
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	13
SV types	DEL: 5; DUP: 2; h2hINV: 1; t2tINV: 2; TRA: 3
SVs in sample	262
Oscillating CN (2 and 3 states)	6, 16
CN segments	18
FDR fragment joints	0.7995907
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.74, 3.05




5f6df69c-4ebf-4811-8b28-ad393dfbe1a3	
Cancer type	Skin-Melanoma
Position	3:81208042-140376909
Type	Canonical without polyploidization
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	6
SV types	DEL: 1; DUP: 1; h2hINV: 2; t2tINV: 2; TRA: 0
SVs in sample	160
Oscillating CN (2 and 3 states)	6, 6
CN segments	6
FDR fragment joints	0.9284301
FDR chr. breakp. enrich.	0.03
Linked to chrs	
Purity, ploidy	0.86, 1.94

76cc1d42-acec-46b3-9663-5e4de2550353	
Cancer type	Skin-Melanoma
Position	11:49654668-56498706
Type	Before polyploidization
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	10
SV types	DEL: 1; DUP: 2; h2hINV: 2; t2tINV: 1; TRA: 4
SVs in sample	245
Oscillating CN (2 and 3 states)	5, 7
CN segments	7
FDR fragment joints	0.8572806
FDR chr. breakp. enrich.	0.01
Linked to chrs	
Purity, ploidy	0.83, 2.94




7b92fcd4-f9be-4b97-94a2-b2e8348aeaba	
Cancer type	Skin-Melanoma
Position	1:57268038-116153671
Type	With other complex events
Interleaved intrachr. SVs	21
Total SVs (intrachr. + transl.)	38
SV types	DEL: 6; DUP: 6; h2hINV: 5; t2tINV: 4; TRA: 17
SVs in sample	137
Oscillating CN (2 and 3 states)	6, 18
CN segments	46
FDR fragment joints	0.9460923
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.67, 4.4

7ce09a09-074e-4f38-bed7-98ab34347fbe	
Cancer type	Skin-Melanoma
Position	3:120763840-170508368
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	12
SV types	DEL: 3; DUP: 1; h2hINV: 1; t2tINV: 3; TRA: 4
SVs in sample	201
Oscillating CN (2 and 3 states)	5, 5
CN segments	19
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.88, 3.45




8c54cfd-999f-43c5-b31f-26d006f5fff3

Cancer type	Skin-Melanoma
Position	8:27003357-144300868
Type	With other complex events
Interleaved intrachr. SVs	70
Total SVs (intrachr. + transl.)	84
SV types	DEL: 23; DUP: 15; h2hINV: 18; t2iINV: 14; TRA: 14
SVs in sample	351
Oscillating CN (2 and 3 states)	6, 11
CN segments	41
FDR fragment joints	0.626975
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.9, 3.17




b85b14d7-3b5a-4800-af12-622ec03b9fe5

Cancer type	Skin-Melanoma
Position	8:50126618-55588669
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	82
SV types	DEL: 1; DUP: 1; h2hINV: 5; t2iINV: 1; TRA: 74
SVs in sample	633
Oscillating CN (2 and 3 states)	4, 5
CN segments	23
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	11:68369991-101011601;
Purity, ploidy	0.72, 3.36




b85b14d7-3b5a-4800-af12-622ec03b9fe5

Cancer type	Skin-Melanoma
Position	11:68369991-101011602
Type	With other complex events
Interleaved intrachr. SVs	67
Total SVs (intrachr. + transl.)	198
SV types	DEL: 15; DUP: 18; h2hINV: 20; t2iINV: 14; TRA: 131
SVs in sample	633
Oscillating CN (2 and 3 states)	6, 6
CN segments	63
FDR fragment joints	0.7549835
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.72, 3.36




b85b14d7-3b5a-4800-af12-622ec03b9fe5

Cancer type	Skin-Melanoma
Position	15:47687942-55499374
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	70
SV types	DEL: 2; DUP: 2; h2hINV: 1; t2iINV: 3; TRA: 62
SVs in sample	633
Oscillating CN (2 and 3 states)	4, 5
CN segments	28
FDR fragment joints	0.9483317
FDR chr. breakp. enrich.	0
Linked to chrs	11:68369991-101011601;
Purity, ploidy	0.72, 3.36




d8eac750-9daf-4465-b672-9e31fd369057

Cancer type	Skin-Melanoma
Position	7:92899327-128870216
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	7
SV types	DEL: 2; DUP: 0; h2hINV: 3; t2tINV: 2; TRA: 0
SVs in sample	266
Oscillating CN (2 and 3 states)	4, 9
CN segments	12
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0.03
Linked to chrs	
Purity, ploidy	0.47, 3.89




12bfd446-2ee5-4664-a492-c023d134f60f

Cancer type	SoftTissue-Leiomyo
Position	10:11662562-50056640
Type	With other complex events
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	21
SV types	DEL: 4; DUP: 5; h2hINV: 4; t2tINV: 5; TRA: 3
SVs in sample	247
Oscillating CN (2 and 3 states)	5, 5
CN segments	12
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	9:434615-126676282;
Purity, ploidy	0.88, 1.73





12bfd446-2ee5-4664-a492-c023d134f60f

Cancer type	SoftTissue-Leiomyo
Position	11:39261849-50164804
Type	Canonical without polyploidization
Interleaved intrachr. SVs	14
Total SVs (intrachr. + transl.)	14
SV types	DEL: 6; DUP: 2; h2hINV: 2; t2tINV: 4; TRA: 0
SVs in sample	247
Oscillating CN (2 and 3 states)	4, 4
CN segments	4
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0.26
Linked to chrs	
Purity, ploidy	0.88, 1.73





7f9031da-124a-4a38-83e6-878a50e58c24

Cancer type	SoftTissue-Leiomyo
Position	3:94022172-188180159
Type	With other complex events
Interleaved intrachr. SVs	25
Total SVs (intrachr. + transl.)	29
SV types	DEL: 9; DUP: 7; h2hINV: 4; t2tINV: 5; TRA: 4
SVs in sample	229
Oscillating CN (2 and 3 states)	5, 9
CN segments	9
FDR fragment joints	0.8824283
FDR chr. breakp. enrich.	0
Linked to chrs	18:4330785-61517857;X:8748611-107791712
Purity, ploidy	0.86, 1.89




9c9b53e5-cdbe-4510-a839-4a3b5039681b	
Cancer type	SoftTissue-Leiomyo
Position	18:25133083-67867958
Type	With other complex events
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	13
SV types	DEL: 3; DUP: 0; h2hINV: 2; t2tINV: 4; TRA: 4
SVs in sample	240
Oscillating CN (2 and 3 states)	6, 8
CN segments	32
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.91, 2.73

c20682a1-f340-430d-99f9-077fe093ed19	
Cancer type	SoftTissue-Leiomyo
Position	3:138369667-192817448
Type	With other complex events
Interleaved intrachr. SVs	15
Total SVs (intrachr. + transl.)	25
SV types	DEL: 3; DUP: 1; h2hINV: 6; t2tINV: 5; TRA: 10
SVs in sample	215
Oscillating CN (2 and 3 states)	5, 7
CN segments	34
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	6:18987971-150829167;
Purity, ploidy	0.82, 3.11




2905cbd1-719b-46d9-b8af-8fe4927bc473	
Cancer type	SoftTissue-Liposarc
Position	2:103504725-236615450
Type	With other complex events
Interleaved intrachr. SVs	15
Total SVs (intrachr. + transl.)	155
SV types	DEL: 2; DUP: 7; h2hINV: 5; t2tINV: 1; TRA: 140
SVs in sample	1958
Oscillating CN (2 and 3 states)	6, 12
CN segments	82
FDR fragment joints	0.9804396
FDR chr. breakp. enrich.	0.23
Linked to chrs	1:145389851-238867162;11:12674170-130091311 12:8404400-101121300;17:50057932-77131856 19:10607945-56113175;20:48743238-54339929 5:893523-179304806;7:159034-86160840 X:1766391-152187953;
Purity, ploidy	0.92, 3.54

2905cbd1-719b-46d9-b8af-8fe4927bc473	
Cancer type	SoftTissue-Liposarc
Position	5:893523-179304807
Type	With other complex events
Interleaved intrachr. SVs	19
Total SVs (intrachr. + transl.)	274
SV types	DEL: 5; DUP: 5; h2hINV: 4; t2tINV: 5; TRA: 255
SVs in sample	1958
Oscillating CN (2 and 3 states)	5, 15
CN segments	189
FDR fragment joints	0.9034513
FDR chr. breakp. enrich.	0
Linked to chrs	1:145389851-238867162;12:8404400-101121300 17:50057932-77131856;19:10607945-56113175 2:103504725-236615449;20:48743238-54339929 3:158182221-193942169;7:159034-86160840 9:7234461-14473861;X:1766391-152187953
Purity, ploidy	0.92, 3.54




2905cbd1-719b-46d9-b8af-8fe4927bc473

Cancer type	SoftTissue-Liposarc
Position	6:47184887-51731046
Type	With other complex events
Interleaved intrachr. SVs	11
Total SVs (intrachr. + transl.)	60
SV types	DEL: 6; DUP: 2; h2hINV: 2; t2iINV: 1; TRA: 49
SVs in sample	1958
Oscillating CN (2 and 3 states)	4, 5
CN segments	42
FDR fragment joints	0.7993446
FDR chr. breakp. enrich.	0
Linked to chrs	1:145389851-238867162;11:12674170-130091311 12:8404400-101121300;17:50057932-77131856 2:103504725-236615449;7:159034-86160840 X:1766391-152187953;
Purity, ploidy	0.92, 3.54




2905cbd1-719b-46d9-b8af-8fe4927bc473

Cancer type	SoftTissue-Liposarc
Position	19:10607945-56113176
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	140
SV types	DEL: 3; DUP: 0; h2hINV: 3; t2iINV: 2; TRA: 132
SVs in sample	1958
Oscillating CN (2 and 3 states)	5, 7
CN segments	73
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0
Linked to chrs	1:145389851-238867162;10:9380961-36837630 11:12674170-130091311;12:8404400-101121300 17:50057932-77131856;2:103504725-236615449 5:893523-179304806;7:159034-86160840 X:1766391-152187953;
Purity, ploidy	0.92, 3.54




2905cbd1-719b-46d9-b8af-8fe4927bc473

Cancer type	SoftTissue-Liposarc
Position	7:159034-86160841
Type	With other complex events
Interleaved intrachr. SVs	22
Total SVs (intrachr. + transl.)	251
SV types	DEL: 5; DUP: 4; h2hINV: 5; t2iINV: 8; TRA: 229
SVs in sample	1958
Oscillating CN (2 and 3 states)	5, 8
CN segments	250
FDR fragment joints	0.8883474
FDR chr. breakp. enrich.	0
Linked to chrs	1:145389851-238867162;11:12674170-130091311 12:8404400-101121300;17:50057932-77131856 19:10607945-56113175;2:103504725-236615449 3:158182221-193942169;9:7234461-14473861 X:1766391-152187953;
Purity, ploidy	0.92, 3.54




2905cbd1-719b-46d9-b8af-8fe4927bc473


Cancer type	SoftTissue-Liposarc
Position	X:1766391-152187954
Type	With other complex events
Interleaved intrachr. SVs	32
Total SVs (intrachr. + transl.)	230
SV types	DEL: 6; DUP: 6; h2hINV: 11; t2iINV: 9; TRA: 198
SVs in sample	1958
Oscillating CN (2 and 3 states)	5, 8
CN segments	145
FDR fragment joints	0.9728377
FDR chr. breakp. enrich.	0
Linked to chrs	1:145389851-238867162;10:9380961-36837630 11:12674170-130091311;12:8404400-101121300 17:50057932-77131856;19:10607945-56113175 2:103504725-236615449;20:48743238-54339929 5:893523-179304806;7:159034-86160840 9:7234461-14473861;
Purity, ploidy	0.92, 3.54




2cacd9d0-8414-4f17-8259-c9d838597f39	
Cancer type	SoftTissue-Liposarc
Position	4:7659968-47714738
Type	With other complex events
Interleaved intrachr. SVs	34
Total SVs (intrachr. + transl.)	199
SV types	DEL: 8; DUP: 7; h2hiINV: 9; t2iINV: 10; TRA: 165
SVs in sample	531
Oscillating CN (2 and 3 states)	5, 7
CN segments	164
FDR fragment joints	0.8548712
FDR chr. breakp. enrich.	0
Linked to chrs	1:180979548-248890603;12:17335568-78414574 17:27172002-57726287;
Purity, ploidy	0.88, 1.92




3505f91d-bc66-4732-84b6-18c5b32ca6b8	
Cancer type	SoftTissue-Liposarc
Position	13:20111633-31209010
Type	With other complex events
Interleaved intrachr. SVs	14
Total SVs (intrachr. + transl.)	65
SV types	DEL: 3; DUP: 6; h2hiINV: 3; t2iINV: 2; TRA: 51
SVs in sample	1246
Oscillating CN (2 and 3 states)	6, 9
CN segments	35
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	12:4488859-131646236;5:111534825-180595775 X:77058127-154924952;
Purity, ploidy	0.61, 3.84



3608bfbb-2a92-4ec2-a330-bf4790a8b65c	
Cancer type	SoftTissue-Liposarc
Position	1:145028117-172009311
Type	With other complex events
Interleaved intrachr. SVs	22
Total SVs (intrachr. + transl.)	127
SV types	DEL: 7; DUP: 6; h2hiINV: 5; t2iINV: 4; TRA: 105
SVs in sample	448
Oscillating CN (2 and 3 states)	5, 8
CN segments	67
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.91, 2.17




3608bfbb-2a92-4ec2-a330-bf4790a8b65c	
Cancer type	SoftTissue-Liposarc
Position	7:65666837-150670275
Type	With other complex events
Interleaved intrachr. SVs	14
Total SVs (intrachr. + transl.)	38
SV types	DEL: 6; DUP: 5; h2hiINV: 2; t2iINV: 1; TRA: 24
SVs in sample	448
Oscillating CN (2 and 3 states)	5, 11
CN segments	39
FDR fragment joints	0.4101979
FDR chr. breakp. enrich.	0
Linked to chrs	X:16247627-46643678;
Purity, ploidy	0.91, 2.17




3608bffb-2a92-4ec2-a330-bf4790a8b65c

Cancer type	SoftTissue-Liposarc
Position	X:16247627-46643679
Type	With other complex events
Interleaved intrachr. SVs	20
Total SVs (intrachr. + transl.)	108
SV types	DEL: 10; DUP: 6; h2hINV: 1; t2tINV: 3; TRA: 88
SVs in sample	448
Oscillating CN (2 and 3 states)	5, 5
CN segments	85
FDR fragment joints	0.5435077
FDR chr. breakp. enrich.	0
Linked to chrs	1:145028117-172009310;7:65666837-150670274
Purity, ploidy	0.91, 2.17




39f68467-3d37-4b19-aa43-ed7b120c619d

Cancer type	SoftTissue-Liposarc
Position	3:4159559-20777597
Type	With other complex events
Interleaved intrachr. SVs	14
Total SVs (intrachr. + transl.)	107
SV types	DEL: 4; DUP: 3; h2hINV: 5; t2tINV: 2; TRA: 93
SVs in sample	1635
Oscillating CN (2 and 3 states)	5, 7
CN segments	61
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0.03
Linked to chrs	22:23956086-48888565;
Purity, ploidy	0.4, 2.04




39f68467-3d37-4b19-aa43-ed7b120c619d

Cancer type	SoftTissue-Liposarc
Position	4:127090720-151907883
Type	With other complex events
Interleaved intrachr. SVs	30
Total SVs (intrachr. + transl.)	49
SV types	DEL: 4; DUP: 8; h2hINV: 11; t2tINV: 7; TRA: 19
SVs in sample	1635
Oscillating CN (2 and 3 states)	6, 15
CN segments	60
FDR fragment joints	0.9284301
FDR chr. breakp. enrich.	0.12
Linked to chrs	20:33082736-57423557;
Purity, ploidy	0.4, 2.04




39f68467-3d37-4b19-aa43-ed7b120c619d

Cancer type	SoftTissue-Liposarc
Position	5:492905-14929135
Type	With other complex events
Interleaved intrachr. SVs	16
Total SVs (intrachr. + transl.)	100
SV types	DEL: 9; DUP: 4; h2hINV: 3; t2tINV: 0; TRA: 84
SVs in sample	1635
Oscillating CN (2 and 3 states)	4, 6
CN segments	43
FDR fragment joints	0.5435077
FDR chr. breakp. enrich.	0
Linked to chrs	20:33082736-57423557;3:4159559-20777596
Purity, ploidy	9:103346393-140789887;
	0.4, 2.04




39f68467-3d37-4b19-aa43-ed7b120c619d

Cancer type	SoftTissue-Liposarc
Position	6:29105248-126918492
Type	With other complex events
Interleaved intrachr. SVs	12
Total SVs (intrachr. + transl.)	206
SV types	DEL: 3; DUP: 3; h2hINV: 3; t2tINV: 3; TRA: 194
SVs in sample	1635
Oscillating CN (2 and 3 states)	4, 11
CN segments	64
FDR fragment joints	0.8474427
FDR chr. breakp. enrich.	0
Linked to chrs	20:33082736-57423557;3:4159559-20777596 9:103346393-140789887;
Purity, ploidy	0.4, 2.04




39f68467-3d37-4b19-aa43-ed7b120c619d

Cancer type	SoftTissue-Liposarc
Position	20:33082736-57423558
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	73
SV types	DEL: 4; DUP: 0; h2hINV: 3; t2tINV: 1; TRA: 65
SVs in sample	1635
Oscillating CN (2 and 3 states)	6, 8
CN segments	48
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0
Linked to chrs	3:4159559-20777596;4:127090720-151907882
Purity, ploidy	0.4, 2.04





6b189eff-b919-49d6-8775-dbf32c9ccbba

Cancer type	SoftTissue-Liposarc
Position	1:52359894-60254337
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	54
SV types	DEL: 1; DUP: 0; h2hINV: 3; t2tINV: 3; TRA: 47
SVs in sample	890
Oscillating CN (2 and 3 states)	4, 4
CN segments	33
FDR fragment joints	1
FDR chr. breakp. enrich.	0.7
Linked to chrs	5:82214-43509705;14:95901595-105399402
Purity, ploidy	0.88, 2





6b189eff-b919-49d6-8775-dbf32c9ccbba

Cancer type	SoftTissue-Liposarc
Position	14:95901595-105399403
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	79
SV types	DEL: 4; DUP: 1; h2hINV: 1; t2tINV: 4; TRA: 69
SVs in sample	890
Oscillating CN (2 and 3 states)	5, 6
CN segments	34
FDR fragment joints	0.7590432
FDR chr. breakp. enrich.	0
Linked to chrs	5:82214-43509705;
Purity, ploidy	0.88, 2





6b189eff-b919-49d6-8775-dbf32c9ccbba	
Cancer type	SoftTissue-Liposarc
Position	15:22563932-54759738
Type	With other complex events
Interleaved intrachr. SVs	23
Total SVs (intrachr. + transl.)	23
SV types	DEL: 5; DUP: 4; h2hiINV: 6; t2tiINV: 8; TRA: 0
SVs in sample	890
Oscillating CN (2 and 3 states)	4, 10
CN segments	26
FDR fragment joints	0.7861024
FDR chr. breakp. enrich.	1
Linked to chrs	
Purity, ploidy	0.88, 2

73d2e8ef-4e10-416a-845b-f48374e48ecb	
Cancer type	SoftTissue-Liposarc
Position	17:38121352-80696808
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	71
SV types	DEL: 1; DUP: 2; h2hiINV: 2; t2tiINV: 2; TRA: 64
SVs in sample	1088
Oscillating CN (2 and 3 states)	6, 11
CN segments	51
FDR fragment joints	0.930656
FDR chr. breakp. enrich.	0
Linked to chrs	12:57518989-72095051;22:32381273-48585046 3:3279482-196670439;5:703397-41841708 8:13601211-30077762;
Purity, ploidy	0.55, 3.11



8f3f6f7c-4b50-467e-a6e8-d836735913f6	
Cancer type	SoftTissue-Liposarc
Position	1:1201892-21330306
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	6
SV types	DEL: 1; DUP: 2; h2hiINV: 1; t2tiINV: 2; TRA: 0
SVs in sample	782
Oscillating CN (2 and 3 states)	5, 7
CN segments	9
FDR fragment joints	0.9284301
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.62, 2.12

8f3f6f7c-4b50-467e-a6e8-d836735913f6	
Cancer type	SoftTissue-Liposarc
Position	3:190977465-197689209
Type	With other complex events
Interleaved intrachr. SVs	17
Total SVs (intrachr. + transl.)	17
SV types	DEL: 4; DUP: 8; h2hiINV: 2; t2tiINV: 3; TRA: 0
SVs in sample	782
Oscillating CN (2 and 3 states)	4, 7
CN segments	23
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.62, 2.12





8f3f6f7c-4b50-467e-a6e8-d836735913f6

Cancer type	SoftTissue-Liposarc
Position	17:5483205-17481065
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	6
SV types	DEL: 2; DUP: 1; h2hINV: 1; t2tINV: 2; TRA: 0
SVs in sample	782
Oscillating CN (2 and 3 states)	4, 7
CN segments	11
FDR fragment joints	0.9284301
FDR chr. breakp. enrich.	0.22
Linked to chrs	
Purity, ploidy	0.62, 2.12

8f3f6f7c-4b50-467e-a6e8-d836735913f6

Cancer type	SoftTissue-Liposarc
Position	18:43622824-72635271
Type	Canonical without polyploidization
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	6
SV types	DEL: 1; DUP: 0; h2hINV: 2; t2tINV: 3; TRA: 0
SVs in sample	782
Oscillating CN (2 and 3 states)	5, 8
CN segments	8
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.62, 2.12




9517413b-b5b8-4130-8ba1-d86d44abe2ec


Cancer type	SoftTissue-Liposarc
Position	5:274679-32089188
Type	With other complex events
Interleaved intrachr. SVs	19
Total SVs (intrachr. + transl.)	73
SV types	DEL: 4; DUP: 3; h2hINV: 7; t2tINV: 5; TRA: 54
SVs in sample	498
Oscillating CN (2 and 3 states)	5, 5
CN segments	50
FDR fragment joints	0.982453
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.6, 2.24

9517413b-b5b8-4130-8ba1-d86d44abe2ec


Cancer type	SoftTissue-Liposarc
Position	18:20983183-30290774
Type	With other complex events
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	55
SV types	DEL: 2; DUP: 2; h2hINV: 3; t2tINV: 2; TRA: 46
SVs in sample	498
Oscillating CN (2 and 3 states)	4, 6
CN segments	30
FDR fragment joints	0.7257048
FDR chr. breakp. enrich.	0
Linked to chrs	5:274679-32089187;
Purity, ploidy	0.6, 2.24




b5f27002-4277-418d-90b0-cc5a2742692e	
Cancer type	SoftTissue-Liposarc
Position	3:16208743-73683673
Type	With other complex events
Interleaved intrachr. SVs	16
Total SVs (intrachr. + transl.)	24
SV types	DEL: 2; DUP: 4; h2hiINV: 6; t2tiINV: 4; TRA: 8
SVs in sample	895
Oscillating CN (2 and 3 states)	6, 11
CN segments	13
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0.22
Linked to chrs	9:1073973-27003043;
Purity, ploidy	0.87, 6.21




cd73a55f-03c1-4da0-9fa7-1ae4a263664e	
Cancer type	SoftTissue-Liposarc
Position	15:22370209-52646685
Type	With other complex events
Interleaved intrachr. SVs	12
Total SVs (intrachr. + transl.)	13
SV types	DEL: 3; DUP: 5; h2hiINV: 3; t2tiINV: 1; TRA: 1
SVs in sample	595
Oscillating CN (2 and 3 states)	4, 10
CN segments	21
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0.5
Linked to chrs	
Purity, ploidy	0.74, 3.24



b5f27002-4277-418d-90b0-cc5a2742692e	
Cancer type	SoftTissue-Liposarc
Position	13:65093605-113188518
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	54
SV types	DEL: 3; DUP: 3; h2hiINV: 0; t2tiINV: 1; TRA: 47
SVs in sample	895
Oscillating CN (2 and 3 states)	5, 6
CN segments	41
FDR fragment joints	1
FDR chr. breakp. enrich.	0
Linked to chrs	1:175909202-201271526;15:77063545-87618665 3:16208743-73683672;6:121478880-150364307 7:2825814-148640815;X:115283407-149711206
Purity, ploidy	0.87, 6.21




e7a72f7e-77b1-4d95-8f37-39a6cffc35dc	
Cancer type	SoftTissue-Liposarc
Position	19:29150130-38233328
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	79
SV types	DEL: 1; DUP: 2; h2hiINV: 0; t2tiINV: 3; TRA: 73
SVs in sample	696
Oscillating CN (2 and 3 states)	4, 7
CN segments	35
FDR fragment joints	0.930656
FDR chr. breakp. enrich.	0
Linked to chrs	11:993833-37433475;
Purity, ploidy	0.62, 3.8




e7a72f7e-77b1-4d95-8f37-39a6cffc35dc	
Cancer type	SoftTissue-Liposarc
Position	22:16915315-49000417
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	44
SV types	DEL: 2; DUP: 2; h2hiINV: 1; t2hiINV: 1; TRA: 38
SVs in sample	696
Oscillating CN (2 and 3 states)	4, 5
CN segments	35
FDR fragment joints	0.8874881
FDR chr. breakp. enrich.	0
Linked to chrs	11:993833-37433475;5:1295334-20553338 6:42555034-48239598;
Purity, ploidy	0.62, 3.8


CGP_donor_GC00002	
Cancer type	Stomach-AdenoCA
Position	17:38202359-40046302
Type	With other complex events
Interleaved intrachr. SVs	42
Total SVs (intrachr. + transl.)	57
SV types	DEL: 13; DUP: 11; h2hiINV: 6; t2hiINV: 12; TRA: 15
SVs in sample	442
Oscillating CN (2 and 3 states)	5, 6
CN segments	54
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.48, 3.17




CGP_donor_GC00002	
Cancer type	Stomach-AdenoCA
Position	19:7239458-34549451
Type	With other complex events
Interleaved intrachr. SVs	38
Total SVs (intrachr. + transl.)	42
SV types	DEL: 11; DUP: 7; h2hiINV: 11; t2hiINV: 9; TRA: 4
SVs in sample	442
Oscillating CN (2 and 3 states)	6, 6
CN segments	42
FDR fragment joints	0.9550868
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.48, 3.17




CGP_donor_GC00008	
Cancer type	Stomach-AdenoCA
Position	5:35107612-41952066
Type	With other complex events
Interleaved intrachr. SVs	43
Total SVs (intrachr. + transl.)	46
SV types	DEL: 9; DUP: 13; h2hiINV: 10; t2hiINV: 11; TRA: 3
SVs in sample	307
Oscillating CN (2 and 3 states)	5, 9
CN segments	48
FDR fragment joints	0.7964069
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.93, 2.06




CGP_donor_GC00008	
Cancer type	Stomach-AdenoCA
Position	19:13824051–29025405
Type	With other complex events
Interleaved intrachr. SVs	19
Total SVs (intrachr. + transl.)	20
SV types	DEL: 1; DUP: 5; h2hINV: 7; t2tINV: 6; TRA: 1
SVs in sample	307
Oscillating CN (2 and 3 states)	5, 12
CN segments	12
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.93, 2.06







CGP_donor_GC00013	
Cancer type	Stomach-AdenoCA
Position	2:223705573–228623701
Type	With other complex events
Interleaved intrachr. SVs	40
Total SVs (intrachr. + transl.)	40
SV types	DEL: 11; DUP: 12; h2hINV: 7; t2tINV: 10; TRA: 0
SVs in sample	95
Oscillating CN (2 and 3 states)	4, 6
CN segments	52
FDR fragment joints	0.8135044
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.92, 1.97




CGP_donor_GC00018	
Cancer type	Stomach-AdenoCA
Position	11:104455729–127800985
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	14
SV types	DEL: 2; DUP: 3; h2hINV: 2; t2tINV: 1; TRA: 6
SVs in sample	85
Oscillating CN (2 and 3 states)	5, 10
CN segments	16
FDR fragment joints	0.8066159
FDR chr. breakp. enrich.	0
Linked to chrs	20:35666161–59823117;
Purity, ploidy	0.25, 1.85




CGP_donor_GC00019	
Cancer type	Stomach-AdenoCA
Position	17:34964923–73655919
Type	With other complex events
Interleaved intrachr. SVs	13
Total SVs (intrachr. + transl.)	18
SV types	DEL: 3; DUP: 4; h2hINV: 2; t2tINV: 4; TRA: 5
SVs in sample	101
Oscillating CN (2 and 3 states)	4, 7
CN segments	22
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.13, 3.34







CGP_donor_GC00046
Cancer type Stomach-AdenoCA
Position 10:62613110-77504895
Type With other complex events
Interleaved intrachr. SVs 10
Total SVs (intrachr. + transl.) 10
SV types DEL: 0; DUP: 4; h2hINV: 3; t2tINV: 3; TRA: 0
SVs in sample 76
Oscillating CN (2 and 3 states) 5, 11
CN segments 11
FDR fragment joints 0.615458
FDR chr. breakp. enrich. 0
Linked to chrs
Purity, ploidy 0.92, 1.94




CGP_donor_GC00047
Cancer type Stomach-AdenoCA
Position 5:6115950-152429287
Type With other complex events
Interleaved intrachr. SVs 10
Total SVs (intrachr. + transl.) 29
SV types DEL: 3; DUP: 2; h2hINV: 2; t2tINV: 3; TRA: 19
SVs in sample 187
Oscillating CN (2 and 3 states) 6, 10
CN segments 19
FDR fragment joints 0.7359483
FDR chr. breakp. enrich. 0
Linked to chrs 1:26335498-206855060;
Purity, ploidy 0.38, 2.11




CGP_donor_GC00047
Cancer type Stomach-AdenoCA
Position 8:65287254-138950505
Type With other complex events
Interleaved intrachr. SVs 7
Total SVs (intrachr. + transl.) 36
SV types DEL: 2; DUP: 1; h2hINV: 1; t2tINV: 3; TRA: 29
SVs in sample 187
Oscillating CN (2 and 3 states) 4, 9
CN segments 24
FDR fragment joints 0.5435077
FDR chr. breakp. enrich. 0
Linked to chrs 1:26335498-206855060;5:6115950-152429286
Purity, ploidy 0.38, 2.11




CGP_donor_GC00052
Cancer type Stomach-AdenoCA
Position 7:42989699-154627590
Type With other complex events
Interleaved intrachr. SVs 48
Total SVs (intrachr. + transl.) 54
SV types DEL: 5; DUP: 12; h2hINV: 16; t2tINV: 15; TRA: 6
SVs in sample 309
Oscillating CN (2 and 3 states) 6, 6
CN segments 62
FDR fragment joints 0.5435077
FDR chr. breakp. enrich. 0
Linked to chrs 4:20858263-181547734;
Purity, ploidy 0.44, 2.18




	CGP_donor_GC00052
Cancer type	Stomach-AdenoCA
Position	21:15959382–46300731
Type	Canonical without polyploidization
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	11
SV types	DEL: 2; DUP: 3; h2hINV: 0; t2tINV: 2; TRA: 4
SVs in sample	309
Oscillating CN (2 and 3 states)	5, 7
CN segments	7
FDR fragment joints	0.7425546
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.44, 2.18





	CGP_donor_GC00053
Cancer type	Stomach-AdenoCA
Position	13:39597021–104940825
Type	With other complex events
Interleaved intrachr. SVs	11
Total SVs (intrachr. + transl.)	12
SV types	DEL: 5; DUP: 4; h2hINV: 0; t2tINV: 2; TRA: 1
SVs in sample	317
Oscillating CN (2 and 3 states)	5, 10
CN segments	23
FDR fragment joints	0.5435077
FDR chr. breakp. enrich.	0.2
Linked to chrs	
Purity, ploidy	0.35, 4.48



	CGP_donor_GC00053
Cancer type	Stomach-AdenoCA
Position	18:1608546–71962999
Type	With other complex events
Interleaved intrachr. SVs	33
Total SVs (intrachr. + transl.)	36
SV types	DEL: 9; DUP: 9; h2hINV: 6; t2tINV: 9; TRA: 3
SVs in sample	317
Oscillating CN (2 and 3 states)	6, 10
CN segments	66
FDR fragment joints	0.9875525
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.35, 4.48



	Oaecac64-5982-4d76-8f31-958f6a00951d
Cancer type	Stomach-AdenoCA
Position	12:24064615–98708265
Type	With other complex events
Interleaved intrachr. SVs	48
Total SVs (intrachr. + transl.)	56
SV types	DEL: 10; DUP: 16; h2hINV: 10; t2tINV: 12; TRA: 8
SVs in sample	332
Oscillating CN (2 and 3 states)	4, 4
CN segments	66
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	17:48341217–72770354;
Purity, ploidy	0.44, 1.75





0b4e8d73-459d-4930-9d1a-abb8d53e1844

Cancer type	Stomach-AdenoCA
Position	2:101189993-207792558
Type	With other complex events
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	9
SV types	DEL: 2; DUP: 3; h2hINV: 2; t2tINV: 2; TRA: 0
SVs in sample	208
Oscillating CN (2 and 3 states)	5, 7
CN segments	19
FDR fragment joints	0.9723381
FDR chr. breakp. enrich.	0.83
Linked to chrs	
Purity, ploidy	0.64, 2.72

1ca3c5e0-32b0-4467-8ec0-ca212e35d2b3

Cancer type	Stomach-AdenoCA
Position	6:30271712-157786893
Type	With other complex events
Interleaved intrachr. SVs	11
Total SVs (intrachr. + transl.)	33
SV types	DEL: 4; DUP: 1; h2hINV: 1; t2tINV: 5; TRA: 22
SVs in sample	313
Oscillating CN (2 and 3 states)	5, 12
CN segments	48
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0
Linked to chrs	11:17850371-130169014;13:27261037-79173978
Purity, ploidy	0.3, 3.61




283776cd-32e8-4a79-bed1-1411c9d3a9e0


Cancer type	Stomach-AdenoCA
Position	9:1273053-106799638
Type	With other complex events
Interleaved intrachr. SVs	35
Total SVs (intrachr. + transl.)	35
SV types	DEL: 10; DUP: 8; h2hINV: 7; t2tINV: 10; TRA: 0
SVs in sample	99
Oscillating CN (2 and 3 states)	4, 8
CN segments	63
FDR fragment joints	0.9176394
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.9, 2.47

2d291fa3-f0fd-4bc1-91a6-783863714190


Cancer type	Stomach-AdenoCA
Position	2:744061-80962231
Type	With other complex events
Interleaved intrachr. SVs	20
Total SVs (intrachr. + transl.)	57
SV types	DEL: 5; DUP: 7; h2hINV: 2; t2tINV: 6; TRA: 37
SVs in sample	408
Oscillating CN (2 and 3 states)	5, 9
CN segments	52
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	12:7030656-104650533;4:1493041-19429269
Purity, ploidy	0.62, 3.54




2d291fa3-f0fd-4bc1-91a6-783863714190	
Cancer type	Stomach-AdenoCA
Position	12:7030656-104650534
Type	With other complex events
Interleaved intrachr. SVs	103
Total SVs (intrachr. + transl.)	169
SV types	DEL: 27; DUP: 25; h2hINV: 24; t2tINV: 27; TRA: 66
SVs in sample	408
Oscillating CN (2 and 3 states)	6, 8
CN segments	243
FDR fragment joints	0.8572806
FDR chr. breakp. enrich.	0
Linked to chrs	10:83825888-84983844;2:744061-80962230
Purity, ploidy	0.62, 3.54





337819d2-5281-4b41-9583-a476924bc837	
Cancer type	Stomach-AdenoCA
Position	16:24987472-67049646
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	9
SV types	DEL: 3; DUP: 1; h2hINV: 2; t2tINV: 2; TRA: 1
SVs in sample	210
Oscillating CN (2 and 3 states)	5, 9
CN segments	11
FDR fragment joints	0.854603
FDR chr. breakp. enrich.	0.01
Linked to chrs	
Purity, ploidy	0.32, 2.97



337819d2-5281-4b41-9583-a476924bc837	
Cancer type	Stomach-AdenoCA
Position	6:20138021-151484461
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	14
SV types	DEL: 2; DUP: 3; h2hINV: 1; t2tINV: 1; TRA: 7
SVs in sample	210
Oscillating CN (2 and 3 states)	4, 8
CN segments	28
FDR fragment joints	0.8988396
FDR chr. breakp. enrich.	0
Linked to chrs	14:56203717-106008232;2:63345548-242350180
Purity, ploidy	0.32, 2.97



53086e20-a727-40d6-b42d-8030109b5130	
Cancer type	Stomach-AdenoCA
Position	6:28215328-141062702
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	24
SV types	DEL: 2; DUP: 2; h2hINV: 2; t2tINV: 1; TRA: 17
SVs in sample	246
Oscillating CN (2 and 3 states)	5, 6
CN segments	20
FDR fragment joints	0.5435077
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.83, 1.96





53086e20-a727-40d6-b42d-8030109b5130

Cancer type	Stomach-AdenoCA
Position	17:3107404-39977217
Type	With other complex events
Interleaved intrachr. SVs	32
Total SVs (intrachr. + transl.)	43
SV types	DEL: 6; DUP: 8; h2hINV: 6; t2iINV: 12; TRA: 11
SVs in sample	246
Oscillating CN (2 and 3 states)	4, 10
CN segments	24
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	6:28215328-141062701;
Purity, ploidy	0.83, 1.96

647dc54f-a51b-40ea-9d97-c93598c2af71

Cancer type	Stomach-AdenoCA
Position	18:1875598-19427543
Type	With other complex events
Interleaved intrachr. SVs	12
Total SVs (intrachr. + transl.)	12
SV types	DEL: 2; DUP: 5; h2hINV: 2; t2iINV: 3; TRA: 0
SVs in sample	294
Oscillating CN (2 and 3 states)	6, 15
CN segments	20
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.75, 2.88





8b5746f9-dbee-40bd-9141-1081960cf286

Cancer type	Stomach-AdenoCA
Position	1:17246972-229690987
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	27
SV types	DEL: 2; DUP: 2; h2hINV: 3; t2iINV: 3; TRA: 17
SVs in sample	363
Oscillating CN (2 and 3 states)	6, 11
CN segments	48
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.27, 2.91

8b5746f9-dbee-40bd-9141-1081960cf286

Cancer type	Stomach-AdenoCA
Position	13:58047889-91889039
Type	With other complex events
Interleaved intrachr. SVs	30
Total SVs (intrachr. + transl.)	42
SV types	DEL: 8; DUP: 9; h2hINV: 4; t2iINV: 9; TRA: 12
SVs in sample	363
Oscillating CN (2 and 3 states)	5, 7
CN segments	57
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.27, 2.91





8b5746f9-dbee-40bd-9141-1081960cf286

Cancer type	Stomach-AdenoCA
Position	16:693417-62053802
Type	Canonical without polyploidization
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	6
SV types	DEL: 2; DUP: 1; h2hINV: 1; t2tINV: 2; TRA: 0
SVs in sample	363
Oscillating CN (2 and 3 states)	5, 8
CN segments	8
FDR fragment joints	0.9284301
FDR chr. breakp. enrich.	0.02
Linked to chrs	
Purity, ploidy	0.27, 2.91

8b5746f9-dbee-40bd-9141-1081960cf286

Cancer type	Stomach-AdenoCA
Position	19:3088176-57557538
Type	With other complex events
Interleaved intrachr. SVs	58
Total SVs (intrachr. + transl.)	63
SV types	DEL: 14; DUP: 17; h2hINV: 12; t2tINV: 15; TRA: 5
SVs in sample	363
Oscillating CN (2 and 3 states)	6, 9
CN segments	90
FDR fragment joints	0.9087805
FDR chr. breakp. enrich.	0
Linked to chrs	17:1358751-56764163;
Purity, ploidy	0.27, 2.91




c991697f-77f9-412a-9bd1-0e47f7387cb2


Cancer type	Stomach-AdenoCA
Position	8:18453850-78826170
Type	With other complex events
Interleaved intrachr. SVs	43
Total SVs (intrachr. + transl.)	51
SV types	DEL: 11; DUP: 13; h2hINV: 10; t2tINV: 9; TRA: 8
SVs in sample	187
Oscillating CN (2 and 3 states)	5, 8
CN segments	79
FDR fragment joints	0.8653243
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.56, 3.09

c991697f-77f9-412a-9bd1-0e47f7387cb2


Cancer type	Stomach-AdenoCA
Position	17:25815792-62916421
Type	With other complex events
Interleaved intrachr. SVs	35
Total SVs (intrachr. + transl.)	40
SV types	DEL: 4; DUP: 7; h2hINV: 16; t2tINV: 8; TRA: 5
SVs in sample	187
Oscillating CN (2 and 3 states)	5, 9
CN segments	70
FDR fragment joints	0.5435077
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.56, 3.09




cb622cd6-776d-4681-8a67-4add61c66b8	
Cancer type	Stomach-AdenoCA
Position	5:94993806-173860097
Type	With other complex events
Interleaved intrachr. SVs	29
Total SVs (intrachr. + transl.)	98
SV types	DEL: 6; DUP: 7; h2hINV: 11; t2tINV: 5; TRA: 69
SVs in sample	1322
Oscillating CN (2 and 3 states)	4, 5
CN segments	94
FDR fragment joints	0.5435077
FDR chr. breakp. enrich.	0
Linked to chrs	17:2599904-79841998;3:12028186-62799588
Purity, ploidy	0.46, 4.99




cb622cd6-776d-4681-8a67-4add61c66b8	
Cancer type	Stomach-AdenoCA
Position	6:64442061-96377194
Type	Before polyploidization
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	6
SV types	DEL: 1; DUP: 3; h2hINV: 1; t2tINV: 1; TRA: 0
SVs in sample	1322
Oscillating CN (2 and 3 states)	5, 8
CN segments	8
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.46, 4.99




cb622cd6-776d-4681-8a67-4add61c66b8	
Cancer type	Stomach-AdenoCA
Position	7:75111917-159113377
Type	With other complex events
Interleaved intrachr. SVs	14
Total SVs (intrachr. + transl.)	84
SV types	DEL: 5; DUP: 2; h2hINV: 4; t2tINV: 3; TRA: 70
SVs in sample	1322
Oscillating CN (2 and 3 states)	6, 6
CN segments	71
FDR fragment joints	0.8773673
FDR chr. breakp. enrich.	0
Linked to chrs	3:12028186-62799588;
Purity, ploidy	0.46, 4.99




cb622cd6-776d-4681-8a67-4add61c66b8	
Cancer type	Stomach-AdenoCA
Position	19:16006717-23829529
Type	With other complex events
Interleaved intrachr. SVs	11
Total SVs (intrachr. + transl.)	99
SV types	DEL: 5; DUP: 1; h2hINV: 2; t2tINV: 3; TRA: 88
SVs in sample	1322
Oscillating CN (2 and 3 states)	4, 7
CN segments	44
FDR fragment joints	0.9717738
FDR chr. breakp. enrich.	0
Linked to chrs	17:2599904-79841998;3:12028186-62799588
Purity, ploidy	0.46, 4.99




e2aaabd9-f4ba-4763-a28a-c14d46a4bc5d	
Cancer type	Stomach-AdenoCA
Position	6:1632693-2284818
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	8
SV types	DEL: 6; DUP: 0; h2hINV: 1; t2tINV: 1; TRA: 0
SVs in sample	565
Oscillating CN (2 and 3 states)	5, 7
CN segments	11
FDR fragment joints	0.2796253
FDR chr. breakp. enrich.	0.72
Linked to chrs	
Purity, ploidy	0.73, 2.22




e37cae9e-0656-4b89-b326-739a5cc859e0	
Cancer type	Stomach-AdenoCA
Position	3:374952-134097822
Type	With other complex events
Interleaved intrachr. SVs	17
Total SVs (intrachr. + transl.)	39
SV types	DEL: 4; DUP: 5; h2hINV: 4; t2tINV: 4; TRA: 22
SVs in sample	303
Oscillating CN (2 and 3 states)	4, 7
CN segments	42
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0
Linked to chrs	12:38025321-70035231;7:5548287-146623411
Purity, ploidy	0.74, 3.26



2b76cc9c-c379-43e4-9c3f-56197a3353be	
Cancer type	Uterus-AdenoCA
Position	19:46536637-46823329
Type	After polyploidization
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	10
SV types	DEL: 2; DUP: 2; h2hINV: 4; t2tINV: 1; TRA: 1
SVs in sample	345
Oscillating CN (2 and 3 states)	5, 5
CN segments	5
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.62, 3.14




2b865f8c-539f-4cb2-8f08-41709e9511e5	
Cancer type	Uterus-AdenoCA
Position	5:55406655-175308957
Type	With other complex events
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	11
SV types	DEL: 4; DUP: 3; h2hINV: 2; t2tINV: 0; TRA: 2
SVs in sample	221
Oscillating CN (2 and 3 states)	5, 7
CN segments	13
FDR fragment joints	0.7425546
FDR chr. breakp. enrich.	0.51
Linked to chrs	
Purity, ploidy	0.7, 3.19




5ffa2ec6-2d94-4b09-8fb9-3591cf38fa4f

Cancer type	Uterus-AdenoCA
Position	7:33023335-53917686
Type	With other complex events
Interleaved intrachr. SVs	13
Total SVs (intrachr. + transl.)	20
SV types	DEL: 3; DUP: 3; h2hiINV: 2; t2tiINV: 5; TRA: 7
SVs in sample	137
Oscillating CN (2 and 3 states)	5, 5
CN segments	24
FDR fragment joints	0.9109641
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.79, 3.24




748e38b1-2ead-4a0a-8881-d640617b856b

Cancer type	Uterus-AdenoCA
Position	1:54723498-244586486
Type	With other complex events
Interleaved intrachr. SVs	11
Total SVs (intrachr. + transl.)	19
SV types	DEL: 2; DUP: 3; h2hiINV: 3; t2tiINV: 3; TRA: 8
SVs in sample	409
Oscillating CN (2 and 3 states)	5, 6
CN segments	54
FDR fragment joints	0.615458
FDR chr. breakp. enrich.	0.07
Linked to chrs	
Purity, ploidy	0.38, 3.43




748e38b1-2ead-4a0a-8881-d640617b856b

Cancer type	Uterus-AdenoCA
Position	6:101518828-135926443
Type	With other complex events
Interleaved intrachr. SVs	29
Total SVs (intrachr. + transl.)	35
SV types	DEL: 5; DUP: 8; h2hiINV: 8; t2tiINV: 8; TRA: 6
SVs in sample	409
Oscillating CN (2 and 3 states)	4, 5
CN segments	41
FDR fragment joints	0.9425269
FDR chr. breakp. enrich.	0
Linked to chrs	17:6570159-79796837;
Purity, ploidy	0.38, 3.43




748e38b1-2ead-4a0a-8881-d640617b856b

Cancer type	Uterus-AdenoCA
Position	8:126280423-138629562
Type	With other complex events
Interleaved intrachr. SVs	17
Total SVs (intrachr. + transl.)	19
SV types	DEL: 4; DUP: 5; h2hiINV: 3; t2tiINV: 5; TRA: 2
SVs in sample	409
Oscillating CN (2 and 3 states)	5, 11
CN segments	16
FDR fragment joints	0.9958447
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.38, 3.43




af37d8f0-fea0-47f6-be0a-2fb55a5da5c4

Cancer type	Uterus-AdenoCA
Position	1:16306658-167711700
Type	With other complex events
Interleaved intrachr. SVs	15
Total SVs (intrachr. + transl.)	15
SV types	DEL: 4; DUP: 4; h2hINV: 4; t2tINV: 3; TRA: 0
SVs in sample	315
Oscillating CN (2 and 3 states)	5, 6
CN segments	15
FDR fragment joints	0.9905774
FDR chr. breakp. enrich.	0.54
Linked to chrs	
Purity, ploidy	0.89, 1.95




b60f22ac-a659-4f33-b01d-820e86a9a5c9

Cancer type	Uterus-AdenoCA
Position	19:12718468-44715346
Type	Canonical without polyploidization
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	11
SV types	DEL: 2; DUP: 0; h2hINV: 4; t2tINV: 3; TRA: 2
SVs in sample	353
Oscillating CN (2 and 3 states)	6, 10
CN segments	10
FDR fragment joints	0.7425546
FDR chr. breakp. enrich.	0.02
Linked to chrs	
Purity, ploidy	0.84, 1.87



bad34c92-1e64-4187-a0b4-061105fd13ba

Cancer type	Uterus-AdenoCA
Position	17:36816085-74685847
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	13
SV types	DEL: 3; DUP: 2; h2hINV: 1; t2tINV: 1; TRA: 6
SVs in sample	315
Oscillating CN (2 and 3 states)	5, 9
CN segments	38
FDR fragment joints	0.6776251
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.78, 2.01



c88e3901-f3ee-436a-ba80-143c8eab7d69

Cancer type	Uterus-AdenoCA
Position	8:51305779-141554762
Type	With other complex events
Interleaved intrachr. SVs	31
Total SVs (intrachr. + transl.)	45
SV types	DEL: 6; DUP: 8; h2hINV: 8; t2tINV: 9; TRA: 14
SVs in sample	382
Oscillating CN (2 and 3 states)	6, 7
CN segments	78
FDR fragment joints	0.9161301
FDR chr. breakp. enrich.	0
Linked to chrs	16:46736458-70526638;7:44704759-148485338
Purity, ploidy	0.96, 1.98