

Activated hepatic stellate cells secrete periostin to induce stem cell-like phenotype of residual hepatocellular carcinoma cells after heat treatment

Rui Zhang, Rong-Rong Yao, Jing-Huan Li, Gang Dong, Min Ma, Qiong-Dan Zheng, Dong-Mei Gao, Jie-Feng Cui, Zheng-Gang Ren, Rong-Xin Chen

Table S1 Primers for quantitative RT-PCR

Gene symbol	Primer
POSTN	Forward 5'-GACCGTGTGCTTACACAAATTG-3'
	Reverse 5'-AAGTGACCGTCTCTTCCAAGG-3'
Nanog	Forward 5'-AGGCAAACAACCCACTTCTG-3'
	Reverse 5'-TCTGCTGGAGGCTGAGGTAT-3'
CD133	Forward 5'-GCGATCAAGGAGACCAAAGA-3'
	Reverse 5'-GACCGCAGGCTAGTTTTTAC-3'
EpCAM	Forward 5'-ATCCTGACTGCGATGAGAGC-3'
	Reverse 5'-TGTCTTGTCTGTTCTTCTGACC-3'
COL1A1	Forward 5'-AGAGGAAGGAAAGCGAGGAG-3'
	Reverse 5'-GGACCAGCAACACCATCTG-3'

α -SMA	Forward 5'-ATGTGCGACGAAGACGAGA-3'
	Reverse 5'-TTCTGACCCATACCGACCAT-3'
GAPDH	Forward-5'-GGAGCGAGATCCCTCCAAAAT-3'
	Reverse-5'-GGCTGTTGTCATACTTCTCATGG-3'
β -actin	Forward 5'-CATGTACGTTGCTATCCAGGC-3'
	Reverse 5'-CTCCTTAATGTCACGCACGAT-3'
