

Involvement of ER stress, PI3K/AKT activation, and lung fibroblast proliferation in bleomycin-induced pulmonary fibrosis

Han-Shui Hsu^{1,2*}, Chen-Chi Liu³, Jiun-Han Lin^{1,2}, Tien-Wei Hsu^{1,2}, Jyuan-Wei Hsu^{1,2}

Kelly Su^{1,2}, Shih-Chieh Hung^{4,5*}

Authors' Affiliations:

¹Division of Thoracic Surgery, Department of Surgery, Taipei Veterans General Hospital; ²Institute of Emergency and Critical Care Medicine, National Yang-Ming University School of Medicine; ³Department of Emergency, Taipei Veterans General Hospital, National Yang-Ming University School of Medicine; ⁴Institute of Biomedical Sciences, Academia Sinica, Taipei, Taiwan; ⁵Integrative Stem Cell Center, Department of Orthopedics, China Medical University Hospital, Taichung 40447, Taiwan; ⁶Graduate Institute of New Drug Development, Biomedical Sciences, China Medical University, Taichung 40402, Taiwan

Supplementary Figures

Figure S1

B




Figure S2

E




Figure S3A




Figure S3B





Figure S3C

F



G





Figure S4

E



F




Figure S5




Figure S6

