


Anti-survivin effect of the small molecule inhibitor YM155 in RCC cells is mediated by time-dependent inhibition of the NF- κ B pathway

Mei Yi Sim^{*1,2}, John Shyi Peng Yuen² and Mei Lin Go¹

¹ Department of Pharmacy, National University of Singapore,
18 Science Drive 4, 117543, Republic of Singapore

² Department of Urology, Singapore General Hospital, 20
College Road, 169856, Republic of Singapore

Supplementary Figure 1



Supplementary Table 1

Name	Forward Primer	Reverse Primer
BIRC5_1_External	CCCAGCTCCAGAAGTGACTC	ACTGGGCCACTACCGTGATA
BIRC5_1_Internal	AACACCCTGTTCCAAAGCAG	GGGCCACTACCGTGATAAGA
BIRC5_2_External	AGATGGCTTTCAGCAAAGGA	GACTCCCTACAGCCACAAGC
BIRC5_2_Internal	GGGCTTATCAGACACCAACC	TAACACGCTCACATCCATCC

Supplementary Table 2

Gene Symbol	Assay ID	Context Sequence
BIRC5	Hs00153353_m1	CCAAGAACAAAATTGCAAAGGAAAC
CYLD	Hs00211000_m1	CGGGATGGTGGTCAGAATGGCTTCA
RelA	Hs00153294_m1	AGTACCTGCCAGATACAGACGATCG
GAPDH	Hs02758991_g1	GACTCATGACCACAGTCCATGCCAT

Supplementary Figure 2

