

Biochemical analyses reveal amino acid residues critical for cell cycle-dependent phosphorylation of human Cdc14A phosphatase by cyclin-dependent kinase 1

Sara Ovejero^{1,3}, Patricia Ayala¹, Marcos Malumbres⁴, Felipe X. Pimentel-Muiños¹, Avelino Bueno^{1,2}, and María P. Sacristán^{1,2,*}

¹Instituto de Biología Molecular y Celular del Cáncer (IBMCC), Universidad de Salamanca-CSIC, Campus Miguel de Unamuno, 37007 Salamanca, Spain.

²Departamento de Microbiología y Genética, Universidad de Salamanca, Campus Miguel de Unamuno, 37007 Salamanca, Spain.

³Current affiliation: Institute of Human Genetics, CNRS UMR 9002, CNRS, Université de Montpellier, 34396 Montpellier, France.

⁴Centro Nacional de Investigaciones Oncológicas (CNIO), E-28029 Madrid, Spain.

*Corresponding author:

María P. Sacristán: msacristan@usal.es

Supplementary Information

Supplementary Figure S1. Characterization of U-2-OS cell lines stably expressing HA-Cdc14A or the phosphatase dead form HA-Cdc14A(PD). (a) HEK293T cells were transfected with Flag-tagged wild-type Cdc14A or its inactive form Cdc14A(PD). After 24 hours of transfection cellular extracts were obtained and ectopic protein expression was detected by immunoblotting with anti-Flag antibodies. (b) Comparison of Cdc14A expression levels among U-2-OS cells stably expressing retrovirally transduced HA-Cdc14A or HA-Cdc14A(PD), and transient transfection with expression vectors containing HA-Cdc14A under the control of the CMV promoter (C: U-2-OS parental cells). Full-length Cdc14A blot is shown in Supplementary Fig. S15. (c) FACS analysis of control U-2-OS cells and the U-2-OS-HA-Cdc14A cell lines. To check the mitotic index, cells were processed to detect phospho-histone H3 (Serine 10). (d) Subcellular localization of Cdc14A or Cdc14A(PD) in stable cell lines. Cells were fixed and co-stained with anti-HA tag and anti- γ -tubulin antibodies. DNA was stained with DAPI. (e) U-2-OS-HA-Cdc14A cells were synchronized at G1/S by a double thymidine treatment and then released into fresh medium to allow progression through G2 phase. After 10 hours from release, rounded mitotic cells were selected by shake off. Cellular extracts were obtained from both asynchronous and mitotic cells, resolved by Phos-tag gels and analyzed by immunoblot using anti-Cdc14A antibodies. Full-length Cdc14A blot is shown in Supplementary Fig. S15.

Supplementary Figure S2. Cdc14A interacts with PP2A. Cellular extracts were obtained from U-2-OS cell lines stably expressing HA-Cdc14A (Figure S1) and Cdc14A was immunoprecipitated with anti-HA antibodies. Interaction with the endogenous PP2A α -catalytic subunit was detected by immunoblotting with specific anti-PP2A antibodies. WCE: whole cell extracts. Unprocessed original scans of blots are shown in Supplementary Fig. S15.

Supplementary Figure S3. Alignment of Cdc14 family members. Amino acid sequence alignment of Human Cdc14A, Mouse Cdc14A, *Xenopus* Cdc14a, *Saccharomyces cerevisiae* Cdc14 and *Schizosaccharomyces pombe* Cdc14/SpFlp1. Sequence alignment was performed using Constraint-based Multiple Alignment Tool.

(COBAL program (https://www.ncbi.nlm.nih.gov/tools/cobalt/re_cobalt.cgi)). Shadowed in gray are indicated Cdk1 phosphorylation sites described in *S. pombe* and *S. cerevisiae*. All consensus motifs for Cdk1 phosphorylation on human Cdc14A (T110, T254, S411, S453, S511, S549 and T590) are indicated. Yellow marks indicate the Cdk1-targeted phosphorylation sites of human Cdc14A.

Supplementary Figure S4. Cdc14A phosphorylation by Cdk1 does not inhibit its phosphatase activity. (a) Cdc14A was immunoprecipitated from asynchronous or mitotic nocodazole arrested U-2-OS cells stably expressing Flag-Cdc14A, and its phosphatase activity was determined on pNPP substrate. Cdc14A(PD), immunoprecipitated from asynchronous U-2-OS cells stably expressing Flag-Cdc14A(PD), was used as a negative control. Reactions were performed in triplicate. Data are representative of three independent experiments. (b) Wild-type Cdc14A, and Cdc14A-3A and -3E mutants were obtained by immunoprecipitation from U-2-OS cells stably expressing the corresponding Flag-Cdc14A version, and their phosphatase activity was determined on pNPP substrate. Reactions were performed in triplicate. Data are representative of three independent experiments. (c) HEK293T cells were co-transfected with Flag-KIBRA and EGFP-tagged wild-type Cdc14A, Cdc14A-3A, Cdc14A-5A or Cdc14A-5E mutants. After 12 hours of transfection, half of the cells were treated with nocodazole during 12 hours. Then, cellular extracts were obtained from both asynchronously growing or nocodazole treated cells, and analyzed by immunoblot with the indicated antibodies. Full-length blots are shown in Supplementary Fig. S15.

Supplementary Figure S5. Cdc14A phosphorylation by Cdk1 does not affect its association with interphase centrosomes. U-2-OS cells were transfected with EGFP-tagged Cdc14A or the phosphorylation mutants Cdc14A-3A or Cdc14A-3E. After 24 hours of transfection, cells were fixed and immunostained with antibodies against γ -Tubulin. DNA was stained with DAPI. Images were acquired using a Zeiss Axioimager Apotome microscope (objective 40X) and processed using Zeiss Zen lite software. (Scale bar: 10 μ M).

Supplementary Figure S6. Release of Cdc14A from centrosomes does not depend on Cdk1 phosphorylation. U-2-OS cells were transfected with EGFP-tagged Cdc14A or the phosphorylation mutants Cdc14A-3A or Cdc14A-3E. After 48 hours of transfection, cells were fixed and immunostained with antibodies against γ -Tubulin. DNA was stained with DAPI. Representative mitotic cells are shown. Images were acquired using a Leica DM6000B microscope (objective 40X) and processed using OpenLab 4.0.3 software. (Scale bar: 10 μ M).

Supplementary Figure S7. Phosphorylation of Cdc14A does not significantly affect its cellular stability. Derivatives of HeLa cell line, conditionally expressing low levels of Flag-tagged Cdc14A (WT), Cdc14A-3A (3A) or Cdc14A-3E (3E) in a tetracycline-inducible manner, were incubated with medium containing Doxycycline during 24 hours to induce ectopic Cdc14A expression. Cells were then treated with the inhibitor of protein synthesis cycloheximide and harvested at the indicated time points to check Cdc14A protein levels by immunoblot with anti-Cdc14A antibodies. Full-length Cdc14A blots are shown in Supplementary Fig. S16.

Supplementary Figure S8. Co-immunoprecipitation analysis of Cdc14A and Cdc14A-3A mutant.

(a) HEK293T cells were co-transfected with HA-Cdh1 and Flag-tagged wild-type Cdc14A, its inactive form Cdc14A(PD) or Cdc14A(PD)-3A mutant. After 12 hours of transfection, cells were treated with nocodazole for 12 hours. Cellular extracts were immunoprecipitated with anti-Flag antibodies and analyzed by immunoblot to detect the presence of the two proteins. Asterisks show cross-reacting bands. **(b)** HeLa cell lines conditionally expressing Flag-tagged wild-type Cdc14A or Cdc14A-3A mutant, were incubated with medium containing Doxycycline to induce protein expression and with or without nocodazole during 12 hours. Cellular extracts were obtained and Cdc14A forms were immunoprecipitated with anti-Flag antibodies. Interaction with endogenous Plk1 was analyzed by immunoblotting. Unprocessed original scans of blots are shown in Supplementary Fig. S16.

Supplementary Figure S9. Full-length immunoblots relating to Figure 1 are shown.

Supplementary Figure S10. Full-length gels and immunoblots relating to Figure 2 are shown.

Supplementary Figure S11. Full-length gels and immunoblots relating to Figure 3 are shown.


Supplementary Figure S12. Full-length gels and immunoblots relating to Figure 4 are shown.

Supplementary Figure S13. Full-length gels and immunoblots relating to Figure 5 are shown.


Supplementary Figure S14. Full-length immunoblots relating to Figure 6 are shown.

Supplementary Figure S15. Full-length immunoblots relating to Supplementary Figures S1, S2 and S4 are shown.




Supplementary Figure S16. Full-length immunoblots relating to Supplementary Figures S7 and S8 are shown.





Supplementary Figure S2







HsCDC14A	1	MAAES---GELIGACEFMKDRLYFATLRNRPK-ST-VNTHYFSIDEELVYENFYADFGPLNLMVYRYCCKLNKKLKSYS	75
MmCDC14A	1	MAAES---GELIGACEFMKDRLYFATLRNRPK-ST-INIHYFSIDEELVYENFYADFGPLNLMVYRYCCKLNKKLKSYS	75
XlCDC14A	1	M--DN---QELISASEVIKDRLYFAILRNKPK-ST-LNTHYFCTDEEFVYENFYADFGPLNLAQLYRYCCKLNKKLKSFS	73
SpFlp1	1	MDYQDdglGEMI---EFLEDKLYYTSLSQPPKaElyPHMHFFTIDDELIYNPFYHDFGPLNVSHLIRFAVIVHIGMKHR	77
ScCDC14	1	MRRSVy-1DNTI---EFLRGRVYLGAIDYTPPE-DT-DELVFFTTVEDAIFYNSFHLDGFGPMNIGHLYRFAVIFHEILNDPE	74
T(110)			
HsCDC14A	76	LSR--KKIVHYTCFDQRKRANAFLIGAYAVIYLKKTPEEAYRALLSGSNPPYLPRDASFGNCTYNLTILDCLQGIRKG	153
MmCDC14A	76	LSR--KKIVHYTSFDQRKRANAFLIGAYAVIYLKKTPEEAYRALLSGSNPPYLPRDASFGNCTYNLTVLDCLQGIRKG	153
XlCDC14A	74	LSR--KKIVHYTSFEQRKRSNAGFLISAYAVIYLKKSPEEVYRALLSGSNAQYLPFRDASFGSCTYNLTILDCLQGIKA	151
SpFlp1	78	QAKksKAIVLYSSTDTRLRANAACLLACYMVLVQNWPPHLALAPLAQ-AEPPFLGFRDAGYAVSDYYITIQCVCYGLWRA	156
ScCDC14	75	NAN--KAVVFYSSASTRQRANAACMLCCYMLVQAWTPHQVLQPLAQ-VDPPFMPFRDAGYSNADFEITIQDVVYGVWRA	151
HsCDC14A	154	LQHGFDFDFTFDVDEYEHYERVENGFDFNWIVPGKFLAFSGP---HPKSKI-ENGYPLHAPEAY---FPYFKKHNVTAVVR	226
MmCDC14A	154	LQHGFDFDFTFDAEEYEHYERVENGFDFNWIVPGKFLAFSGP---HPKSKI-ENGYPLHAPEAY---FPYFKKNNVTIVR	226
XlCDC14A	152	LHFGFFNFENFDADAEEYEHYERVENGFDFNWIVPGKFLAFSGP---HPKSKI-ENGYPLHAPEAY---FPYFRKHNIRAVIR	224
SpFlp1	157	RESSILNIRNIDVHDYETYERVENGFDFNWISe-KFIAFASP---IQAGWNhASTRPKKLPQFFaivLDYFVANKVKLIVR	232
ScCDC14	152	KEKGLIDLHSFNLESYEKYEHVEFGDFNVLTTP-DFIAFASPqedHPKGYL--ATKSSHLNQPFksvLNFFANNNVQLVVR	228
T(254)			
HsCDC14A	227	LNKKIYEAKRFTDAGFEHYDLFFIDGSTPDSNIVRRFLNICEN-T--EGAIAVHCKAGLGRGTGLIACYVMKHYRFTHAE	303
MmCDC14A	227	LNKKIYEAKRFTDAGFEHYDLFFIDGSTPDSNIVRRFLNICEN-T--EGAIAVHCKAGLGRGTGLIACYVMKHYRFTHAE	303
XlCDC14A	225	LNKKIYDAKRFTDAGFDHYDLFFVDGSTPDSGIVRRFLNLNLEN-T--DGAIAVHCKAGLGRGTGLIACYIMKHYRFTHSE	301
SpFlp1	233	LNGPLYDKKTFENVGIRHKEMYFEDGTVPESLSVKEFIDLTEE-VeeDGVIAVHCKAGLGRGTGCLIGAYLYKHCFTANE	311
ScCDC14	229	LNSHLYNKKHFEDIGIQHLDLIFEDGTCPLDSIVKNFVGAETiikrGGKIAVHCKAGLGRGTGCLIGAHLIYTYGFTANE	308
HsCDC14A	304	IIAWIRICRPGSIIGPQQHFLEEKQASLWVQGDIFRSKLNKRPSESGSINKILSGLDDMSIGGNLSKTQNMERFGEDNLE	383
MmCDC14A	304	IIAWIRICRPGSIIGPQQHFLEEKQASLWVQGDIFRSKLNKRPSESGSITKIISTLDDMSIGANLSKLQSTERIGENNFE	383
XlCDC14A	302	TIAWIRTCRPGSIIGPQQHFLEEKQTLWLQGDHLRSNQKQFQSEDRAVSRILTDFEELSVSGRFSNNIYERDREQNNS	381
SpFlp1	312	VIAYMRIMRPGMVVGPQQHWHLHINQVHF--RAYFY-EKAMGRAIQQATAAEPLATPP-----	365
ScCDC14	309	CIGFLRFIRPGMVVGPQQHWHLYLHQNDF--REWKYTRISLKPSEAIIGLYPLISLEEY-----RLQKKKLLK	373
S(411) S(453)			
HsCDC14A	384	DDDVMKNGITQGDKLRLAKSQRQPRTSPSCAFRSD-DTKGHPRAVSQPFRL--SSSLQGSAVTLKTSKMLSPSATAKR	460
MmCDC14A	384	DEDMEIKNNVTQGDKLRLAKSQRHPRSSPSCAFRSD-DMKGHRAMAQTFRLL--SSSPQPTMSTMKTSKVCLSPSVTAKK	460
XlCDC14A	382	EDELHDSNGLTQGDKLRLAKSRHPRSATTTGALRLD-DVKLHTRSTSQQPFRVfaSNSTQGSMSPLKSSRVTSSTSAVGRR	460
SpFlp1	366	-----RHPLNATNGTSQSNiSTPLPEPTPGQPRKV--SGHNPPSARRLPSASSVVFNEKLKNA	421
ScCDC14	374	DDKRAQNNI-EGE-LRDLT--MTPPSNGHGALSAR-----NTSQPSTA-----NNGSNSFKSSAVPQTSPGQPRK	435
S(511)			
HsCDC14A	461	INRTSLSSGATVRSFSINSRLASSLGNLNAATDDPENKKTSSSSKAGFTASPFPTNLLNGSSQPTTRNYPELNNNQYNRSS	540
MmCDC14A	461	ISRGLSSGANIRSFSINSRLASSLGNLNAAGTEEPETKKTSLTKAAFIASPFTSFNLNGSTQTPGRNYPELNNNQYTRSS	540
XlCDC14A	461	VAQSPRSTNSKGGGFSANLRFAGSLGNLNSALEEIESTRPYTNRAISSQAVPSNLYHSHSRV--RSQGELNNNR----	533
SpFlp1	422	SKQSIQENKASYSSYEDSEIQNDDETRTVCTPTETISVVRLLRRSSQSNIENPGVRSPTSSPTGSPIRRSGNRWSSGS	501
ScCDC14	436	GQNGS-----NTIEDINNRRNPTSHANRKVVIESNNSDDESMQDTNGTNSNH----YPKVSRKKNDISS	494
S(549) ..T(590) ..			
HsCDC14A	541	NSN---[2]NLNSPPGPbSAKTEEHTTILRPSYTG-lSSSSARFLRSRIP[29]KFNSAKEAF	623
MmCDC14A	541	NSNSSSS[6]NLNSPPVPqSAKPEEHTTILRPSFPGslSSSSVRFLRSRIP	603
XlCDC14A	534	-----NQNPSTP-----KDMYGSFRPSYTG--LASSPRFLRSRIP	576
SpFlp1	502	SHSKKSA-QRSVMS-SLNNTSNGRVAKPKPSK-----SRLIS	537
ScCDC14	495	ASSSRME[1]--NEPSAT-NINNAAADTTILRQLLPK-----NRRVT[17]SIKK-----	551

a**b****c**













a**b**

1a








1b






3a




IB: Actin


3b



3c




3d




IB: Cdc14A


(kD) * * * * unrelated samples




IB: Cyclin B1




IB: Tyr15 (Cdk1)




IB: Cdk1




IB: pSer10(HH3)




IB: Actin

4b


IB:Cdc14A





IB:pSer(CDKs)

4dother
mutants





IB:Cdc14A




IB:Cdc14A


4e³²P

Coomassie


5a**5b****5c**

6b





IB: Cdc14A






IB: pSer (CDKs)



IB: Cyclin B1

S1b**S1e****S2****S4**

S7**S8a****S8b**