

Mitochondrial ribosomal proteins involved in tellurite resistance in yeast

Saccharomyces cerevisiae

Paola Pontieri¹, Hans Hartings², Marco Di Salvo³, Domenica R. Massardo¹, Mario De Stefano⁴,
Graziano Pizzolante⁵, Roberta Romano⁶, Jacopo Troisi⁷, Angelica Del Giudice⁸, Pietro Alifano³,
Luigi Del Giudice^{1*}

¹Istituto di Bioscienze e BioRisorse-UOS Portici-CNR c/o Dipartimento di Biologia, Sezione di Igiene, Via Mezzocannone 16, Napoli 80134, Italy; ²Consiglio per la ricerca in agricoltura e l'analisi dell'economia agraria, Via Stezzano 24, Bergamo 24126, Italy; ³Dipartimento di Scienze e Tecnologie Biologiche e Ambientali, Università del Salento, Lecce 73100, Italy; ⁴Department of Environmental Sciences, Second University of Naples, Via A. Vivaldi 43, Caserta 81100, Italy; ⁵ZooPlantLab, Department of Biotechnology and Biosciences, University of Milano-Bicocca, Piazza della Scienza 2, Milano 20126, Italy; ⁶Department of Civil, Chemical, Environmental and Materials Engineering (DICAM), University of Bologna, Via Terracini 28, Bologna 40131, Italy; ⁷Theoreo srl – Spin off of the University of Salerno, Via Salvatore Derenzi 50, Montecorvino Pugliano 84125 (SA) Italy; ⁸Amb di allergologia Osp Martini asl città di Torino, via Tofane 71, Torino 10171, Italy.

Email: Paola Pontieri: paola.pontieri@ibbr.cnr.it; Hans Hartings: hans.hartings@entecra.it; Marco Di Salvo: marco.disalvo@unisalento.it; Domenica Rita Massardo: dr.massardo@libero.it; Mario De Stefano: mario.destefano@unina2.it; Graziano Pizzolante: gpizzolante79@gmail.com; Roberta Romano: robertaro@libero.it; Jacopo Troisi: jacopo132@gmail.com; Angelica Del Giudice: angelica_delgiudice@libero.it; Pietro Alifano: pietro.alifano@unisalento.it; Luigi Del Giudice*: luigi.delgiudice@ibbr.cnr.it

*** Corresponding author**

Supplementary information file



Figure S1. Dropping test of resistance to tellurite of *Saccharomyces cerevisiae* strains. Plate A (YEG agar without tellurite), Plate B (YEG agar plus tellurite). Sc57-Te^R strain (I) and Sc57-Te^S strain (II).

K₂TeO₃ (μg/ml) 0 25 12.5 6.25 3.125 1.5625




Figure S2. Tellurite resistance test in microtiter plates. Indicated *Saccharomyces cerevisiae* strains were grown in non-fermentable YEG broth either in the absence or in the presence of increasing amounts of K₂TeO₃.