

Estrogen Prevents High Glucose-Induced β -cell Apoptosis by Decreased BTG2 Expression.

Authors: Suwattanee Kooptiwut¹, Suchada Kaewin¹, Namoiy Semprasert¹, Jatuporn Sujitjoon², Mutita Junking², Kanchana Suksri¹ and Pa-thai Yenchitsomanus²


Affiliations: ¹*Department of Physiology*, ²*Division of Molecular Medicine, Department of Research and Development, Faculty of Medicine, Siriraj Hospital, Mahidol University, Bangkok 10700, Thailand*

Address of corresponding author:


Suwattanee Kooptiwut, M.D., Ph.D.,
Department of Physiology, 2 Prannok,
Faculty of Medicine, Siriraj Hospital, Mahidol University,
Bangkok 10700, Thailand,
Tel: 66-2-419720; Fax: 66-2-4115009
Email addresses: siskw@mahidol.ac.th, S_kooptiwut@hotmail.com

Original blot figure (Figure 1B)

BTG₂ (17 kDa):




β-actin (43 kDa):




Supplement figure 1

Original blot figure (Figure 2B)

BTG₂ (17 kDa):





β -actin (43 kDa):



Supplement figure 2

Original blot figure (Figure 3A)


cleaved caspase 3 (12 kDa) BTG2 (17 kDa) and β -actin (43 kDa),:




Supplement figure 3

Original blot figure (Figure 4A)

BTG2 (17 kDa):




β -actin (43 kDa):




Supplement figure 4

Original blot figure (Figure 4D)

Bax (23 kDa):



β -actin (43 kDa):




Supplement figure 4

Original blot figure (Figure 5A)

P53 (53 kDa):




β -actin (43 kDa):




Supplement figure 5

Original blot figure (Figure 5B)

P53 (53 kDa):




β -actin (43 kDa):




Supplement figure 5

Original blot figure (Figure 5C)

Bax (23 kDa):



β -actin (43 kDa):



Supplement figure 5