

Anti-inflammatory and antioxidant effects of muscarinic acetylcholine receptor (mAChR) activation in the rat hippocampus.

Frinchi Monica¹§, Nuzzo Domenico²§, Scaduto Pietro¹, Di Carlo Marta², Massenti Maria F.³, Belluardo Natale¹§, Mudò Giuseppa^{1*}§.

¹Department of Experimental Biomedicine and Clinical Neurosciences, div. of Human Physiology, University of Palermo, 90134 Palermo, Italy

²Institute of Biomedicine and Molecular Immunology "Alberto Monroy" (IBIM), Consiglio Nazionale delle Ricerche (CNR), 90146 Palermo, Italy.


³Department of Sciences for Health Promotion and Mother and Child Care "Giuseppe D'Alessandro", University of Palermo, 90134, Palermo, Italy

§Co-first authors

§Co-senior authors,


*Corresponding author: Department of Experimental Biomedicine and Clinical Neurosciences, div. of Human Physiology, University of Palermo, Corso Tukory 129, 90134 Palermo, Italy. E-mail giuseppa.mudo@unipa.it

S1




Uncropped bands for data shown in fig 3

S2



Uncropped bands for data shown in fig 4

S3




Uncropped bands for data shown in fig 5

S4


B

SOD1: CRS - OXO



C

SOD2: CRS - OXO



Uncropped bands for data shown in fig 6