

Postmenopausal Osteoporosis reference genes for qPCR expression assays

Camilla Albertina Dantas de Lima^{1,2}; Suelen Cristina de Lima²; Alexandre Domingues Barbosa^{2,3}; Paula Sandrin-Garcia, P^{1,2}; Will de Barros Pita⁴; Jaqueline de Azevêdo Silva^{1,2*§} and Sergio Crovella^{5,6§}

1 – Department of Genetics - Federal University of Pernambuco, Av. da Engenharia, s/n, Cidade Universitária, 50740-580, Recife - PE, Brazil.

2 – Laboratory of Immunopathology Keizo Asami – Federal University of Pernambuco, Av. Professor Moraes Rego, s/n, Cidade Universitária, 50670-901, Recife - PE, Brazil.

3 - Division of Rheumatology, Clinical Hospital, Federal University of Pernambuco, Av. Professor Moraes Rego, s/n, Cidade Universitária, 50670-901, Recife - PE, Brazil.

4 – Department of Antibiotics - Federal University of Pernambuco, Av. dos Economistas, s/n, Cidade Universitária, 52171-011, Recife - PE, Brazil.

5 – Institute for Maternal and Child Health, IRCCS Burlo Garofolo , Trieste , Italy.

6 –Department of Medical, Surgical and Health Sciences, University of Trieste, Trieste , Italy.

***Corresponding Author:** Jaqueline.azevedo@ufpe.br

§SC and JAS equally contributed to this manuscript.


ORCID: 0000-0003-0320-3674

[Phone number: +55 81 21267220](tel:+558121267220)

Short Title: Reference Genes for Osteoporosis studies

Supplementary material

SM.1 Melting curves of the candidate reference and target gene. The melting curves of the ACTB and 18S genes are not shown given that these genes were studied by Taqman probes.



SM 2. Cq values means of the candidate reference genes expressed in OP patients and healthy group.

	<i>G6PD</i>	<i>B2M</i>	<i>GUSB</i>	<i>HSP90</i>	<i>EF1A</i>	<i>RPLP0</i>	<i>GAPDH</i>	<i>ACTB</i>	<i>18S</i>	<i>HPRT1</i>
OP Patients	30.110	23.160	22.628	21.246	18.991	21.769	21.361	30.567	21.877	23.798
Healthy Control	33.741	27.142	26.305	22.871	23.639	25.732	25.320	37.285	25.656	28.868