

## **Surgical fat removal exacerbates metabolic disorders but not atherogenesis in LDLR<sup>-/-</sup> mice fed on high-fat diet**

**Lin Liu<sup>1</sup>, Chenxi Liang<sup>1</sup>, Xiaowei Wang<sup>1</sup>, Xiayu Ding<sup>1</sup>, Yingjing Lu<sup>1</sup>, Jinghui Dong<sup>2</sup>, Mei Han<sup>3</sup>, Hongyuan Yang<sup>4</sup>, Mingming Gao<sup>1,\*</sup>, Jiawei Liao<sup>5,\*</sup>**

<sup>1</sup> Laboratory of Lipid Metabolism, Institute of Basic Medicine, Hebei Medical University, Shijiazhuang, Hebei 050017, China

<sup>2</sup> Department of Physiology, Hebei Medical University, Shijiazhuang, Hebei 050017, China

<sup>3</sup> Department of Biochemistry and Molecular Biology, College of Basic Medicine, Key Laboratory of Medical Biotechnology of Hebei Province, Hebei Medical University, Shijiazhuang, Hebei 050017, China

<sup>4</sup> School of Biotechnology and Biomolecular Sciences, the University of New South Wales, Sydney, NSW, 2052, Australia

<sup>5</sup> Department of Cardiology, Institute of Cardiovascular Diseases, First Affiliated Hospital of Dalian Medical University, Dalian, Liaoning 116011, China.

\*To whom correspondence should be addressed. Email: g.m0515@163.com, liaojiawei@bjmu.edu.cn,

Tel: +86-311-86261102; Fax: +86-311-86261102.

Figure 2f




Figure 2g




Figure 4i




Figure 4j

