

Follicle-stimulating hormone promotes the proliferation of epithelial ovarian cancer cells by activating sphingosine kinase

Keqi Song^{1, 2¶}, Lan Dai^{1, 2¶*}, Xiaoran Long^{1, 2¶}, Wenjing Wang^{1, 2}, Wen Di^{1, 2, 3*}

¹Department of Obstetrics and Gynecology, Ren Ji Hospital, School of Medicine, Shanghai Jiao Tong University, Shanghai 200127, China

²Shanghai Key Laboratory of Gynecologic Oncology, Shanghai 200127, China

³State Key Laboratory of Oncogene and Related Genes, Shanghai Cancer Institute, Ren Ji Hospital, School of Medicine, Shanghai Jiao Tong University, Shanghai 200127, China

*Corresponding authors:

E-mail: delta496@126.com (LD)

E-mail: diwen163@163.com (WD)

¶These authors contributed equally to this work.




Fig S1 Full length western blot of Figure 3A

FSH (mIU/ml)




Fig S2 Full length western blot of Figure 3B




Fig S3 Full length western blot of Figure 4A




Fig S4 Full length western blot of Figure 4B




Fig S5 Full length western blot of Figure 5B




Fig S6 Full length western blot of Figure 5D




Fig S7 Full length western blot of Figure 5F





Fig S8 Full length western blot of Figure 6B




Fig S9 Full length western blot of Figure 6D




Fig S10 Full length western blot of Figure 6F




Fig S11 Full length western blot of Figure 7B




Fig S12 Full length western blot of Figure 7C




Fig S13 Full length western blot of Figure 7D