

Raw Data of Gel blots

Raw Data of figures below are shown in order. All blots were captured with full resolution mode of FUSION Solo S (Vilber Lourmat, Collégien, France) .

Fig. S1




Fig. S1 Full-length images of the immunoblots in Fig. 1A. Black dot line boxes indicate the cropped images used in Fig. 1A.

Fig. S2




Fig. S2. Full-length images of the immunoblots in Fig. 1C. Black dot line boxes indicate the cropped images used in Fig. 1C.

Fig. S3




Fig. S3. Full-length images of the immunoblots in Fig. 1D. Black dot line boxes indicate the cropped images used in Fig. 1D.

Fig. S4






Fig. S4. Full-length images of the immunoblots in Fig. 1D. Black dot line boxes indicate the cropped images used in Fig. 1D.

Fig. S5

Rubicon



LC3-I, LC3-II



Beta actin






Fig. S5. Full-length images of the immunoblots in Fig. 1F. Black dot line boxes indicate the cropped images used in Fig. 1F.

Fig. S6


Rubicon



NS5A



LC3-I, LC3-II



Beta actin




Fig. S6. Full-length images of the immunoblots in Fig. 2A. Black dot line boxes indicate the cropped images used in Fig. 2A.

Fig. S7




Fig. S7. Full-length images of the immunoblots in Fig. 2D. Black dot line boxes indicate the cropped images used in Fig. 2D.

Fig. S8




Fig. S8. Full-length images of the immunoblots in Fig. 2E. Black dot line boxes indicate the cropped images used in Fig. 2E.

Fig. S9





Fig. S9. Full-length images of the immunoblots in Fig. 3A. Black dot line boxes indicate the cropped images used in Fig. 3A.



Fig. S10

Rubicon




ATG7

NS5A



LC3-I, LC3-II



Beta actin





Fig. S10. Full-length images of the immunoblots in Fig. 3C. Black dot line boxes indicate the cropped images used in Fig. 3C.

Fig. S11

LC3-I, LC3-II



Beta actin




Fig. S11. Full-length images of the immunoblots in Sup Figure 1B. Black dot line boxes indicate the cropped images used in Sup Figure 1B.

Fig. S12






Fig. S11. Full-length images of the immunoblots in Sup Figure 1C. Black dot line boxes indicate the cropped images used in Sup Figure 1C.

Fig. S13

NS5A



LC3-I, LC3-II



Beta actin




Fig. S13. Full-length images of the immunoblots in Sup Figure 3A. Black dot line boxes indicate the cropped images used in Sup Figure 3A.

Fig. S14





Fig. S14. Full-length images of the immunoblots in Sup Figure 4A. Black dot line boxes indicate the cropped images used in Sup Figure 4A.

Fig. S15

Rubicon



LC3-I, LC3-II



Beta actin




Fig. S15. Full-length images of the immunoblots in Sup Figure 4B. Black dot line boxes indicate the cropped images used in Sup Figure 4B.

Fig. S16




Fig. S16. Full-length images of the immunoblots in Sup Figure 4C. Black dot line boxes indicate the cropped images used in Sup Figure 4C.