

Stroke promotes the development of brain atrophy and delayed cell death in hypertensive rats: relevance to cognitive and psychological outcomes

Mohammed A. Sayed^{1,2}, Wael Eldahshan^{1,2}, Mahmoud Abdelbary³, Bindu Pillai^{1,2}, Waleed Althomali^{1,2}, Maribeth H. Johnson⁴, Ali S. Arbab⁵, Advije Ergul^{6,7}, and Susan C. Fagan* ^{1,2}

¹Clinical and Experimental Therapeutics, College of Pharmacy, University of Georgia, Augusta, GA; ²Charlie Norwood VA Medical Center, Augusta, GA; ³Department of Physiology, Medical College of Georgia, Augusta, GA; ⁴Department of Neuroscience and Regenerative Medicine, Augusta, GA; ⁵Georgia Cancer Center, Augusta, GA; ⁶Department of Pathology and Laboratory Medicine, Medical University of South Carolina, Charleston, SC; and ⁷Ralph H. Johnson VA Medical Center, Charleston, SC

Corresponding Author: Susan C. Fagan, Pharm.D., FAHA

914 New Baillie Street, HM Building Room 116, Augusta, GA 30901


Tel.: 706-721-0130 Email: sfagan@uga.edu

Short Title: Hypertension and Post-Stroke Cognitive Impairment


Manuscript Word Count: 5998

Total Number of Figures: 7


Supplementary Figure 1



Supplementary Figure 2



Supplementary Figure 3



Supplementary Figure 4

