

LECT2 as a hepatokine links liver steatosis to inflammation via activating tissue macrophages in NASH

Noboru Takata^{1, 2}, Kiyo-aki Ishii⁷, Hiroaki Takayama^{1, 6}, Mayumi Nagashimada³, Kyoko Kamoshita¹, Takeo Tanaka¹, Akihiro Kikuchi¹, Yumie Takeshita¹, Yukako Matsumoto¹, Tsuguhito Ota¹, Yasuhiko Yamamoto⁴, Satoshi Yamagoe⁵, Akihiro Seki², Yoshio Sakai², Shuichi Kaneko², Toshinari Takamura¹

¹ Department of Endocrinology and Metabolism, Kanazawa University Graduate School of Medical Sciences, Kanazawa, Ishikawa 920-8640, Japan

² Department of Gastroenterology, Kanazawa University Graduate School of Medical Sciences, Kanazawa, Ishikawa 920-8640, Japan

³ Technology Department of Clinical Laboratory Science, Kanazawa University Graduate school of Medical Science and Technology, Kanazawa, Ishikawa 920-0942, Japan

⁴ Department of Biochemistry and Molecular Vascular Biology, Kanazawa University Graduate School of Medical Science, Kanazawa, Ishikawa 920-8640, Japan

⁵ Department of Chemotherapy and Mycoses, National Institute of Infectious Diseases, Shinjuku-ku, Tokyo 162-8640, Japan

⁶ Life Sciences Division, Engineering and Technology Department, Kanazawa University, Kanazawa, Ishikawa 920-8640, Japan

⁷ Department of Integrative Medicine for Longevity, Kanazawa University Graduate

School of Medical Sciences, Kanazawa, Ishikawa 920-8640, Japan

Keywords: c-Jun N-terminal kinase, lipopolysaccharide, liver inflammation, nonalcoholic fatty liver disease, obesity,

List of abbreviations: NAFLD, nonalcoholic fatty liver disease; NASH, nonalcoholic steatohepatitis; LECT2, Leukocyte cell-derived chemotaxin 2; M, male; F, female; ALT, alanine transaminase; AMPK, adenosine monophosphate-activated protein kinase

Corresponding author: Toshinari Takamura, MD, PhD

Email: ttakamura@med.kanazawa-u.ac.jp

ORCID ID: <https://orcid.org/0000-0002-4393-3244>

Department of Endocrinology and Metabolism, Kanazawa University Graduate School of Medical Sciences, Kanazawa, Japan, 920-8640, Japan

Tel: 81-76-265-2711; Fax: 81-76-234-4214

Supplementary Information


Supplementary Figure S1

Supplementary Fig. S1 (A) Western blot analysis of JNK, ERK and p38

phosphorylation in KUP5. The cells were treated with LPS and LECT2 protein for 30 minutes with or without polymyxin B. (B) Western blot analysis of MKK4 and TAB2 phosphorylation in KUP5. The cells were treated with LPS and LECT2 protein for 30 minutes with or without polymyxin B.

Supplementary Fig. 1

(A)



(B)

