

Analysis of Potential Regulatory LncRNAs and CircRNAs in the Oxidative Myofiber and Glycolytic Myofiber of Chickens

Xiaojun Ju¹, Yifan Liu², Yanju Shan², Gaige Ji², Ming Zhang², Yunjie Tu², Jianmin Zou², Xingyong Chen¹, Zhaoyu Geng^{1,*}, Jingting Shu^{2,*}

¹College of Animal Science and Technology, Anhui Agricultural University, Hefei230036, Anhui, China.

²Key Laboratory for Poultry Genetics and Breeding of Jiangsu Province, Poultry Institute, Chinese Academy of Agricultural Sciences, Yangzhou 225125, Jiangsu, China.

Correspondence and requests for materials should be addressed to J.S or Z.G. (email: shujingting@163.com, gzy@ahau.edu.cn)

Supplementary Information

Supplementary Tables


Supplementary Table S1. Details of differentially expressed lncRNAs.

Supplementary Table S2. Details of differentially expressed circRNAs.

Supplementary Table S3. The interaction between DE-lncRNAs and DE-miRNAs.

Supplementary Table S4. The interaction between DE-circRNAs and DE-miRNAs.

Supplementary Figure
Supplementary Fig. S1



Supplementary Fig. S1. Interactions between DE-lncRNAs and DE-gene. Genes are shown in circular, lncRNA are shown in triangle. RNA exhibiting up-regulation are shown in red, whereas RNA exhibiting down-regulation are blue in green.