

Molecular characterization of multidrug resistant *Enterobacterales* strains isolated from liver and kidney transplant recipients in Spain

Marta Fernández-Martínez^{*1,2}, Claudia González-Rico^{2,3}, Mónica Gozalo-Margüello^{1,2}, Francesc Marco⁴, Irene Gracia-Ahufinger^{5,6}, Maitane Aranzamendi⁷, Ana M Sánchez-Díaz⁸, Teresa Vicente-Rangel⁹, Fernando Chaves¹⁰, Jorge Calvo Montes^{1,2}, Luis Martínez-Martínez^{*5,6,11} and Maria Carmen Fariñas^{*2,3} for the EN THERE Study Group, for the Group for Study of Infection in Transplantation of the Spanish Society of Infectious Diseases and Clinical Microbiology (GESITRA-SEIMC) and the Spanish Network for Research in Infectious Diseases (REIPI).

1-Servicio de Microbiología, Hospital. Universitario Marqués de Valdecilla, Santander, Spain.

2-Instituto de Investigación Valdecilla (IDIVAL), Santander, Spain

3-Servicio de Enfermedades Infecciosas. Hospital Universitario Marqués de Valdecilla, Santander, Spain.

4-Servicio de Microbiología, Centro Diagnóstico Biomédico, Hospital Clínic. ISGlobal, Universidad de Barcelona, Barcelona, Spain

5-Unidad de Microbiología, Hospital Universitario Reina Sofía, Córdoba, Spain.

6-Instituto Maimónides de Investigación Biomédica de Córdoba (IMIBIC).

7-Servicio de Microbiología, Hospital Universitario de Cruces, Baracaldo, Vizcaya, Spain.and Instituto de Investigación Sanitaria Biocruces.

8-Servicio de Microbiología, Hospital Universitario Ramón y Cajal, Madrid, Spain.

9-Servicio de Microbiología Clínica y Enfermedades Infecciosas, Hospital General Universitario Gregorio Marañón, Madrid, Spain


10-Servicio de Microbiología, Hospital Universitario 12 de Octubre, Madrid, Spain.

11-Departamento of Microbiología, Universidad de Córdoba, Spain.


*Corresponding authors

Marta Fernández Martínez, Claudia González-Rico, Luis Martínez-Martínez and Maria Carmen Fariñas contributed equally to this manuscript


Supplementary Figure 1. Dendrogram showing PFGE patterns obtained in 127 *E. coli* isolated from patients with kidney, liver or combined kidney/pancreas transplant.



Supplementary Figure 2. Dendrogram showing PFGE patterns obtained in 99 *K. pneumoniae* isolated from patients with kidney, liver or combined kidney/pancreas transplant.



Supplementary Figure 3. Dendrogram showing PFGE patterns obtained in 24 *E. cloacae* isolated from patients with kidney, liver or combined kidney/pancreas transplant.



Supplementary Figure 4. Dendrogram showing PFGE patterns obtained in 22 *C. freundii* isolated from patients with kidney, liver or combined kidney/pancreas transplant.

