

Additional partial hepatectomy at the time of portal vein ligation accelerates the regeneration of the future liver remnant

Chuanfeng Hua, *MS*^{a*} Weiwei Wei, *MD*^{a*} Tianjiao Zhang, *MD*^b Fengming Xu, *MS*^a Olaf Dirsch, *PhD*^c André Homeyer, *PhD*^d Utz Settmacher, *MD*^a Uta Dahmen, *MD*^{a#}

^a Department of General, Visceral and Vascular Surgery, Jena University Hospital, Jena, Germany

^b Department of Radiotherapy and Radiation Oncology, Jena University Hospital, Jena, Germany

^c Institute of Pathology, Klinikum Chemnitz gGmbH, Chemnitz, Germany

^d Fraunhofer Institute for Digital Medicine MEVIS, Bremen, Germany

* These authors contributed equally to this work.

Corresponding author

E-mail: Uta.Dahmen@med.uni-jena.de Tel.: 03641-9325350 Fax: 03641-9325352


Article type: Original research

Supplementary information for blots in **Figure 4**


Blots order

Blots	1	2	3	4	5	6	7	8	9	10
Experiment groups	70%PVL+20%PHx			20%PVL+70%PHx			90%PVL			Normal
Observation time	POD1	POD2	POD3	POD1	POD2	POD3	POD1	POD2	POD3	-


Supplementary figure 1. LC3_cropped part shown in Figure 4




Supplementary figure 2. GAPDH of LC3_cropped part shown in Figure 4



Supplementary figure 3. p-mTOR and mTOR_cropped part shown in Figure 4




Supplementary figure 4. GAPDH of mTOR and p-mTOR_cropped part shown in Figure 4




Replicates of blots_not shown in the manuscript


Supplementary figure 5. LC3 replicate2




Supplementary figure 6. LC3 replicate3



Supplementary figure7. mTOR and p-mTOR replicate2



Supplementary figure 8. mTOR replicate3



Supplementary figure 9. P-mTOR replicate2

