

**Symptoms Associated with Healthcare Resource Utilization
in the Setting of Inflammatory Bowel Disease**

Kaleb Bogale, M.D., Parth Maheshwari, M.D., Mitchell Kang, M.D., Venkata Subhash
Gorrepati, M.D., M.P.H., Shannon Dalessio, M.A., Vonn Walter, Ph.D., August Stuart,
M.S., Walter Koltun, M.D., Nana Bernasko, D.N.P., Andrew Tinsley, M.D., Emmanuelle
D. Williams, M.D., Kofi Clarke, M.D., Matthew D. Coates, M.D., Ph.D.

Variable	Odds Ratio	95% Confidence Limits		P Value
Abdominal Pain	1.99	1.20	3.21	0.008
Rectal Bleeding	1.38	0.79	2.41	0.254
Opioid Use	2.35	0.93	5.92	0.071
Steroid Use	1.77	0.80	3.92	0.162

Supplemental Table 1. Multivariable Logistic Regression, Healthcare Resource Utilization in Crohn’s Disease

Variable	Odds Ratio	95% Confidence Limits		P Value
Age (per 1-year increase)	1.01	0.98	1.03	0.689
Moderate or Severe Inflammation (on endoscopic evaluation)	1.37	0.60	3.15	0.458
Biologic Use	2.62	1.01	6.82	0.049
Mesalamine Use	0.47	0.20	1.08	0.075
NSAID Use	0.19	0.07	0.54	0.002
Anxiety or Depression	1.46	0.63	3.40	0.383
Fatigue	9.48	2.63	34.23	<0.001
Abdominal Pain	0.74	0.28	1.97	0.551

Supplemental Table 2. Multivariable Logistic Regression Model, Healthcare Resource Utilization in Ulcerative Colitis