

IL-1 β neutralization prevents diastolic dysfunction development, but lacks hepatoprotective effect in an aged mouse model of NASH

Dániel Kucsera, PharmD^{1,2,3}, Viktória E. Tóth, PharmD, PhD^{1,2,3}, Nabil V. Sayour, MD^{1,2,3}, Tamás Kovács, MSc^{1,2,3}, Tamás Gergely, MD^{1,2,3}, Mihály Ruppert, MD, PhD⁴, Tamás Radovits, MD, PhD⁴, Alexandra Fábián, MD⁴, Attila Kovács, MD, PhD⁴, Béla Merkely, MD, PhD⁴, Péter Ferdinandy, MD, PhD^{1,5}, Zoltán V. Varga, MD, PhD^{1,2,3}

¹Department of Pharmacology and Pharmacotherapy, Semmelweis University, Budapest, Hungary;

²HCEMM-SE Cardiometabolic Immunology Research Group, Semmelweis University, Budapest, Hungary;

³MTA-SE Momentum Cardio-Oncology and Cardioimmunology Research Group, Semmelweis University, Budapest, Hungary;

⁴Heart and Vascular Center, Semmelweis University, Budapest, Hungary;

⁵Pharmahungary Group, Szeged, Hungary.

Corresponding author: Zoltán V. Varga (varga.zoltan@med.semmelweis-univ.hu)

Gene name	Accession number	Forward primer	Reverse primer	Product size (bp)
<i>Il1b</i>	NM_008361.4	GCACTACAGGCTCCGAGATGAAC	TTGTCGTTGCTTGGTTCTCCTTGT	147
<i>Pdcd1 (PD-1)</i>	NM_008798.2	CAAGGACGACACTCTGAAGGAG	TCTTCTCTCGTCCCTGGAAGT	89
<i>Ctla4</i>	NM_009843.4	CCATGCCCCGGATTCTGACTT	GGACTTCTTTTCTTTAGCATCTTGC	119
<i>CD274 (PD-L1)</i>	NM_021893.3	CAGCAACTTCAGGGGGAGAG	TTTTGCGGTATGGGGCATTG	176
<i>Myc</i>	NM_010849.4	GTCTTCCCTACCCGCTCAA	TCTTCTTGCTCTTCTTCAGAGTCG	191
<i>Gpc3</i>	NM_016697.3	CCAGATCATTGACAAACTGAAGCA	CGCAGTCTCCACTTTCAAGTCC	116
<i>Mki67</i>	NM_001081117.2	GACAGCTTCCAAAGCTCACC	TGTGTCCCTTAGCTGCCTCCT	230
<i>Afp</i>	NM_007423.4	TGGTTACACGAGGAAAGCCC	AATGTCGGCCATTCCCTCAC	139
<i>Pcna</i>	NM_011045.2	AGATGTGCCCCTTGTTGTAGAG	TGGCATCTCAGGAGCAATCTT	148
<i>Tnfa</i>	NM_013693.3	TACTGAACTTCGGGGTGATTGGTCC	CAGCCTTGTCCTTGAAGAGAACC	295
<i>Ifng</i>	NM_008337.4	CGGCACAGTCATTGAAAGCC	TGCATCCTTTTTTCGCCTTGC	268
<i>Tgfb</i>	NM_021578.2	GACCGCAACAACGCAATCTA	ACCAAGGTAACGCCAGGAAT	207
<i>Ccl2</i>	NM_011333.3	ACCTGCTGCTACTCATTACC	CTCTTGAGCTTGGTGACAAAACTA	119
<i>CD80</i>	NM_001359898.1	TTTAGCATCTGCCGGGTGGA	CCCCGGTCTGAAAGGACCAG	488
<i>CD163</i>	NM_001170395.1	GCCTCTGCTGTCACTAACGC	AGATCCATCTGAGCAGGTCCT	354
<i>CD169 (SIGLEC1)</i>	NM_011426.3	ACTATCCAGGAGGAAGTGTTGC	ACCAGGCCAGGAGGGAAAAC	433
<i>Nos2</i>	NM_010927.4	AGGGACTGAGCTGTTAGAGACA	GTCATCTTGTATTGTTGGGCTGAG	259
<i>Ccn2 (Ctgf)</i>	NM_010217.2	AGCGGTGAGTCCTTCCAAAG	TTCCAGTCGGTAGGCAGCTA	222
<i>Col1a1</i>	NM_007742.4	TCTCCACTCTTCTAGTTCCT	TTGGGTCATTTCACATGC	226
<i>Col3a1</i>	NM_009930.2	GCTCGAGGCAATGATGGT	ACCCTGCAGGTCCAACCTC	118
<i>Ppia</i>	NM_008907.2	TATCTGCACTGCCAAGACTGAGTG	CTTCTTGCTGGTCTTGCCATTCC	127

Supplementary table 3. - Primer list

Primer sequences (5'→3'), accession number, and product size are shown for the genes used in qRT-PCR analyses.