



U753246\$21




MaxPeak: 92.21%
Ret_Time: 0.760 min




Mol Wt 373.29
Exact Mass 372.13

#	Time	Area%
1	0.760	92.21
2	1.005	2.75
3	1.046	3.09
4	1.125	1.95


DAD1 A, Sig=215,16 Ref=off (D:\DATA\03\17\L346697D\014-D1F-B1-U753246\$21.D)




DAD1 B, Sig=254,16 Ref=off (D:\DATA\03\17\L346697D\014-D1F-B1-U753246\$21.D)




MSD1 TIC, MS File (D:\DATA\03\17\L346697D\014-D1F-B1-U753246\$21.D) ES-API, Scan, Frag: 100, "POS"



MSD2 TIC, MS File (D:\DATA\03\17\L346697D\014-D1F-B1-U753246\$21.D) ES-API, Scan, Frag: 100, "NEG"




ADC1 A, ADC1A, ELSD (D:\DATA\03\17\L346697D\014-D1F-B1-U753246\$21.D)




RT 0.783

*MSD1 SPC, time=0.786 of D:\DATA\03\17\L346697D\014-D1F-B1-U753246\$21.D ES-API, Scan, Frag: 100, "POS"




RT 1.058

*MSD1 SPC, time=1.061 of D:\DATA\03\17\L346697D\014-D1F-B1-U753246\$21.D ES-API, Scan, Frag: 100, "POS"




RT 0.782

*MSD2 SPC, time=0.782 of D:\DATA\03\17\L346697D\014-D1F-B1-U753246\$21.D ES-API, Scan, Frag: 100, "NEG"



RT 1.041

*MSD2 SPC, time=1.041 of D:\DATA\03\17\L346697D\014-D1F-B1-U753246\$21.D ES-API, Scan, Frag: 100, "NEG"



RT 1.149

