



W537261\$1




MaxPeak: 94.82%
Ret_Time: 1.212 min




Mol Wt 391.61
Exact Mass 391.96

#	Time	Area%
1	0.791	1.89
2	1.212	94.82
3	1.416	3.29


DAD1 A, Sig=215,16 Ref=off (D:\DATE\0930\L420201D\SAMPL000043.D)




DAD1 B, Sig=254,16 Ref=off (D:\DATE\0930\L420201D\SAMPL000043.D)




MSD1 TIC, MS File (D:\DATE\0930\L420201D\SAMPL000043.D) ES-API, Scan, Frag: 100, "POS"




MSD2 TIC, MS File (D:\DATE\0930\L420201D\SAMPL000043.D) ES-API, Scan, Frag: 100, "NEG"



MSD3 TIC, MS File (D:\DATE\0930\L420201D\SAMPL000043.D) ES-API, SIM, Frag: 100, "POS-MW"




ADC1 A, ELSD (D:\DATE\0930\L420201D\SAMPL000043.D)




RT 0.802

*MSD1 SPC, time=0.801 of D:\DATE\0930\L420201D\SAMPL000043.D ES-API, Scan, Frag: 100, "POS"




RT 1.237

*MSD1 SPC, time=1.238 of D:\DATE\0930\L420201D\SAMPL000043.D ES-API, Scan, Frag: 100, "POS"




RT 1.442

*MSD1 SPC, time=1.442 of D:\DATE\0930\L420201D\SAMPL000043.D ES-API, Scan, Frag: 100, "POS"



RT 1.240

*MSD2 SPC, time=1.240 of D:\DATE\0930\L420201D\SAMPL000043.D ES-API, Scan, Frag: 100, "NEG"



RT 1.236

