



W537250\$1




MaxPeak: 93.21%
Ret_Time: 0.522 min




Mol Wt 306.4
Exact Mass 306.22

#	Time	Area%
1	0.522	93.21
2	0.549	3.25
3	0.611	1.23
4	0.897	2.31


DAD1 A, Sig=215,16 Ref=off (D:\DATE\0929\L419446D\018-D2F-C1-W537250\$1.D)




DAD1 B, Sig=254,16 Ref=off (D:\DATE\0929\L419446D\018-D2F-C1-W537250\$1.D)




MSD1 TIC, MS File (D:\DATE\0929\L419446D\018-D2F-C1-W537250\$1.D) ES-API, Fast Scan, Frag: 100, "POS"



MSD2 TIC, MS File (D:\DATE\0929\L419446D\018-D2F-C1-W537250\$1.D) ES-API, Fast Scan, Frag: 100, "NEG"




ELS1 A, ELS1A, ELSD Signal (D:\DATE\0929\L419446D\018-D2F-C1-W537250\$1.D)




RT 0.539

*MSD1 SPC, time=0.534 of D:\DATE\0929\L419446D\018-D2F-C1-W537250\$1.D ES-API, Fast Scan, Frag: 100, "POS"




RT 0.910

*MSD1 SPC, time=0.908 of D:\DATE\0929\L419446D\018-D2F-C1-W537250\$1.D ES-API, Fast Scan, Frag: 100, "POS"



RT 0.535

*MSD2 SPC, time=0.540 of D:\DATE\0929\L419446D\018-D2F-C1-W537250\$1.D ES-API, Fast Scan, Frag: 100, "NEG"



RT 0.622

*MSD2 SPC, time=0.622 of D:\DATE\0929\L419446D\018-D2F-C1-W537250\$1.D ES-API, Fast Scan, Frag: 100, "NEG"

