



Figure S1.


Visualization of the results of Mendelian randomization analysis and sensitivity analysis of the eight co-expressed genes



MR Method


- Inverse variance weighted
- MR Egger






MR Test


- Inverse variance weighted
- MR Egger
- Simple mode
- Weighted median
- Weighted mode






MR Method


- Inverse variance weighted
- MR Egger






MR Test


- Inverse variance weighted
- MR Egger
- Simple mode
- Weighted median
- Weighted mode








MR Method


- Inverse variance weighted
- MR Egger






MR Test








MR Method


- Inverse variance weighted
- MR Egger






MR Test








MR Method


- Inverse variance weighted
- MR Egger







MR Test





MR Method



rs72895725

rs72895718

rs11570034


All

0.0

0.2


0.4


MR leave-one-out sensitivity analysis for
'SPI1' on 'glioma'



MR Test


- Inverse variance weighted
- MR Egger
- Simple mode
- Weighted median
- Weighted mode






MR Method


- Inverse variance weighted
- MR Egger








MR Test


- Inverse variance weighted
- MR Egger
- Simple mode
- Weighted median
- Weighted mode





MR Method





MR Test

- Inverse variance weighted
- MR Egger
- Simple mode
- Weighted median
- Weighted mode

