







Maclurin-3-C-6''-O-hydrocinnamyl glucoside (1)




Maclurin-3-C-6''-O-p-coumaroyl glucoside (5)




6-hydroxy benzophenone-2-O-(2''),3-C-(1'')-1'-
desoxy-fructofuranoside (2)




6-methoxy-4'-ethoxy-benzophenone-3-C-glucoside (28)




4-Methyl-4'-ethoxybenzophenone-2-O-(2''),3-C-(1'')-1''-desoxy-fructofuranoside (30)




4-Ethyl-4'-ethoxybenzophenone-2-O-(2''),3-C-(1'')-1''-desoxy-fructofuranoside (31)




iriflophenone-3-C-6''-O-hydrocinnamyl glucoside (11)




2,4,5,6-tetrahydroxy-4'-ethyl-benzophenone-3-C-glucoside (8)




2, 3',4,5,6-pentahydroxy-4'-methoxy-benzophenone-3-C-glucoside (32)



4'-pentadienyloxy benzophenone-3-O-glucoside (21)



7-(2,2,3-trihydroxy-3-methyl butyryl)-9-(3'-acetylechimidinyl) retronecine (4)



7-(2-methyl-2-methoxy butyryl)-9-echimidinyl retronecine (9)