

In the format provided by the authors and unedited.

Innovation can accelerate the transition towards a sustainable food system

Mario Herrero¹✉, Philip K. Thornton², Daniel Mason-D'Croz¹, Jeda Palmer¹, Tim G. Benton³, Benjamin L. Bodirsky⁴, Jessica R. Bogard¹, Andrew Hall¹, Bernice Lee³, Karine Nyborg⁵, Prajal Pradhan⁴, Graham D. Bonnett¹, Brett A. Bryan⁶, Bruce M. Campbell^{7,8}, Svend Christensen⁷, Michael Clark⁹, Mathew T. Cook¹, Imke J. M. de Boer¹⁰, Chris Downs¹, Kanar Dizyee¹, Christian Folberth¹¹, Cecile M. Godde¹, James S. Gerber¹², Michael Grundy¹, Petr Havlik¹¹, Andrew Jarvis⁸, Richard King¹³, Ana Maria Loboguerrero¹⁴, Mauricio A. Lopes¹¹, C. Lynne McIntyre¹, Rosamond Naylor¹³, Javier Navarro¹, Michael Obersteiner¹¹, Alejandro Parodi¹⁰, Mark B. Peoples¹, Ilje Pikaar^{14,15}, Alexander Popp⁴, Johan Rockström^{4,16}, Michael J. Robertson¹, Pete Smith¹⁷, Elke Stehfest¹⁸, Steve M. Swain¹, Hugo Valin¹¹, Mark van Wijk¹⁹, Hannah H. E. van Zanten¹⁰, Sonja Vermeulen^{3,20}, Joost Vervoort²¹ and Paul C. West¹²

¹Commonwealth Scientific and Industrial Research Organisation, Australia. ²CGIAR Research Programme on Climate Change, Agriculture and Food Security, International Livestock Research Institute, Nairobi, Kenya. ³The Royal Institute for International Affairs, Chatham House, London, UK. ⁴Potsdam Institute for Climate Impact Research (PIK), Member of the Leibniz Association, Potsdam, Germany. ⁵Department of Economics, University of Oslo, Oslo, Norway. ⁶Centre for Integrative Ecology, School of Life and Environmental Sciences, Deakin University, Burwood, Victoria, Australia. ⁷Department of Plant and Environmental Sciences, University of Copenhagen, Frederiksberg, Denmark. ⁸CGIAR Research Programme on Climate Change, Agriculture and Food Security, International Center for Tropical Agriculture, Cali, Colombia. ⁹Livestock, Environment and People, University of Oxford, Oxford, UK. ¹⁰Animal Production Systems group, Wageningen University and Research, Wageningen, the Netherlands. ¹¹International Institute for Applied Systems Analysis, Laxenburg, Austria. ¹²Institute on the Environment, University of Minnesota, St Paul, USA. ¹³Center on Food Security and the Environment, Stanford University, Stanford, CA, USA. ¹⁴The School of Civil Engineering, The University of Queensland, St Lucia, Queensland, Australia. ¹⁵Advanced Water Management Centre, The University of Queensland, St Lucia, Queensland, Australia. ¹⁶Institute of Environmental Science and Geography, Universität Potsdam, Campus Golm, Potsdam-Golm, Germany. ¹⁷Institute of Biological and Environmental Sciences, University of Aberdeen, Aberdeen, UK. ¹⁸PBL Netherlands Environmental Assessment Agency, The Hague, Netherlands. ¹⁹International Livestock Research Institute, Sustainable Livestock Systems, Nairobi, Kenya. ²⁰CGIAR System Management Organisation, Montpellier, France. ²¹Copernicus Institute of Sustainable Development, Utrecht University, Utrecht, Netherlands. ✉e-mail: mario.herrero@csiro.au

Innovation can accelerate the transition towards a sustainable food system.

Mario Herrero^{1*}, Philip K. Thornton², Daniel Mason-D'Croz¹, Jeda Palmer¹, Tim G. Benton³, Benjamin L. Bodirsky⁴, Jessica Bogard¹, Andrew Hall¹, Bernice Lee³, Karine Nyborg⁵, Prajal Pradhan⁴, Graham Bonnett¹, Brett A. Bryan⁶, Bruce M. Campbell^{2,7}, Svend Christensen⁷, Michael Clark⁸, Mat Cook¹, Imke J.M. de Boer⁹, Chris Downs¹, Kanar Dizyee¹, Christian Folberth¹⁰, Cecile Godde¹, James Gerber¹¹, Michael Grundy¹, Petr Havlik¹⁰, Andrew Jarvis^{2,12}, Richard King³, Ana Maria Loboguerrero^{2,12}, Mauricio A. Lopes¹⁰, C. Lynne McIntyre¹, Rosamond Naylor¹³, Javier Navarro¹, Michael Obersteiner¹⁰, Alejandro Parodi⁹, Mark B. Peoples¹, Ilje Pikaar^{14,15}, Alexander Popp⁴, Johan Rockström^{4,16}, Michael Robertson¹, Pete Smith¹⁷, Elke Stehfest¹⁸, Steve M. Swain¹, Hugo Valin¹⁰, Mark van Wijk¹⁹, Hannah H.E. van Zanten⁹, Sonja Vermeulen^{3,20}, Joost Vervoort²¹, Paul West¹¹

*corresponding author: Mario.Herrero@csiro.au

¹Commonwealth Scientific and Industrial Research Organisation, Australia.

²CGIAR Research Programme on Climate Change, Agriculture and Food Security (CCAFS), International Livestock Research Institute (ILRI), Nairobi, Kenya.

³Chatham House, The Royal Institute for International Affairs, London, SW1Y 4LE, United Kingdom.

⁴Potsdam Institute for Climate Impact Research, Member of the Leibniz Association, Potsdam, Germany.

⁵Department of Economics, University of Oslo, P.O. Box 1095 Blindern, N-0033 Oslo, Norway.

⁶Centre for Integrative Ecology, School of Life and Environmental Sciences, Deakin University, Burwood Vic 3125, Australia.

⁷Department of Plant and Environmental Sciences, University of Copenhagen, Fredriksberg, Denmark.

- ⁸Livestock, Environment and People (LEAP), University of Oxford, Oxford OX1 2JD, United Kingdom.
- ⁹Animal Production Systems group, Wageningen University and Research, Wageningen, the Netherlands.
- ¹⁰International Institute for Applied Systems Analysis (IIASA), Laxenburg, Austria.
- ¹¹Institute on the Environment, University of Minnesota, St. Paul, USA.
- ¹²CGIAR Research Programme of Climate Change, Agriculture and Food Security, International Center for Tropical Agriculture (CIAT), Cali, Colombia.
- ¹³Center on Food Security and the Environment, Stanford University, Stanford, CA 94305, USA.
- ¹⁴The School of Civil Engineering, The University of Queensland, St Lucia, QLD 4072, Australia.
- ¹⁵Advanced Water Management Centre (AWMC), The University of Queensland, St Lucia, QLD 4072, Australia.
- ¹⁶Institute of Environmental Science and Geography, Universität Potsdam, Campus Golm, Karl-Liebknecht-Str. 24-25, 14476 Potsdam-Golm
- ¹⁷Institute of Biological and Environmental Sciences, University of Aberdeen, 23 St Machar Drive, Aberdeen, AB24 3UU, UK.
- ¹⁸PBL Netherlands Environmental Assessment Agency, The Hague, Netherlands.
- ¹⁹International Livestock Research Institute, Sustainable Livestock Systems, Nairobi, Kenya.
- ²⁰CGIAR System Management Organisation, Montpellier, France
- ²¹Copernicus Institute of Sustainable Development, Utrecht University, Utrecht, Netherlands.

Supplementary information.

1. Assembling the inventories of technologies.

We collated a list of historical technologies from a synthesis of historical innovations in food systems that represent innovation in different periods of human history characterised by significant changes in sedentarism, mobility and invention (Table S1).

We collated an inventory of anticipated technologies that could accelerate progress towards achieving the food-systems sustainability. The inventory of possible technologies was assembled from literature searches, including the rapidly-expanding literature on transformation in food systems. The literature searches were complemented by researcher expert opinion (the authors). The inventory is shown in Table S2, with each technology classified based on a value-chain framework¹ into three categories: production; processing and distribution; and consumption. The technologies were further categorized into ten arbitrary “technology groups”: cellular agriculture, digital agriculture, food processing and safety, gene technology, health, inputs, intensification, replacement food and feed, waste reduction, and “other” that contained disparate technologies not easily allocatable to the other groupings (such as battery technology and 3-D printing). The purpose of the groupings serves no purpose other than to facilitate presentation of the results.

The key criteria for inclusion in the inventory were (1) that technologies needed to have a direct impact on the key processes associated with the food system from production to consumption; and (2) that they represented “products” of some type (not necessarily physical products) that were applicable to the food system. The inventory in Table S3 contains some groupings of very similar technologies for which it would be difficult to separate the magnitudes and types of their

impacts. To facilitate the scoring process for the evaluators, these were collapsed into the same “technology”. For this reason, some of the entries in Table S2 are highly specific while others cover a group of different technologies. We acknowledge that there are many management and system-level interventions, as well as technologies from other sectors, that will undoubtedly also play critical roles in improving food systems (as well as raising the incomes of rural people), but these are not specifically covered here.

We classified each technology by its Technology Readiness Level^{2,300-301}.

1. The “Technology Readiness Level” is a systematic measurement system that supports assessments of the maturity of a particular technology². It is made up of nine levels, as follows:

- 1: Basic principles observed and reported: Scientific, behavioural and market research paper studies; Lowest level of technology readiness.
- 2: Technology concept and/or application formulated: Practical, speculative applications invented. Potential user communities identified.
- 3: Analytical and experimental critical function and/or characteristic proof-of concept: Active Research and Development initiated. Critical elements identified and demonstrated with innovative users.
- 4: Component and/or validation in laboratory environment: Basic elements integrated to form a core practice-based technology. Initial design prototyped and tested.
- 5: Component and/or validation in relevant environment: Prototype 'implementation mechanisms' demonstrated along with core practice-based technology for users in a simulated environment (such as workshops).
- 6: System/subsystem model or prototype demonstration in a relevant environment: Implementation mechanisms refined and integrated with core practice-based technology and demonstrated in relevant environments.
- 7: System prototype demonstration in the environment: Implementation needs of mainstream users identified and integrated in prototype. Operational use by relevant users demonstrated across the community.
- 8: Actual system completed and “flight qualified” through test and demonstration: Technology adopted and distributed for widespread use across the community of practice.

9: Actual system “flight proven” through successful operations: Technology is used routinely within the community of practice. Best practices, quality assurance and body of knowledge in place.

2. List of historical innovations

Supplementary Table S1 summarizes a range of important innovations that have helped to transform and define the food system over time. This table should be treated as illustrative instead of exhaustive of the wide range of innovations across a broad range of disciplines that have shaped the food system and can be used to see a narrative evolution over time of the food system. Technologies are listed chronologically, although we should note that dating the moment an innovation comes into existence is challenging. This is true not only in deep prehistory, where innovations like the domestication of crops have been achieved at different moments in different unconnected geographies, but also in more modern times, where there is greater availability of documentation. The dates are provided with the goal of giving a wide narrative sweep of identified innovations and trying to tie them together with related technologies and innovations.

Supplementary Table S1. Summary of selected Historical Innovations. Categories: 1, Production; 2, Processing and Distribution; 3, Consumption; 4, Other.

Era	Category	Technology	Description	Year
<i>Neolithic Revolution (Before 7,000 BCE)</i>	2,3	Cooking ⁶	While it is not possible to place the exact moment that cooking was invented, there is evidence of controlled fire use dating back to more than 1 million years ago	By 1 million BCE
	2	Grinding Stone ⁷	Use of simple stone tools for preparation of foods and cereals is difficult to date, but certainly predates the invention of agriculture	By 30000 BCE
	2	Pottery ⁸	One of the first and most important human innovations, the first examples of pottery were small fertility statues. Pottery and ceramics were critical for early storage of foodstuff	By 17000 BCE
	2,3	Drying/Curing ⁹	Drying and curing are some of the oldest forms of food preservation, with examples of this behaviour dating well before the dawn of agriculture.	By 12000 BCE
	2,3	Fermentation ^{10,11}	Fermentation is an important food processing and preservation technique. Fermentation of meat products may date as far back to Neanderthal hunters. Examples of fermentation of plant products to	By 12000 BCE

Era	Category	Technology	Description	Year
			produce alcohol also dates far back in the Neolithic Era.	
	2,3	Bread ¹²	The use of flour and yeast to make bread dates back deep into human history. This processing method allowed for increasing the nutrient availability of wheat grain.	By 12000 BCE
	1	Sickle ¹³	First known tool dedicated to the harvesting of seeds from grasses	18000-8000 BCE
	1	Seed broadcasting ⁹	First method used for planting seeds, and continued to be the primary method until the advent of the seed drill	By 13000 BCE
	1	Animal domestication ¹⁴	First animals domesticated were dogs. Small ruminants were the first livestock animals to be domesticated	By 13000 BCE
	1	Deforestation ^{9,15,16}	Evidence of deforestation in the form of different agricultural practices like slash a burn date to early agriculture	By 12500 BCE
	1	Hoe-farming ⁹	One of the most important agricultural tools, developed to help with preparing the soil (tilling) and weeding	By 12500 BCE
	4	First permanent settlements ¹⁷	Catalhöyük is one of the earliest examples of what we would now recognize as a city and is dated to 7400-6000 BCE. Earlier settlements were likely formed even around or before the domestication of plants	13000-11000 BCE
	1	Plant Domestication ¹⁸	Plant domestication began in different parts of the world at slightly different times, but in general focused on the domestication of a selection of key grasses and roots	By 12500 BCE
	2	Granary ¹⁹	Examples of granaries to store surplus grains have a long history dating all the way back to the beginning of agriculture, and may in fact predate agriculture	By 11000 BCE
	2	Oven ²⁰	Ovens are among the first examples of sedentary societies as they demonstrated construction of reusable cooking apparatus as opposed to the open pit cooking more common among nomadic groups	By 10000 BCE
	1	Terraced Farming ^{21,22}	One of the first practices of controlling the environment to increase agricultural yields. Terrace farming allowed cultivation along steeper topologies and allowed control of contours and even microclimates. Improved water drainage and soil fertility	By 6000 BC
	1	Eel Farming ²³	First example of aquaculture, with the domestication of eels in Australia	By 6000 BCE
	1	Crop Rotation ^{24,25}	Early in the development of agriculture Neolithic farmers started to practice rotating crops, to improve crop yields, and improve pest management	By 6000 BCE
	1	Manure/Compost Use ²⁶	The domestication of livestock not only served to provide a source of food and draft power, but also provided key soil inputs	By 6000 BCE
	2,3	Wine ²⁷	The invention of alcoholic beverages like wine date back to near the beginning of civilization	By 6000 BCE
	2	Jugs ²⁷	An important innovation. Ceramic jugs permitted the storage and movement of liquids	By 6000 BCE

Era	Category	Technology	Description	Year
<i>Ancient History (7,000 - 800 BCE)</i>	2,3	Evidence of Cheesemaking ²⁸	Cheese making was an important step forward in food preservation, allowing milk to be stored in a solid state that was easier to move	By 5000 BCE
	4	Writing ²⁹	The invention of writing by the Sumerian and Egyptian civilizations marked a key step forward in increasing the complexity of societies	3000 BCE
	1	Irrigation ³⁰	First major irrigation works were established in the Indus and Nile River Valleys. They allowed for better management of weather variability by being able to use surface water for agriculture	3000 BCE
	1	Animal drawn ard ³¹	The first animal drawn plough. The ard greatly increased the ability to open areas to agriculture that previously would have been too difficult	3000 BCE
	2,4	Galleys ³²	Critical advances in navigation and shipping opened trade networks across the Mediterranean, allowing for the flow of goods, and ideas	3000 BCE
	2,4	Wheeled Transport ³³	The invention of the wheel was a major advance that greatly increased the efficiency of transportation on land	By 2000 BCE
	1	Shalihotra Samhita (veterinary) ^{34,35}	The Shalihotra Samhita is an early Indian treatise on veterinary medicine (hippiatrics), likely composed in the 3rd century BCE.	2350 BCE
	1	Sulphur used as pesticide ³⁶	The application of chemicals to attempt to control pests dates far back into antiquity. There is evidence in Homer's Odyssey of the use of sulphur as an insecticide. There is also documentation on the use of arsenic as a pesticide in the last several centuries BCE	By 1500 BCE
	1	Grafting ³⁷	Grafting is an important tool in the horticulturalist's toolbox, allowing for the controlled transfer of genetic traits across different plants	2000-600 BCE
	1,4	Aqueducts ³⁸	The first aqueducts date back to the Indus Valley Civilizations, and were the first construction to transport surface water across distance	By 1000 BCE
	1	Fish farming ³⁹	The domestication of fish came much later than terrestrial animals, with Chinese farmers domesticating the common carp around 500 BCE	By 500 BCE
	1	Scythe ⁴⁰	An improvement in agricultural tools. The scythe was designed for harvesting cereals	By 500 BCE
	4	Coinage ⁴¹	The invention of money predates coinage. Nevertheless, coinage was an important step towards improved commerce	By 500 BCE
	2	Horse driven mill ⁴²	Carthaginians invented one of the first animal powered mills, which would be the forbearer of a great many different types of mills, that would increase the speed and efficiency of milling cereal seeds into flour	500 BCE
	1	Incubator ⁴³	Artificial incubators applied heat to special rooms to help keep eggs warm	400 BCE
	2	Tilt-hammer ⁴²	The tilt-hammer was an improvement on the mortar and pestle and allowed the application of force more effectively in the grinding of seeds and other materials	By 100 BCE

Era	Category	Technology	Description	Year
<i>Classical Antiquity (1,000 BCE - 600 CE)</i>	2	Water Mill ⁴⁴	A watermill is a mill that uses hydropower. The water wheel may have originated in the ancient Near East in the 3rd century BC for use in moving millstones and small-scale grain grinding	200-300 BCE
	2,4	Geographic Coordinate System ⁴⁵	A geographic coordinate system is a coordinate system that enables every location on Earth to be specified by a set of numbers, letters or symbols. The invention of a geographic coordinate system is generally credited to Eratosthenes of Cyrene, who composed his now-lost Geography at the Library of Alexandria in the 3rd century BCE.	300 BCE
	2,4	Compass ⁴⁶	A compass is an instrument used for navigation and orientation that shows direction relative to the geographic cardinal directions (or points). The compass was an important innovation that facilitated travel and exploration.	300-200 BCE
	4	Limited Desalination ⁴⁷	Desalination is a process that takes away mineral components from saline water. Desalination has a long history, with references to desalination found in the Bible, as well as in the writings of Aristotle who recognized the distillation could turn salt-water sweet.	500-100 BCE
	4	Astrolab ⁴⁸	An astrolabe is an inclinometer, historically used by astronomers and navigators to identify astronomical objects, to estimate latitude, to triangulate, and to survey. An early astrolabe was invented in the Hellenistic civilization 220 and 150 BCE.	220-150 BCE
	1	Multi-tube seed drill ⁴⁹	A seed drill is a device that sows seeds, systematically placing individual seeds in the soil and covering them. The seed drill increased the efficiency and regularity of planting, improving crop distribution and yields. Multi-tube iron seed drills were invented by the Chinese in the 2nd century BCE.	200 BCE
	1	Gaelic Reaper ^{40,50}	The reaper was an improvement on the scythe and was developed by Roman farmers.	50 CE
	2,4	Roman Roads ⁵¹	Roman roads were physical infrastructure vital to the maintenance and development of the Roman state and were built through the expansion and consolidation of the Roman Republic and the Roman Empire. The roads served as critical transportation and communications infrastructure, which helped to unified much of the Mediterranean in one large socioeconomic block.	100BCE-500 CE
	1	Biological pest control ^{52,53}	Biological control or biocontrol is a method of controlling pests such as insects, mites, weeds and plant diseases using other organisms. First early efforts of using biological controls may have been implemented as early as 300 CE by botanists in the Jin Dynasty who used ants to help control insect damage to citrus crops.	300 CE
	2	Wind grain mill ⁵⁴	A windmill is a mill that converts the energy of wind into rotational energy by means of vanes called sails or blades. The first windmills were developed to	500-900 CE

<i>Era</i>	<i>Category</i>	<i>Technology</i>	<i>Description</i>	<i>Year</i>
<i>Post Classical (700 - 1300 CE)</i>			automate the tasks of grain-grinding and water-pumping and the earliest-known design is the vertical axis system developed in Persia about 500-900 A.D.	
	4	Decimal Numeral System ⁵⁵	The decimal numeral system was developed by Indian mathematicians, and it is a place-value notation for the representation of numbers using the powers of 10. Its use was spread to Europe by Muslim traders, and has over time become the dominant numeral system	700 CE
	4	Inoculation ⁵⁶	The terms inoculation, vaccination, and immunization are often used synonymously to refer to artificial induction of immunity against various infectious diseases. Inoculation originated as a method for the prevention of smallpox by deliberate introduction of material from smallpox pustules into the skin. Inoculation has ancient origins and the technique was known in India and China. The earliest hints of the practice of inoculation for smallpox in China come during the 10th century.	900-1000 CE
	1	Terra preta ^{57,58}	In the Amazonia, indigenous populations applied slash and burn techniques to insert charcoal (biochar) into soils to produce enriched soils that could support more intensive agriculture.	By 1000 CE
	1	Companion cropping in rice ⁵⁹	Companion planting in gardening and agriculture is the planting of different crops in proximity for several reasons including pest control, pollination, providing habitat for beneficial creatures, maximizing use of space, and to otherwise increase crop productivity. In China, mosquito ferns (<i>Azolla</i> spp.) have been used for at least a thousand years as companion plants for rice crops. They host a cyanobacterium that fixes nitrogen from the atmosphere, and they block light from plants that would compete with the rice.	1000 CE
	1,2	Roller Gins ⁶⁰	The roller gin provided the first mechanical process for separating cotton lint from the seed, a critical innovation that would contribute to cotton becoming the dominant fibre crop a few centuries later	1100-1300 CE
	2,4	Caravel ⁶¹	The caravel was a highly manoeuvrable sailing ship. The caravel was an improvement on Islamic ships, and facilitated European exploration in the “Age of Discovery”	1200 CE
	2,4	Portolan charts ⁶²	Portolan or portulan charts are ancient nautical charts, first made in the 13th century in the Mediterranean basin and later expanded to include other regions. They were useful navigational tools that helped facilitate trade and exploration	1200 CE
	1	Heated greenhouse ⁶³	The first description of a heated greenhouse is recorded in a Korean cookbook titled Sanga Yorok written in 1459. As described, it used underfloor heating system (“ondol”), cob walls for insulation, and semi-transparent windows for light control.	1400s CE
	4	Rain Gauge ⁶⁴	The first known rain gauge was invented in Korea in 1441. Improved observation of weather phenomenon	1441 CE

<i>Era</i>	<i>Category</i>	<i>Technology</i>	<i>Description</i>	<i>Year</i>
<i>Industrial Revolution (1700 – 1850 CE)</i>			has been an important ongoing development for farming	
	1	Enclosure ⁶⁵	Enclosure was the century long process of enclosing of communal lands into single farmer plots. The enclosure is one of several advances credited with the increased productivity of agriculture in Britain, during the British Revolution	1400-1800 CE
	1	First hydroculture text ⁶⁶	The first written example of hydroculture was written by Francis Bacon, and describe ways of growing plants in water solutions	1627 CE
	1	Norfolk Crop Rotation ⁶⁷	The Norfolk crop rotation expanded the number of crops rotated from 3 to 4, by adding turnips to the rotation. This rotation helped to increase agricultural productivity	1600-1700 CE
	1	Convertible Husbandry ⁶⁸	Also known as alternative husbandry, this process increased the amount of time land was kept as pasture or fodder in crop rotations, increasing the number of animals that could be supported by the land	1500-1800 CE
	1	Tull's Horse-Drawn Hoe ⁶⁹	Jethro Tull developed the horse-drawn hoe which allowed efficient soil shaping and weeding, reducing the amount of human labour required for the task.	1701 CE
	1	Tull's Seed Drill ⁷⁰	Around the same time Tull developed the horse-drawn seed drill, which allowed efficient planting of seeds in neat rows, reducing the amount of human labour required for the task.	1701 CE
	4	Mercury Thermometer ⁷¹	The mercury thermometer was developed by physicist Daniel Gabriel Fahrenheit in the Netherlands in 1714. It is used to measure temperature of various mediums including air, water and soil with many applications across medicine, agriculture and meteorology among other disciplines. The mercury thermometer is still widely in use today.	1714 CE
	2,4	Sextant ⁷²	The sextant is an instrument primarily used for navigation. It can be used to measure the angular distance between an astronomical object and the horizon. It is said to have been first implemented by John Hadley and Thomas Godfrey in 1731.	1731 CE
	1	Mouldboard plough ⁷³	The plough is used to turn over the top layer of soil to bring nutrients to the surface. The mouldboard addition to the plough reduced the time taken to plough a field, greatly improving labour efficiency.	1700s CE
	1	Mass production of the plough ⁷³	Improvements to the plough applying mathematical modelling allowed for its increased standardization. Standard designs would allow for its mass production, helping to reduce prices and encourage its wide adoption	1700s CE
	1	Leicester sheep bred ⁷⁴	This breed of sheep was developed by Robert Blakewell who was the first to use modern breeding techniques in livestock selection. This breed was known to gain weight rapidly and produce less waste when slaughtered. It played a key role in the colonisation of Australia and New Zealand by the British.	1755 CE

Era	Category	Technology	Description	Year
	2	Ribbing machine ⁷⁵	The Derby Rib machine was invented by Jedediah Strutt in 1758. The derby rib attached to a stocking frame and allowed for the knitting of ribbed cotton stockings, which became very popular. This improvement in clothing manufacturing allowed for much cheaper and faster production of stockings to satisfy growing demand for cotton clothes.	1758 CE
	1	1st Veterinary School ⁷⁶	The first veterinary school was established in Lyon in 1762 in response to a cattle plague among French cattle.	1762 CE
	1	Longhorn cattle bred ⁷⁴	Robert Blakewell further contributed to livestock breeding through the development of the English Longhorn cattle breed, one of the first breeds bred primarily for meat production	1769 CE
	2	Water frame ⁷⁷	The water frame is a water powered spinning frame developed by Richard Arkwright that enabled spinning of 128 cotton threads at a time.	1769 CE
	1	Artificial insemination ⁷⁸	The first successful artificial insemination of an animal was in a dog, recorded by Spallanzani in Italy, though it was not until 100 years later when others reported that the technique had been used in other animals.	1780 CE
	2,4	Watt Engine ⁷⁹	Thomas Watt developed the first practical steam engine. It is known for its use in the Whitbread London brewery for grinding and lifting malt and other processes.	1781 CE
	2,4	1st steamboat ⁸⁰	John Fitch was an American who adopted the Watt steam engine for use in boats. Steamboats would revolutionize sea travel through the 19 th century, supplanting sailboats first in reliability and later in speed.	1783 CE
	1,2	Thresher ⁸¹	The first threshing machine was invented by Andrew Meikle and is used to remove the stalk and husk from grain. Threshing machines would reduce the amount of labour needed for harvesting of cereals.	1786 CE
	1,2	Cotton Gin ⁸²	The cotton gin is a machine that separates cotton fibres from their seeds. Whilst handheld machines were in use from as early as 500 CE, the first mechanised cotton gin was invented in 1793, greatly improving efficiency.	1793 CE
	4	Vaccines ⁸³	The first vaccines were developed against the smallpox virus. These vaccines were developed by isolating a related virus (cowpox) from cow lymph nodes.	1797 CE
	2	Powdered Milk ⁸⁴	The first production process was invented in 1802, followed by commercial production in 1832. This process gave the dual benefit of greatly increasing shelf life of milk and reducing its bulk allowing for mass transportation.	1802 CE
	2	Cotton velvet ⁸⁵	Velvet has traditionally been made from silk, but during the industrial revolution methods to produce velveteen and other velvet-like materials out of cotton were developed. These techniques further	By 1803 CE

Era	Category	Technology	Description	Year
			solidified the prominence of cotton as the premier fibre.	
2,4	Steam Locomotive ⁷⁹		The first steam engine powered locomotive was invented by Richard Trevithick in Britain and was first operated in 1804. Steam locomotives were used widely for transport for at least the next 100 years, and were essential in connecting the interior of North America with the coastal urban areas, allowing agricultural areas to access national and international markets.	1804 CE
2	Canning ⁸⁶		Nicolas Appert developed a method of selling food in glass jars in response to incentives from the French government to develop a cheap and effective method of preserving food during the Napoleonic Wars. This was further adapted and improved with the use of steel and tin cans to supply the British royal navy by 1820	1806 CE
2	Public Slaughterhouses ⁸⁷		The first public slaughterhouse or abattoir emerged in France in 1810 in response to concerns of public hygiene and as part of the broader transition from an agrarian to industrialised food system.	1810 CE
4	Luddite Riots ⁸⁸		The Luddite Riots was a social movement against the changes broadly brought by the industrial revolution, and specifically against the wide-framed automated looms which could be operated by relatively unskilled labour, thereby threatening the jobs of high skilled weavers.	1811 CE
4	UK Corn Laws ⁸⁹		The corn laws were a series of tariffs and trade restrictions imposed on imported grains in favour of domestic production. Landowners largely benefited at the expense of higher food prices for the public which subsequently hampered economic growth of other sectors. The laws were repealed after the onset of the Irish famine.	1815 CE
2,4	Chronometers ⁹⁰		The chronometer is a time piece that allows the accurate measurement of longitude at sea. Its invention enabled the British to dominate both naval and mercantile navigation of the oceans.	1800-1850 CE
1	Hussey Reaper ⁹¹		A reaper is a farm tool that can be used to harvest crops (mainly cereal grasses). Variations of reapers were in use since the Roman era. Mechanised versions were the subject of several inventors in the 19th century. Obed Hussey successfully patented the Hussey Reaper in 1833.	1833 CE
4	Electric Telegraph ⁹²		The electrical telegraph uses electrical signals to convey a coded message via a radio circuit and was the first form of electrical telecommunications. This invention increased the speed of communication and combined with the expanding rail system improved transportation logistics. The telegraph was essential not only for improved communication, but better time keeping, and weather observation.	1835 CE
2	Grain Elevator ⁹³		The grain elevator was used to stockpile large quantities of grains, scooping large quantities into	1842 CE

Era	Category	Technology	Description	Year
<i>Machine Age (1850 - 1930 CE)</i>			silos or equivalent storage facilities. Prior to the invention of the grain elevator, grain was handled in bags rather than in bulk.	
	4	Water Turbine ⁹⁴	James Francis developed the first modern water turbine. It greatly improved efficiency of water wheel power generation and was critical for industrial power before the widespread adoption of electricity, and were then important in the production of hydroelectricity.	1849 CE
	4	Machine Tools ⁹⁵	Machine tools were tools designed specifically to produce metal parts. They were critical in the standardization of tools, which allowed for increased mechanisation and the rapid production at scale of new tools and machines.	1800s CE
	2	1st practical refrigerator ⁹⁶	Artificial refrigeration is a key modern food preservation technology. The use of ice boxes and ice cellars have been used since pre-history for the preservation of food. Initial attempts at artificial refrigeration date to the mid-1700s, with the first practical refrigeration machine developed by Jacob Perkins	1834 CE
	4	Met Office Established ⁹⁷	Improved prediction of weather has been a key technological improvement that has permitted better planning of agricultural production amongst many other things. Attempts at weather forecasting can be seen throughout history. Modern scientific forecasting started to evolve in the second half of the 19 th century ⁹⁸ . The Met Office was the first agency dedicated to weather forecasting.	1854 CE
	2	Milking Machine ⁹⁹	The development of vacuum technology that is used in milking machine started in 1800s. But the first successful commercial milk machine was released in England in 1889.	1860 CE
	4	First Internal Combustion Engines ^{100,101}	The first internal combustion engine, a coal gas-fired engine, was developed by Jean Joseph Etienne Lenoir and patented in 1860. Nikolaus Otto, would develop the first commercial 4-stroke engine a few years later patenting the design in 1867.	1860s CE
	2	Pasteurization ¹⁰²	Pasteurisation is a food preservation method that can preserve food without the need for complete sterilisation. The name honours Louis Pasteur, whose discoveries in the 1860s improved food storage techniques, better preserving food quality over time.	1862 CE
	1	Mendel's Law of Inheritance ¹⁰³	The application of Mendel's three laws made it possible to predict the characteristics of offspring produced by parents of known genetic composition. This helped to shape the advances in genetic technologies to selectively breed plants and animals to produce more useful hybrids.	1865 CE
	1	Barbed Wire ¹⁰⁴	Adoption of barbed wire greatly reduced the cost of fences, and increased farmers' ability to protect their land from encroachment and hence improved property rights and agricultural development.	1867 CE

Era	Category	Technology	Description	Year
	1	DDT Synthesized ¹⁰⁵	The burgeoning clothing industry faced the bane of insects. Advances in synthesizing new dyes did not just focus on colour characteristics but also explored compounds that would help fabrics resist insects. These advances accelerated in the second half of the 19 th century. DDT was discovered during this time (1873), although its use as a synthetic pesticide wasn't appreciated until much later when it was patented in 1940	1873 CE
	4	First synthetic Antibiotics ^{106,107}	While natural antibiotics have been used for a long time, the first attempts to develop synthetic antibiotics started in the late 1800s. Pyocyanase, the first modern antibiotic, was developed by Rudolf Emmerich and Oscar Löw. By the 1890s, the antibiotic properties of penicillin were beginning to be understood, although, the synthesis of significant quantities of antibiotics like prontosil (1930s) and penicillin (1940s) wouldn't occur for several more decades.	1890s CE
	1	Petrol Tractor ¹⁰⁸	John Fowler, an English engineer, pioneered the use of steam engines ploughs in the 19 th century. Building on these designs and advances in internal combustion engines, field tractors started to come to market. The tractor would displace animal power on the farm, freeing up farm production to feed draft animals.	1892 CE
	1	Commercial Hybrids Crops ^{109,110}	Improved understanding of the genetics of maize (and other crops) at the end of 19 th century laid the foundation of scientific knowledge that would allow for the development of the first commercial maize hybrids in the 1920s and 1930s	1890-1930 CE
	2,4	First Commercial Auto Truck ¹¹¹	Gottlieb Daimler, German automotive pioneer built the first auto truck, with the first commercial truck hitting the market in 1908.	1896 CE
	2	Use of Artificial Preservatives ¹¹²	US approves the use of sodium benzoate as an additive to certain foods. Food preservatives would be another new technology that helped to extend the shelf life of foods.	1908 CE
	1	Industrial Nitrogen Fixation ¹¹³	The element nitrogen was discovered in 1772 by Daniel Rutherford, with many nitrogen compounds like nitrous oxide and ammonia identified shortly after. The importance of nitrogen in crop growth became understood in the 19 th century. Fritz Haber would first synthesize ammonia in 1909 with Carl Bosch industrializing the process in 1913.	1910s CE
	1	Industrial Animal Feed Concentrates ¹¹⁴	Scientific animal feed standards began to be developed in the 19 th century. These standards initially were crude, but over the course of the century became increasingly refined with more nutrient specific targets. By the end of the 19 th century industrial processing of formulated feeds was taking place. In the early 20 th century, these processes continued to improve with the development of feed	1900-1920 CE

<i>Era</i>	<i>Category</i>	<i>Technology</i>	<i>Description</i>	<i>Year</i>
Greece			concentrates (feed pellets) greatly increasing feed efficiency in the USA and Europe	
	3	Mandated Food Fortification ^{115,116}	The first modern example of nutrient supplements is probably in the form of adding iodine to salt, suggested by Boussingault in the 1830s. However, major efforts at food fortification to correct for nutritional deficiencies wouldn't happen until the interwar period in the 20 th century	1920s CE
	1,4	Numerical Weather Prediction ^{98,117}	First attempts at statistical estimation and prediction of weather patterns. Initial attempts were not particularly accurate until the 1950s with the availability of more powerful computers	1920 CE
	4	Synthetic Rubber ¹¹⁸	Pneumatic tires were invented in the mid-1800s, and were essential for the burgeoning bicycle, automobile, truck, and tractor industries. Dramatic growth in demand for these products led to a boom in the demand for natural rubber, which could not always be met. This led to rising prices of natural rubber and pushed the development of synthetic alternatives. In the 1920s, scientists in Germany and the USSR developed the first commercial processes to synthesize rubber.	1920s CE
	1	Crop Dusting ¹¹⁹	Using aerial technology to spray crops started in 1920s and 1930s. It was adopted mainly in the USA and to a lesser extent in other nations. This practice facilitated the application of pesticides on broad acre crops while reducing labour requirements.	1920s CE
	2,3	Modern Fast Food ¹²⁰	The first fast food restaurant chain (White Castle) was established in the 1920s in the US. In the 1940s and 1950s fast food chains developed further and new chains such as MacDonald and KFC were opened. These chains would revolutionize food service, by standardizing food processing and preparation techniques. Many of these firms would also be important in revolutionizing the food advertising sector.	1920s CE
	1	Backcrossing ¹²¹	Backcrossing, or the plant breeding practice of crossing a hybrid with one of its parents, was an important practice used to control desirable genetic characteristics and was one of many breeding improvements that contributed to the 'green revolution' in the 1950s and 1960s.	1920s CE
	2	Flash Freezing ¹²²	Flash freezing was a new preservation technique, that helped to prevent the formation of ice crystals, and thereby improved the quality and durability of frozen foods	1929 CE
	1	Hydroponics Coined ¹²³	Hydroponics is the agricultural practice of growing crops in water solutions. Research into the necessities of plant growth allowed for the soilless cultivation of plants, with W.F. Gericke coining the term "hydroponics" in the 1930s.	1930 CE
	4	Large scale desalination of salt water ⁴⁷	Desalination has been practiced since ancient times. However, it wasn't until the 1930s that the industrial	1930s CE

Era	Category	Technology	Description	Year
			process of producing fresh water from seawater was achieved.	
1		Battery Cage ^{124,125}	Housing system primarily used for poultry and egg production, where the arrangement of cages in rows and columns is like an artillery battery. The development of battery brooding greatly reduced the amount of space needed for poultry production. The practice would however come with controversy as the increasing crowding of animals in poultry production has raised significant concerns with respect to animal welfare.	1930s CE
2		Mobile refrigeration ^{126–128}	Refrigerated transport relying on ice has a long history. Through the 19 th century the use of ice-box transport was important in maintaining cold chains in the USA. The first refrigerated trucks were developed in the 1920s for ice cream vendors, with the first modern refrigerated trucks developed in the 1930s and 1940s. These advances allowed for the expansion of cold chains, and improved food preservation and distribution significantly.	1940 CE
1		1st modern herbicide ¹²⁹	The first modern herbicide, 2,4-D was developed during World War 2 in the UK and USA. It was commercially released by 1946 and helped to increase crop yields by better controlling weeds.	1940 CE
4		Bretton Woods Agreement ¹³⁰	The Bretton Woods Agreement created a system of international institutions that have underpinned the liberal world order since WWII. They created rule-based international systems that have helped to formalized and regulate international affairs and commerce.	1944 CE
1		No-Till Agriculture ¹³¹	Historically tilling has been an important tool for weed control. With the introduction of herbicides in the 1940s, the opportunity of implementing high yielding no-till agriculture became possible. The implementation of no-till agriculture has had many benefits including reduced soil erosion, and better soil water retention	1940s CE
1		Shuttle breeding ¹³²	Improvements in plant breeding started to take momentum in the 1940s and continued to progress ever since. Shuttle breeding (simultaneous breeding across multiple agroecologies) permitted for more rapid development of hybrid crops, which contributed to the Green Revolution in the 1950s and 1960s.	1945 CE
2,3		Commercial microwave ¹³³	Microwave heating technology was invented after WW II, although microwave ovens wouldn't become commercially available until the late 1960s.	1947 CE
1		Growth Supplements ¹³⁴	The first demonstration of growth stimulation in cattle with hormone supplementation took place in 1947 by investigators at Purdue University using diethylstilbestrol (DES) in heifers.	1947 CE
1		Armenian Hydroponicum Tower ¹³⁵	The first example of vertical farming of vegetables was implemented in the USSR in support of efforts to explore space.	1951 CE

<i>Era</i>	<i>Category</i>	<i>Technology</i>	<i>Description</i>	<i>Year</i>
	2,4	Polyethylene ¹³⁶	The development of polyethylene began in the 1930s and has been a revolutionary material in the field of plastics.	1953 CE
	2,3	TV dinner ¹³⁷	The creation of the premade TV dinner which included a main course and several side dishes that just needed to be reheated was an important innovation in the food system, emphasizing the importance of comfort and speed in food preparation.	1953 CE
	1	Using semi-dwarf varieties ^{132,138}	The first semi-dwarf hybrids of wheat were developed in Japan in the 1930s. They would be crossed with Mexican varieties by Norman Borlaug in the 1950s helping to launch the Green Revolution	1950-1960 CE
	4	1st Desalination Membranes ⁴⁷	Membrane technologies were developed in the late 1950s, with the first practical applications of the technology implemented in the 1960s by General Atomics and DuPont. Membrane technologies were important at reducing the energy requirement for water desalination.	1960s CE
	1	Hoop Houses ¹³⁹	Producing vegetables in glasshouses dates to Roman times. However, its large-scale adoption began in the 1950s and 1960s.	1960s CE
	4	ARPANET ¹⁴⁰	ARPANET was a precursor to the World Wide Web. It was a computer network that pioneered the TCP/IP communication protocol	1960-1970s CE
	2,3	HF Corn Syrup ¹⁴¹	High fructose corn syrup was discovered by Japanese scientists in the 1960s. High fructose corn syrup has become an important alternative to sugar in the USA, with it first being marketed by the Clinton Corn Processing Company in the 1970s.	1965-1970 CE
	2,4	GPS ¹⁴²	The Global Positioning System was launched by the United States in 1973 and connected a system of satellites to allow for detailed spatial coordination. Originally created for military use, it would later be opened to peaceful uses and has become an essential tool in transportation logistics.	1973 CE
	4	1st Mobile Phone ¹⁴³	Cordless phones that worked based on radio signals. Initial cordless phones were expensive and not particularly mobile, but within a few decades increasingly advanced and cheap mobile phones would radically disrupt the telecommunications industry.	1973 CE
<i>Information Age (1980 - Present)</i>	4	First Personal Micro-Computer ¹⁴⁴	The personal computer put significant computation power at the hands of an increasing market of users. The advances in productivity of this advance would take some time to be realized, however.	1975 CE
	1	Chicken Harvester ¹⁴⁵	A machine that automates the gathering of chickens for slaughter. This innovation greatly increased the efficiency of poultry production, while reducing the labour required for chicken slaughter	1980s CE
	1	Marker-assisted Selection ^{146,147}	An advance in breeding, where a trait is selected based on it being linked to a marker of another train, which has increased the efficiency of breeding significantly	1986 CE

Era	Category	Technology	Description	Year
	1	CRISPR ¹⁴⁸	Advance in genetics, which allows for the targeted insertion or removal of pieces of DNA.	1987 CE
	1	Bt Tobacco ^{149,150}	First example of genetically modified crops. Tobacco was genetically modified to introduce BT genes to help increase plant resistance to the tobacco hornworm. This technique would be applied to several Bt crops including tomatoes, and potatoes.	1987 CE
	4	World Wide Web ¹⁵¹	The World Wide Web, which underpins the internet, is a massive international computer network. This ICT infrastructure would be critical for the digital revolution	1989 CE
	4	1st Smartphone ¹⁵²	Advance in mobile phone technologies. It greatly increased the computational power available at hand.	1995 CE
	1,2,4	Precision Technologies ¹⁵³	A combination of technologies that have allowed for the better collection of data, to more precisely tailor agricultural management (irrigation, pesticides, fertilizer, planting, etc.)	1990s CE
	1	Roundup Ready Soybean ¹⁵⁴	First genetically modified crop designed to be resistant to chemical herbicides (glyphosate), allowing weeds to be targeted without harming the crop	1996 CE
	1	Biofortification of Crops ^{155,156}	A process of breeding or modifying crops such that their nutrient composition is changed.	1990s CE
	1	Dolly the Sheep ¹⁵⁷	The first example of a clone of livestock	1997 CE
	1	Agricultural Drones ¹⁵⁸	Unmanned aerial vehicle applied for the first time for agricultural purposes	2000 CE-Present
	4	First Blockchain ¹⁵⁹	An open, distributed (not centralized) ledger that can record transactions between two parties in a verifiable and permanent way. Has the potential to underpin a range of new technologies including cryptocurrencies, new contract software, amongst many more	2008 CE
	1	Cultured Meat ¹⁶⁰	The process of producing meat using in vitro cultivation of animal proteins in a laboratory environment	2000 CE-Present

3. Future technologies

Supplementary Table S2. Summary of Anticipated Technologies. Categories: 1, Production; 2, Processing and Distribution; 3, Consumption; 4, Other.

Category	Technology group	Technology	Description and examples	Company
1,3	Cellular agriculture	Artificial meat/fish ^{161,162}	Artificial or cultured meat, also called clean meat, synthetic meat or in vitro meat, is meat produced by in vitro cultivation of animal cells, instead of from slaughtered animals. Cellular agriculture allows engineers to grow skeletal muscle tissue outside of an organism.	https://www.justforall.com/en-us/stories/clean-meat https://www.mosameat.com/ https://finlessfoods.com/
1,3	Cellular agriculture	Artificial products ^{162,163}	Products (milk, coffee, fragrances, silk, leather) produced by in vitro cultivation.	http://www.jcpuleather.com/
1,2,3	Digital agriculture	Robotics ^{164–167}	The use of robotics in agriculture and farm management. This includes autonomous cropping implements (planting, surveying, nursing and harvesting robots) and “Soft grasp” technology for harvesting, handling, and other complex dextrous operations.	http://mirobot.co.il/
1	Digital agriculture	On-field robots ^{168,169}	On-field robots to monitor crops and animals. This includes continuous data capture for health, automating welfare inspections) and Digital agriculture (weeding, drilling).	
1,2	Digital agriculture	Pest control robotics ^{170,171}	Robotics for pest control or automatic pest surveillance. This includes weed controller, weed mapper, robotic gantry for macro pesticide spraying and fertiliser spraying, micro sprayer systems and continuous monitoring insect detection tech.	http://rapidaim.io/
1	Digital agriculture	Sensors for soil ^{164,172}	Use of sensors to measure key biological function of the soil e.g. soil moisture, N, P, K, micronutrients. Data from the sensors can be sent to the cloud where it can be accessed from any mobile or fixed device.	https://www.cropx.com/
2,3	Digital agriculture	Nanotechnology ^{173,174}	The use of nanotechnology in the food system. The usage of nanoscale materials in sensing and detection applications (e.g. screen food for food pathogens) and original product packaging with antimicrobial nanoparticles, and agrochemicals and nutrients that have been nano-encapsulated.	
1,2,3	Digital agriculture	Internet of Things ^{175,176}	The “Internet of Things” can provide a technological universe, in which many physical objects or “Things”, such as sensors, everyday tools and equipment enhanced by computing power and networking capabilities will be able to play a role, either as single	

			units or as a distributed collaborating swarm of heterogeneous devices. The management and analysis of Internet of things data (“Big Data”) can be used to automate processes, predict situations and improve many activities including information storage and transactions (e.g. blockchain), even in real-time.	
1	Digital agriculture	Disease/pests early warning ^{177,178}	Early warning systems for plant disease and pests - A collaborative effort to utilize advancements in data collection and analysis to identify and communicate real-time information on plant disease and pest outbreaks that might affect post-harvest supply chains in emerging markets. EWS could be championed by governments, academic or research institutions, or through a public-private-partnership model in conjunction with industry.	
2,3	Digital agriculture	Traceability technologies ^{177,179}	Improved traceability technologies in the food system. A combination of tracking technologies and an easy-to-use online or mobile interface that can be used to trace product movement across the supply chain. These include latest technological advancements such as innovative implementations of Radio frequency identification (RFID) that can make to increase the sales of wheat flour, or allowing the consumer to know the full record of the IV range products through the smartphone; knowing the food authenticity with an isotope analysis or by analysing the DNA sequences.	
2,3	Digital agriculture	Farm-to-fork virtual marketplace ^{177,180}	The Farm-to-fork virtual marketplace is an online or mobile phone-based platform that connects farmers to food purchasers, including end-consumers but also restaurants and hotels. This farmer to-market connection allows for more efficient and timely supply chains.	
1,2,3	Digital agriculture	Big data ^{181,182}	The use of inputs and outputs information from big data analyses and climate services in the agricultural sector. Big data are being used to provide predictive insights in farming operations, improve decision making and farm extension services, drive real-time operational decisions, and redesign business processes for game-changing business models as well as using big data to find building blocks for food in so far not or little used plant species.	
3	Digital agriculture	Smartphone food diagnostics ^{183,184}	Smartphone-based food diagnostic technologies for many applications including food safety analysis and environmental monitoring.	

1,2,3	Digital agriculture	Drones ^{185,186}	Use of drones in the food system. This includes sensing, monitoring, and Digital agriculture in agricultural systems and direct delivery to of food via drones.	
1,2,3	Digital agriculture	Nano-drones ^{187,188}	The use if nano-drones in the food system. This includes their use in value chains, breeding, research, crop identification.	
1,2,3	Digital agriculture	Artificial intelligence ^{181,189}	Use of Artificial Intelligence in agriculture. This includes the use of artificial intelligence advisors and managers.	
1	Digital agriculture	Assistive exoskeletons ^{190,191}	Development of assistive exoskeletons such as the Wearable Agri-Robot, which are designed as an exoskeletal mechanism to assist in the wearer's work.	
2	Digital agriculture	Intelligent food packaging ^{192,193}	Intelligent food packaging technology (e.g. micro-chips) that contains sourcing, safety and traceability information regarding the production, processing and environmental footprint of food.	
2	Digital agriculture	Advanced sensors ^{194,195}	Sensors such as near-infrared spectrometers and hyperspectral imaging, combined with computer vision/smart phones, provides data on food quality, safety, provenance/authenticity, with benefits for reduced waste and health benefits.	
2	Digital agriculture	SERS sensors ^{196,197}	Surface-enhanced Raman spectroscopy or surface-enhanced Raman scattering (SERS) is a surface-sensitive technique which is able to detect single molecules, as a promising chemical analysis of agricultural products and foods.	
1	Digital agriculture	Improved climate forecasts ^{198,199}	Use of improved seasonal forecasts in agriculture. This includes decision-support systems using seasonal climate forecasts to manage risk such as under- or over application of fertiliser.	https://www.yieldprophet.com.au/yp/Home.aspx
1	Digital agriculture	Omic data use ^{200,201}	Use of artificial intelligence and machine learning tools to identify better genomic and/or phenomic predictors of breeding targets from big data.	
1	Digital agriculture	Data integration ^{202,203}	Integration of genetic, phenomic and environmental/climatic data to optimise production.	
1,2	Other	Battery technologies ^{177,204}	Improvements to battery technologies to enable them to hold a large charge, for long periods of time, and at low cost.	
1	Inputs	Soil additives ^{205,206}	Soil additives that optimise water use or increase soil fertility. Can be used to assist plant growth in infertile (e.g. desert) environments. Examples include BountiGel®, Liquid NanoClay, biochar, and compost.	http://moasisgel.com https://www.desertcontrol.com/liquidnanoclay/
1	Inputs	Micro-irrigation/	The use of micro irrigation, fertiliser, fertigation systems in farming systems to optimise water and nutrient use, increase	

		fertigation ^{207,208}	productivity and minimise environmental losses of nutrients.	
1	Inputs	Nanofertilisers ^{209,210}	Use of nanofertilisers in the agricultural system. Nanoparticles have high surface area, sorption capacity, and controlled-release kinetics to targeted sites making them “smart delivery system.” Nanostructured fertilizers can increase the nutrient use efficiency through mechanisms such as targeted delivery, slow or controlled release.	
1	Inputs	Enhanced efficiency fertilisers ^{211,212}	Fertilisers that are smart controlled release and can matching the release of the nutrient to the root / plant stage.	
1	Inputs	Nanopesticides ^{213,214}	The use of nanopesticides to improve pest control. Any pesticide formulation intentionally including nanosized entities (up to 1000 nm) and claiming new properties arising from size are referred to herein as “nanopesticide”. Nanotechnology can help mitigate the drawbacks associated with the classical pesticide formulation and application technologies.	
1	Inputs	Nanoenhancers ^{196,215}	Improving crop performance using nanoenhancers e.g. CuO and ZnO nanoparticles.	
2	Food processing and safety	Biodegradable coatings ^{177,216}	A water-, oil-, or wax-based solution applied to the surface of crops that effectively slows the rate of decomposition and maintains nutritional integrity.	
2	Food processing and safety	Microorganisms coating ^{177,217}	An application of micro-organisms to crops with the purpose of reducing post-harvest loss. While the goal of the application is to reduce PHL, the microbes could be distributed much earlier in preharvest processes, including on-seed, to later prevent spoilage and extend shelf life from farm to market.	http://apeelsciences.com/
2	Food processing and safety	Nanocomposites ^{173,218}	Nanocomposite is a very small multiphase solid material. Nanotechnology promising technology for the food packaging industry in the global market. It has proven capabilities that are valuable in packaging foods, including improved barriers; mechanical, thermal, and biodegradable properties; and applications in active and intelligent food packaging.	http://www.guardin.com/
2	Food processing and safety	Sustainable processing technologies ^{219,220}	Use of sustainable, low-energy processing technologies in food processing to extend shelf life / palatability. This includes non-thermal processing technologies such as irradiation, pulsed electric fields, high hydrostatic pressure, intense pulsed lights, membrane filtration and hurdle technology. It also includes temperature-preserving packaging.	

2	Food processing and safety	Drying/stabilisation ^{177,221}	Use of drying and stabilising technologies in food processing to reduce moisture content and produce a shelf-stable, nutritious dried product. These include technologies osmotic dehydration, ultrasound assisted drying, vacuum drying, freeze drying, superheated steam, drying, heat pump drying and spray drying.	
2	Food processing and safety	Whole genome sequencing ²²²	Next generation sequencing methods represent a new toolbox that has a number of potentially transformational food safety applications, including, but not limited to whole genome sequencing. It can provide improved methods and tools to rapidly and reliably identify, detect, and predict food safety hazards.	
2	Food processing and safety	Food safety tech ^{224,225}	Food safety technologies are designed to provide a significant inactivation or inhibition to a microbiological population and may be used as a kill step to enhance or ensure the safety of foods. These include Microwave and Radio Frequency Electric Field (RFEF) Processing, Ohmic Heating, Infrared Heating, High Pressure Processing, Pulsed Electric Field.	
1	Gene technology	Synthetic biology ^{177,226}	Synthetic biology is a) the design and construction of new biological parts, devices and systems and b) the re-design of existing natural biological systems for useful purposes. Instead of cutting and editing of naturally occurring DNA sequences, synthetic biology incorporates the design and assembly of new biological entities or the redesign of existing biological systems. These new sequences can then be produced by machines at incredibly low cost using basic inputs, such as sugar. Theoretically it could allow scientists to integrate the DNA of multiple species to create entirely new hybrids.	
1	Gene technology	Novel nitrogen-fixing crops ^{227,228}	Develop nitrogen-fixing cereals and nitrogen fixation in crops in which it does not currently occur. An approach is to transfer the genes of legume plants necessary for the development of root nodule symbiosis to cereals. A second approach is to create nodule-independent nitrogen-fixing cereals promoting their association with endophytes that fix nitrogen. The third approach is to directly introduce nitrogenase into the plant.	
1	Gene technology	Novel perennials ^{229, 230}	Development of temperate-adapted perennial grain legumes using gene tech/breeding - e.g. grain legumes. Development of perennial cereal grain crops through selection and breeding of wild grasses.	

1,3	Gene technology	Biofortified crops ^{231,232}	Biofortification is the process by which the nutritional quality of food crops is improved through agronomic practices, conventional plant breeding, or modern biotechnology. Examples of these are high amylose wheat, novel fibre wheat, gluten-free cereals, increased micronutrient contents (e.g. Zn and Fe).	
1	Gene technology	Plant phenomics ^{233,234}	Phenomics is an area of biology concerned with the measurement of phenomes (a phenome is the set of physical and biochemical traits belonging to a given organism) as they change in response to genetic mutation, natural and artificial selection, and environmental influences. It involves capturing information on structure, function and performance of large numbers of plants, together with their environment; analysing, organizing and storing the resulting datasets; and developing models able to disentangle and simulate plant behaviour in a range of scenarios.	
1	Gene technology	Disease/pest resistance ^{235,236}	Development of crops with disease and pest resistance via breeding/gene technologies. This includes development of cotton varieties with genetically modified traits for insect and herbicide tolerance and disease-resistant rice.	
1	Gene technology	Weed-competitive crops ^{237,238}	Develop crops that can compete better against weeds. This includes new herbicide/resistant crop combinations and new herbicides with specific targets (e.g. topical RNAi). An example is wheat varieties that can compete better against weeds, particularly herbicide resistant ryegrass.	
1	Gene technology	Genome wide selection ^{239,240}	Develop varieties with a higher number of desirable traits using genome wide selection. An example of this is disease resistance in wine grapes.	
1	Gene technology	Apomixis ^{241,242}	Apomixis (asexual reproduction through seeds) in crops to maintain key phenotypes. The introduction of apomixis—asexual reproduction through seeds—into crop plants	
1,2	Gene technology	Oils in crops ^{243,244}	Developing leaf and novel oils in crops using gene technology for human consumption and petrochemical replacement. Examples of this include the development of canola that contains high levels of omega-3 fatty acids in grain or plants with high concentration of oil in tissues.	
1	Gene technology	Reconfiguring photosynthesis ^{245,246}	Reconfiguring photosynthesis in crops. This can be achieved via a multiple pathway including bacterial transformation, nuclear transformation, plastid transformation, mitochondrial transformation, multigene	

			engineering, protein design, or synthetic genomics.	
1	Gene technology	Genome editing ^{247,248}	Genome editing used as a new tool by breeders to accelerate the introgression of favourable genetic variants for resistance, productivity and quality traits.	
1	Gene technology	GM assisted domestication ^{249,250}	Genome editing used as a new tool by breeders to accelerate the domestication of semi-domesticated or even wild plants.	
1	Gene technology	RNAi gene silencing ^{251,252}	RNAi gene silencing includes both transgene driven and by topical application of RNAi molecules for regulating gene expression in crops, aquaculture and livestock species, and for control of various pests and pathogens. Gene silencing is a way of reducing, or switching off, the activity, or expression, of single genes to develop desirable traits. Examples include Safflower seed oil with high oleic acid.	
1	Gene technology	Genomic selection ^{253,254}	Genomic selection of agricultural plants and animals. This methodology has transformed the rate of genetic gain in the dairy industry and is likely to do the same for beef and plant crop species.	
1	Other	Resurrection plants ^{255,256}	Novel exploitation of plants that confront extreme desiccation by going into a dormant state in which they can stand losing over 95% of their water content and return to full activity upon rehydration.	
1,2	Other	Ecological biocontrol ^{257,258}	Integrated pest management and biocontrol. This includes reducing the number of pest or pathogens or their ability to impact food supply. Could also include increasing pollinators, and/or beneficials (predators of pests).	
3	Health	Personalised food ^{259,260}	Personalised food via Genetic testing, Microbiome mapping, Food on demand, Automatic personal diet supplementation, Personal nutrition status sensors, and/or Nutrigenetics.	
1	Intensification	Irrigation expansion ^{261,262}	Irrigation expansion based on massive solar panel arrays and desalination / groundwater exploitation. This includes reverse osmosis, cleaning seawater for irrigation.	
1	Intensification	Electro-culture ^{263,264}	Electricity to enhance crop growth. Bare copper wires have been suspended in greenhouses three metres above ground level. The cables run the full length of the greenhouses and carry rapid pulses of positive charge, up to 50,000 volts. These high-voltage bursts kill bacteria and viral plant diseases both in the air and the soil. They also affect the surface tension of any water droplets on the leaves of plants, accelerating vaporization.	

1	Intensification	Vertical agriculture ^{265,266}	Vertical farming using LED lighting (no natural light), hydroponics (no soil), aquaponics (fish), and/or air (no soil or natural light - grown on cloth with areoponic mist and LED lights), or underwater farming.	Freight Farms https://www.freightfarms.com/ Valoya http://www.valoya.com/vertical-farming/ AreoFarms https://aerofarms.com/technology/ http://www.nemosgarden.com/the-project/
1	Digital agriculture	Tracking / confinement tech for livestock ^{267–272}	A smart ear tag with geo-location for greater traceability and provenance of livestock and may provide a platform for other possible applications in the future.	https://www.agersens.com/
1	Digital agriculture	Pre-birth sex determination ^{n273,274}	Pre-birth sex determination for animals such as cattle or poultry. For poultry this involves a placement of a biological marker on the chicken's sex-determining chromosome.	
1,2,3	Other	3D printing ^{275,276}	The use of 3D printing in the agricultural sector. This includes the 3D printing of food which involves a digitally controlled, robotic construction process that can build up complex 3D food products layer by layer.	
1,2,3	Cellular agriculture	Molecular printing ^{277,278}	Molecular printing techniques involves the direct transfer of molecules to a substrate with submicrometre resolution. This includes the recombination of molecular components.	
1	Inputs	Macrobiotics ^{279–281}	Macrobiotics and natural pest suppression is use of beneficial insects, mites and entomopathogenic nematodes as biocontrol agents and/or fertilisers. This process encourages natural predators of pest insects and reduces reliance upon pesticide control agents.	
1	Inputs	Botanicals ^{282,283}	The use of botanicals (e.g. bark) to replace artificial fertiliser and pesticides.	
1	Inputs	Microbiotics ^{284,285}	Development of microbial inoculum or extracts that can increase plant nutrient uptake, reduce disease incidence or stimulate growth.	https://www.pivotbio.com/
1	Inputs	Holobiomics ^{284,286}	Use of soil organisms to enhance ecosystem service delivery, including plant nutrition, through the promotion of soil biodiversity and targeted management of soil community composition.	
1,3	Replacement food / feed	Microalgae & cyanobacteria for food ^{287,288}	Replacing protein sources for humans and/or livestock with algae. Currently, microalgae and cyanobacteria are mainly sold as a dietary supplement in the form of tablets and health drinks for human consumption but are also used as feed additive for livestock and aquaculture. The main species farmed are	

			Spirulina, Chlorella spp., Haematococcus pluvialis and Nannochloropsis spp.	
1,3	Replacement food / feed	Seaweed for food ^{287,288}	Replacing protein sources for humans and/or livestock with seaweed. 81% of the total seaweed aquaculture production is dominated by a few species. Pyropia / Porphyra (known as "nori" in Japan) are used as human food and Gracilaria / Gracilariopsis are red algae used by the phycocolloid industry as the main source of food grade agar, but also used as animal feed.	
1,3	Replacement food / feed	Insects for food ^{287,288}	Replacing protein sources for humans and/or livestock with insects. Insects are currently (and increasingly) being produced for food and feed applications. They have high protein content and contain other valuable macro- and micronutrients for human diets.	
1,3	Replacement food / feed	Microbial protein ^{289,290}	Production of microbial protein for food, animal feed and slow release fertiliser.	http://www.solarfoods.fi/
1,3	Replacement food / feed	Livestock/seafood substitutes ^{288,291}	Substitutes to livestock and seafood products with same taste and texture. This includes plant based substitutes and vegetarian egg-protein meat substitutes.	
1	Replacement food / feed	Innovative aquaculture feed ^{292,293}	Innovative feed in used in aquaculture. An example of this is NovaCQ - bioactive aquafeed ingredient, produced via the bio-conversion of low-value plant waste from agriculture.	https://www.ridley.com.au/investors/novacq
1	Replacement food / feed	Omega-3 products ^{294,295}	Producing omega-3 fatty acid products from natural marine algae for all aquaculture.	https://www.veramaris.com/home.html
1	Replacement food / feed	Dietary additives for livestock ^{296,297}	Agents and dietary additives to improve ruminant fibre digestion and productivity and reducing methanogenesis. These include dietary lipids, electron receptors, antibiotics, enzymes in the form of cellulases or hemicellulases, probiotics (such as yeast culture), algae, propionate precursors such as fumarate or malate, condensed tannins and saponins. This includes manipulations of microbial populations in the rumen to reduce CH ₄ production, such as CH ₄ inhibitory vaccinations against methanogens or chemical defaunation to eliminate rumen protozoa.	
1,2,3	Resource use efficiency	Circular economy ^{298,299}	A circular economy is an alternative to a traditional linear economy (make, use, dispose) in which we keep resources in use for as long as possible, extract the maximum value from them whilst in use, then recover and regenerate products and materials at the end of each service life.	

4. References

1. FAO. *Developing sustainable food value chains - Guiding principles*. (2014).
2. Mankins, J. C. *Technology Readiness Levels: A White Paper*. National Aeronautics and Space Administration (NASA), Washington DC (1995).
3. Popkin, B. M. Nutritional Patterns and Transitions. *Popul. Dev. Rev.* **19**, 138–157 (1993).
4. Spiertz, H. Food production, crops and sustainability: restoring confidence in science and technology. *Curr. Opin. Environ. Sustain.* **2**, 439–443 (2010).
5. Hochman, Z. *et al.* Prospects for ecological intensification of Australian agriculture. *Eur. J. Agron.* **44**, 109–123 (2013).
6. Berna, F. *et al.* Microstratigraphic evidence of in situ fire in the Acheulean strata of Wonderwerk Cave, Northern Cape province, South Africa. *Proc. Natl. Acad. Sci.* **109**, E1215–E1220 (2012).
7. Revedin, A. *et al.* Thirty thousand-year-old evidence of plant food processing. *Proc. Natl. Acad. Sci. U. S. A.* **107**, 18815–9 (2010).
8. Shelach, G. On the Invention of Pottery. *Science (80-.)*. **336**, 1644–1645 (2012).
9. Mazoyer, M. & Roudart, L. *A History of world Agriculture from the neolithic age to the current crisis*. (Earthscan, 2006).
10. McGovern, P. E. *et al.* Fermented beverages of pre- and proto-historic China. *Proc. Natl. Acad. Sci.* **101**, 17593–17598 (2004).
11. Speth, J. D. Putrid Meat and Fish in the Eurasian Middle and Upper Paleolithic: Are We Missing a Key Part of Neanderthal and Modern Human Diet? *PaleoAnthropology* 44–72 (2017).
12. Arranz-Otaegui, A., Gonzalez Carretero, L., Ramsey, M. N., Fuller, D. Q. & Richter, T. Archaeobotanical evidence reveals the origins of bread 14,400 years ago in northeastern Jordan. *Proc. Natl. Acad. Sci.* **115**, 7925–7930 (2018).
13. Unger-Hamilton, R. Microscopic striations on flint sickle-blades as an indication of plant cultivation: Preliminary results. *World Archaeol.* **17**, 121–126 (1985).
14. Vigne, J.-D. The origins of animal domestication and husbandry: A major change in the history of humanity and the biosphere. *C. R. Biol.* **334**, 171–181 (2011).
15. Williams, M. Dark ages and dark areas: global deforestation in the deep past. *J. Hist. Geogr.* **26**, 28–46 (2000).
16. Kaplan, J. O., Krumhardt, K. M. & Zimmermann, N. The prehistoric and preindustrial deforestation of Europe. *Quat. Sci. Rev.* **28**, 3016–3034 (2009).
17. Hodder, I. Çatalhöyük in the Context of the Middle Eastern Neolithic. *Annu. Rev. Anthropol.* **36**, 105–120 (2007).

18. Diamond, J. & Bellwood, P. Farmers and Their Languages: The First Expansions. *Science* (80-.). **300**, 597–603 (2003).
19. Kuijt, I. & Finlayson, B. Evidence for food storage and predomestication granaries 11,000 years ago in the Jordan Valley. *Proc. Natl. Acad. Sci.* **106**, 10966–10970 (2009).
20. Black, S. L. & Thorns, A. V. Hunter-Gatherer Earth Ovens in the Archaeological Record: Fundamental Concepts. *Am. Antiq.* **79**, 204–226 (2014).
21. Kuijt, I., Finlayson, B. & MacKay, J. Pottery Neolithic landscape modification at Dhra'. *Antiquity* **81**, 106–118 (2007).
22. Korobov, D. S. & Borisov, A. V. The origins of terraced field agriculture in the Caucasus: new discoveries in the Kislovodsk basin. *Antiquity* **87**, 1086–1103 (2013).
23. Builth, H. *et al.* Environmental and cultural change on the Mt Eccles lava-flow landscapes of southwest Victoria, Australia. *The Holocene* **18**, 413–424 (2008).
24. Bogaard, A. 'Garden agriculture' and the nature of early farming in Europe and the Near East. *World Archaeol.* **37**, 177–196 (2005).
25. Bogaard, A. *Neolithic Farming in Central Europe: An Archaeobotanical Study of Crop Husbandry Practices*. (Routledge, 2004). doi:10.4324/9780203358009
26. Bogaard, A. *et al.* Crop manuring and intensive land management by Europe's first farmers. *Proc. Natl. Acad. Sci.* **110**, 12589–12594 (2013).
27. McGovern, P. *et al.* Early Neolithic wine of Georgia in the South Caucasus. *Proc. Natl. Acad. Sci.* **114**, E10309–E10318 (2017).
28. Salque, M. *et al.* Earliest evidence for cheese making in the sixth millennium bc in northern Europe. *Nature* **493**, 522–525 (2012).
29. Dalley, S. The Invention of Cuneiform: Writing in Sumer (review). *Technol. Cult.* **46**, 408–409 (2005).
30. Giosan, L. *et al.* Fluvial landscapes of the Harappan civilization. *Proc. Natl. Acad. Sci. U. S. A.* **109**, E1688-94 (2012).
31. Diamond, J. *Guns, germs, and steel: the fates of human societies*. (W.W. Norton & Co, 1997).
32. Wachsmann, S. *Seagoing ships and seamanship In the Bronze Age Levant*. (Texas A&M University Press, 2009).
33. Bakker, J. A., Kruk, J., Lanting, A. E. & Milisauskas, S. The earliest evidence of wheeled vehicles in Europe and the Near East. *Antiquity* **73**, 778–790 (1999).
34. Rastogi, S. & Kaphle, K. Sustainable traditional medicine: taking the inspirations from ancient veterinary science. *Evid. Based. Complement. Alternat. Med.* **2011**, 151435 (2011).
35. Upadhyay, B., Singh, K. P. & Kumar, A. Ethno-veterinary uses and informants consensus factor of medicinal plants of Sariska region, Rajasthan, India. *J. Ethnopharmacol.* **133**,

- 14–25 (2011).
36. Costa, L. G. Toxicology of Pesticides: A Brief History. in *Toxicology of Pesticides* 1–10 (Springer Berlin Heidelberg, 1987). doi:10.1007/978-3-642-70898-5_1
 37. Mudge, K., Janick, J., Scofield, S. & Goldschmidt, E. E. A History of Grafting. in *Horticultural Reviews* 437–493 (John Wiley & Sons, Inc., 2009). doi:10.1002/9780470593776.ch9
 38. Mays, L. W., Koutsoyiannis, D. & Angelakis, A. N. A brief history of urban water supply in antiquity. *Water Sci. Technol. Water Supply* 7, 1–12 (2007).
 39. Lucas, J. S. & Southgate, P. C. *Aquaculture Farming Aquatic Animals and Plants*. (John Wiley & Sons, 2011).
 40. White, K. D. *Agricultural implements of the Roman world*. (Cambridge University Press, 2010).
 41. Mundell, R. A. *The birth of coinage*. (1999).
 42. Lucas, A. R. Industrial Milling in the Ancient and Medieval Worlds: A Survey of the Evidenence for an Industrial Revolution in Medieval Europe. *Technol. Cult.* 46, 1–30 (2005).
 43. Corti, E. & Vogelaar, E. *The oldest hatcheries are still in use*.
 44. Reynolds, T. S. *Stronger than a Hundred Men. A History of the Vertical Water Wheel*. (Johns Hopkins University Press, 2002).
 45. Mcphail, C. *Reconstructing Eratosthenes' Map of the World*. (University of Otago, 2011).
 46. Lowrie, W. *Fundamentals of Geophysics Second Edition*. (Cambridge University Press, 2007).
 47. Kumar, M., Culp, T. & Shen, Y. Water Desalination: History, Advances, and Challenges. in *Frontiers of Engineering: Reports on Leading-Edge Engineering from the 2016 Symposium* (National Academies Press, 2017).
 48. Lewis, M. J. T. *Surveying instruments of Greece and Rome*. (Cambridge University Press, 2001).
 49. Needham, J. *Science and civilisation in China*. (Cambridge University Press, 1987).
 50. Chuskin, P. History of Gallic Reaper. *Generator* (2006). Available at: <http://www.gnrtr.com/Generator.html?pi=208&cp=3>. (Accessed: 19th December 2018)
 51. Forbes, R. J. (Robert J. *Studies in ancient technology*. (E.J. Brill, 1993).
 52. Peng, S. Biological control--one of the fine traditions of the ancient Chinese agricultural techniques. *Sci. Agric. Sin.* 1, 92–98 (1983).
 53. Johnson, M. W. Lecture Notes for ENTO 675 Biological Control of Pests - History and Development of Biological Control. (2000).

54. Al Hassan, A. Y. & Hill, D. R. *Islamic Technology: An Illustrated History*. *Bulletin of Science, Technology & Society* (Cambridge University Press, 1991).
55. Salomon, R. *Indian Epigraphy : a Guide to the Study of Inscriptions in Sanskrit, Prakrit, and the other Indo-Aryan Languages*. (Oxford University Press, 1998).
56. Needham, J. *Science and civilisation in China: Volume 6, Biology and Biological Technology, Part 6, Medicine*. (Cambridge University Press, 2000).
57. Glaser, B., Haumaier, L., Guggenberger, G. & Zech, W. The 'Terra Preta' phenomenon: a model for sustainable agriculture in the humid tropics. *Naturwissenschaften* **88**, 37–41 (2001).
58. Mann, C. C. *1491 - New Revelations of the Americas Before Columbus*. (Knopf, 2005).
59. Fattah, Q. A. Plant Resources for Human Development. in *3rd International Botanical Conference* (Bangladesh Botanical Society, 2005).
60. Armijo, C. B. *et al.* ENGINEERING AND GINNING Roller Ginning. *J. Cotton Sci.* **21**, 199–209 (2017).
61. Hobson, J. M. *The Eastern Origins of Western Civilisation*. (Cambridge University Press, 2004). doi:10.1017/CBO9780511489013
62. Nicolai, R. A critical review of the hypothesis of a medieval origin for portolan charts. (Utrecht University, 2014).
63. Yoon, S. J. & Woudstra, J. Advanced Horticultural Techniques in Korea: The Earliest Documented Greenhouses. *Garden History* **35**, 68–84
64. Kwun, S.-K. Rainfall observations in Korea by the world's first rain gauge. *Paddy Water Environ.* **4**, 67–69 (2006).
65. Patriquin, L. The Agrarian Origins of the Industrial Revolution in England. *Rev. Radic. Polit. Econ.* **36**, 196–216 (2004).
66. Bacon, F. & Rawley, W. *Sylva Sylvarum, Or, A Naturall Historie in Ten Centuries*. (1635).
67. Overton, M. Re-establishing the English Agricultural Revolution. *Agric. Hist. Rev.* **44**, 1–20 (1996).
68. Broad, J. Alternate Husbandry and Permanent Pasture in the Midlands, 1650–1800. *Agric. Hist. Rev.* **28**, 77–89 (1980).
69. Kregor, B. & Dennison, C. 'To plough the fields and scatter' [Collection of two articles.]. *Pap. Proc. Tasmanian Hist. Res. Assoc.* **47**, 104–111 (2000).
70. Sayre, L. B. The pre-history of soil science: Jethro Tull, the invention of the seed drill, and the foundations of modern agriculture. *Phys. Chem. Earth, Parts A/B/C* **35**, 851–859 (2010).
71. Grigull, U. Fahrenheit a Pioneer of Exact Thermometry. *Lehrstuhl A für Thermodyn.* 9–18 (1986).

72. Dreyer, J. L. E. On the invention of the Sextant. *Astron. Nachrichten* **115**, 33 (1886).
73. Brunt, L. Mechanical Innovation in the Industrial Revolution: The Case of Plough Design. *economic Hist. Rev.* **56**, 444–477 (2003).
74. Dohner, J. V. *The encyclopedia of historic and endangered livestock and poultry breeds*. (Yale University Press, 2001).
75. Earnshaw, P. *Lace machines and machine laces*. (Gorse, 1994).
76. Degueurce, C. Claude Bourgelat et la création des écoles vétérinaires. *C. R. Biol.* **335**, 334–342 (2012).
77. Hills, R. L. Hargreaves, Arkwright and Crompton. Why Three Inventors? *Text. Hist.* **10**, 114–126 (1979).
78. Foote, R. H. The history of artificial insemination: Selected notes and notables. *J. Anim. Sci.* **80**, 1–10 (2002).
79. Dickinson, H. W. *A Short History of the Steam Engine*. (Cambridge University Press, 2011).
80. Westcott, T. *Life of John Fitch: The Inventor of the Steam-boat*. (J.B. Lippincott & Co., 1857).
81. Macdonald, S. The Progress of the Early Threshing Machine. *The Agricultural History Review* **23**, 63–77 (1975).
82. Lakwete, A. *Inventing the cotton gin : machine and myth in antebellum America*. (Johns Hopkins University Press, 2005).
83. Bazin, H. *The Eradication of Smallpox*. (Elsevier, 2000). doi:10.1016/B978-0-12-083475-4.X5000-0
84. Abdenouri, N., Idlimam, A. & Kouhila, M. Sorption isotherms and thermodynamic properties of powdered milk. *Chem. Eng. Commun.* **197**, 1109–1125 (2010).
85. Underwood, T. and G. *The Repertory of Patent Inventions And Other Discoveries and Improvements in Arts, Manufactures, and Agriculture*. (1804).
86. Vaclavik, V. A. & Christian, E. W. Food Preservation. in 323–342 (Springer, New York, NY, 2014). doi:10.1007/978-1-4614-9138-5_16
87. Fitzgerald, A. J. A Social History of the Slaughterhouse: From Inception to Contemporary Implications. *Hum. Ecol. Rev.* **17**, 58–69 (2010).
88. Mokyr, J., Vickers, C. & Ziebarth, N. L. The History of Technological Anxiety and the Future of Economic Growth: Is This Time Different? *J. Econ. Perspect.* **29**, 31–50 (2015).
89. Williamson, J. G. The Impact of the Corn Laws Just Prior to Repeal. *Explor. Econ. Hist.* **27**, 123–156 (1990).
90. North, D. C. & Thomas, R. P. *The rise of the Western world: a new economic history*. (Cambridge University Press, 1973).

91. Obed Hussey, *Who, of All Inventors, Made Bread Cheap*. (The Project Gutenberg , 1912).
92. Solymar, L. *Getting the message: A history of communications*. (Oxford University Press, 1999).
93. Lee, G. A. The Historical Significance of the Chicago Grain Elevator System. *Agric. Hist.* **11**, 16–32 (1937).
94. Constant, E. W. Scientific Theory and Technological Testability: Science, Dynamometers, and Water Turbines in the 19th Century. *Technol. Cult.* **24**, 183 (1983).
95. Floud, R. *The British machine tool industry, 1850-1914*. (Cambridge University Press, 2006).
96. Radermacher, R. & Kim, K. Domestic refrigerators: recent developments. *Int. J. Refrig.* **19**, 61–69 (1996).
97. Met Office. Who we are - Met Office. (2019). Available at: <https://www.metoffice.gov.uk/about-us/who>. (Accessed: 4th August 2019)
98. Namias, J. long range weather forecasting — history, current status. *Bull. Am. Meterological Soc.* **49**, (1968).
99. Reinemann, D. J. The history of vacuum regulation technology. in *44th Annual meeting of the National Mastitis Council* (2005).
100. Rațiu, S. *The History of the Internal Combustion Engine*. *Annals of the Faculty of Engineering Hunedoara* (2003).
101. Gupta, H. N. *Fundamentals of Internal Combustion Engines*. (PHI Learning Pvt. Ltd., 2013).
102. Holsinger, V. H., Rajkowski, K. T. & Stabel, J. R. Milk pasteurisation and safety: a brief history and update. *Rev. Sci. Tech. l'OIE* **16**, 441–451 (1997).
103. Weldon, W. F. R. Mendel's Laws of Alternative Inheritance in Peas. *Biometrika* **1**, 228–254 (1902).
104. Hornbeck, R. Barbed Wire: Property Rights and Agricultural Development. *Q. J. Econ.* **125**, 767–810 (2010).
105. Jarman, W. M. & Ballschmiter, K. From coal to DDT: the history of the development of the pesticide DDT from synthetic dyes till Silent Spring. *Endeavour* **36**, 131–142 (2012).
106. Aminov, R. I. A brief history of the antibiotic era: Lessons learned and challenges for the future. *Front. Microbiol.* **1**, (2010).
107. Gould, K. Antibiotics: from prehistory to the present day. *J. Antimicrob. Chemother.* **71**, 572–575 (2016).
108. Duarte, V. & Sarkar, S. *A Cinderella Story: The Early Evolution of the American Tractor Industry*. *CEFAGE-UE Working Papers* (2009).
109. Crow, J. F. 90 Years Ago: The Beginning of Hybrid Maize. *Genetics* **148**, 923–928

- (1998).
110. Bennetzen, J. L. & Hake, S. *Handbook of Maize*. (Springer New York, 2009). doi:10.1007/978-0-387-77863-1
 111. Dietsche, K.-H. & Kuhlitz, D. History of the automobile. in *Fundamentals of Automotive and Engine Technology* (ed. Reif K.) 1–7 (Publisher Name Springer Vieweg, Wiesbaden, 2014). doi:doi.org/10.1007/978-3-658-03972-1_1
 112. Jay, J. J., Loessner, M. J. & Golden, D. A. *Modern Food Microbiology*. (Springer Science & Business Media, 2006).
 113. Galloway, J. N., Leach, A. M., Bleeker, A. & Erisman, J. W. A chronology of human understanding of the nitrogen cycle. *Philos. Trans. R. Soc. B Biol. Sci.* **368**, 20130120 (2013).
 114. Coffey, D., Dawson, K., Ferket, P. & Connolly, A. Review of the feed industry from a historical perspective and implications for its future. *J. Appl. Anim. Nutr.* **4**, e3 (2016).
 115. Mejia, L. A. Fortification of Foods: Historical Development and Current Practices. *Food Nutr. Bull.* **15**, 1–4 (1994).
 116. Bishai, D. & Nalubola, R. The History of Food Fortification in the United States: Its Relevance for Current Fortification Efforts in Developing Countries. *Econ. Dev. Cult. Change* **51**, 37–53 (2002).
 117. Lynch, P. The origins of computer weather prediction and climate modeling. *J. Comput. Phys.* **227**, 3431–3444 (2008).
 118. Morton, M. History of Synthetic Rubber. *J. Macromol. Sci. Part A - Chem.* **15**, 1289–1302 (1981).
 119. Downs, E. W. & Lemmer, G. F. Origins of Aerial Crop Dusting. *Agric. Hist.* **39**, 123–135 (1965).
 120. Smith, A. F. *Encyclopedia of junk food and fast food*. (Greenwood Press, 2006).
 121. Vogel, K. E. Backcross Breeding. in *Methods in Molecular Biology* **526**, 161–169 (Humana Press Inc., 2009).
 122. ACS. *Quality and Stability of Frozen Foods Time-Temperature Tolerance Studies and Their Significance*. (2002).
 123. Jones, J. B. Hydroponics: Its history and use in plant nutrition studies. *J. Plant Nutr.* **5**, 1003–1030 (1982).
 124. Duncan, I. J. H. The pros and cons of cages. *Worlds. Poult. Sci. J.* **57**, 381–390 (2001).
 125. Arndt, M. H. *Battery Brooding A Complete Exposition of the Important Facts Concerning the Successful Operation and Handling of the various Types of Battery Brooders*. (Orange Judd Publishing Company, Inc., 1937).
 126. Minnesota Science and Technology Hall of Fame. Frederick McKinley Jones. Available at: http://www.msthalloffame.org/frederick_mckinley_jones.htm. (Accessed: 29th January

2020)

127. Rees, J. *Refrigeration Nation: A History of Ice, Appliances, and Enterprise in America*. (JHU Press).
128. Gavroglou, K. *History of artificial cold, scientific, technological and cultural issues*. (Springer Science and Business Media LLC).
129. Peterson, G. E. The Discovery and Development of 2,4-D. *Agricultural History* **41**, 243–254 (1967).
130. Bordo, M. D. The Bretton Woods International Monetary System: A Historical Overview. in *A Retrospective on the Bretton Woods System: Lessons for International Monetary Reform* (eds. Bordo, M. D. & Eichengreen, B.) 3–108 (University of Chicago Press, 1993).
131. Phillips, R. E., Thomas, G. W., Blevins, R. L., Frye, W. W. & Phillips, S. H. No-Tillage Agriculture. *Science* (80-.). **208**, 1108–1113 (1980).
132. Ortiz, R. *et al.* High yield potential, shuttle breeding, genetic diversity, and a new international wheat improvement strategy. *Euphytica* **157**, 365–384 (2007).
133. Osepchuk, J. M. A History of Microwave Heating Applications. *IEEE Trans. Microw. Theory Tech.* **32**, 1200–1224 (1984).
134. Raun, A. P. & Preston, R. L. History of diethylstilbestrol use in cattle. *J. Anim. Sci.* (2002).
135. Miller, A. Scaling Up or Selling Out? A Critical Appraisal of Current Developments in Vertical Farming. (Carleton University, 2011).
136. Trossarelli, L. & Brunella, V. *Polyethylene: discovery and growth Polyethylene*. (2003).
137. Barth, L. J. *A history of inventing in New Jersey : from Thomas Edison to the ice cream cone*. (Arcadia Publishing, 2013).
138. Borojevic, K. & Borojevic, K. The Transfer and History of “Reduced Height Genes” (Rht) in Wheat from Japan to Europe. *J. Hered.* **96**, 455–459 (2005).
139. van den Muijzenberg, E. W. B. *A history of greenhouses. A history of greenhouses* (Institute of Agricultural Engineering., 1980).
140. McQuillan, J., Richer, I. & Rosen, E. The New Routing Algorithm for the ARPANET. *IEEE Trans. Commun.* **28**, 711–719 (1980).
141. White, J. S. *Fructose, High Fructose Corn Syrup, Sucrose and Health. Fructose, High Fructose Corn Syrup, Sucrose and Health* (Springer New York, 2014). doi:10.1007/978-1-4899-8077-9
142. National Research Council. *The Global Positioning System: A Shared National Asset*. (National Academies Press, 1995). doi:10.17226/4920
143. Agar, J. *Constant touch: a global history of the mobile phone*. (Icon Books, 2013).

144. Abbate, J. Getting small: a short history of the personal computer. *Proc. IEEE* **87**, 1695–1698 (1999).
145. Duncan, I. J. H., Slee, G. S., Kettlewell, P., Berry, P. & Carlisle, A. J. Comparison of the stressfulness of harvesting broiler chickens by machine and by hand. *Br. Poult. Sci.* **27**, 109–114 (1986).
146. Bernatzky, R. & Tanksley, S. D. Toward A Saturated Linkage Map In Tomato Based On Isozymes And Random cDNA Sequences. *Genetics* **112**, 887–898 (1986).
147. Ben-Ari, G. & Lavi, U. Marker-assisted selection in plant breeding. in *Plant Biotechnology and Agriculture* 163–184 (Elsevier, 2012). doi:10.1016/B978-0-12-381466-1.00011-0
148. Ishino, Y., Krupovic, M. & Forterre, P. History of CRISPR-Cas from Encounter with a Mysterious Repeated Sequence to Genome Editing Technology. *J. Bacteriol.* **200**, (2018).
149. Vaeck, M. *et al.* Transgenic plants protected from insect attack. *Nature* **328**, 33–37 (1987).
150. Estruch, J. J. *et al.* Transgenic plants: An emerging approach to pest control. *Nat. Biotechnol.* **15**, 137–141 (1997).
151. Berners-Lee, T., Cailliau, R., Luotonen, A., Nielsen, H. F. & Secret, A. The World-Wide Web. *Commun. ACM* **37**, 907–912 (1994).
152. Aamoth, D. First Smartphone: Fun Facts about Simon. *Time Magazine* (2014).
153. Blackmore, S. Precision Farming: An Introduction. *Outlook Agric.* **23**, 275–280 (1994).
154. Dill, G. M. Glyphosate-resistant crops: history, status and future. *Pest Manag. Sci.* **61**, 219–224 (2005).
155. Nestel, P., Bouis, H. E., Meenakshi, J. V. & Pfeiffer, W. Biofortification of Staple Food Crops. *J. Nutr.* **136**, 1064–1067 (2006).
156. Graham, R. D., Welch, R. M. & Bouis, H. E. Addressing Micronutrient Malnutrition through Enhancing the Nutritional Quality of Staple Foods: Principles, Perspectives and Knowledge Gaps. *Adv. Agron.* **70**, (2001).
157. Campbell, K. H. S., McWhir, J., Ritchie, W. A. & Wilmut, I. Sheep cloned by nuclear transfer from a cultured cell line. *Nature* **380**, 64–66 (1996).
158. FAO & ITU. *E-agriculture in Action: Drones for Agriculture*. (FAO, 2018).
159. Yli-Huomo, J., Ko, D., Choi, S., Park, S. & Smolander, K. Where Is Current Research on Blockchain Technology?—A Systematic Review. *PLoS One* **11**, e0163477 (2016).
160. Edelman, P. D., McFarland, D. C., Mironov, V. A. & Matheny, J. G. Commentary: In Vitro-Cultured Meat Production. *Tissue Eng.* **11**, 659–662 (2005).
161. Bonny, S. P. F., Gardner, G. E., Pethick, D. W. & Hocquette, J. F. Artificial meat and the future of the meat industry. *Anim. Prod. Sci.* **57**, 2216–2223 (2017).

162. Mattick, C. S. Cellular agriculture: The coming revolution in food production. *Bull. At. Sci.* **74**, 32–35 (2018).
163. Dance, A. Engineering the animal out of animal products. *Nat. Biotechnol.* **35**, 704–707 (2017).
164. King, A. Technology: The future of agriculture. *Nature* **544**, S21–S23 (2017).
165. Bechar, A. & Vigneault, C. Agricultural robots for field operations. Part 2: Operations and systems. *Biosyst. Eng.* **153**, 110–128 (2017).
166. Christiansen, M., Larsen, P. & Jørgensen, R. Robotic Design Choice Overview Using Co-Simulation and Design Space Exploration. *Robotics* **4**, 398–420 (2015).
167. Holloway, L. & Bear, C. Bovine and human becomings in histories of dairy technologies: robotic milking systems and remaking animal and human subjectivity. *Br. Soc. Hist. Sci. Themes* **2**, 215–234 (2017).
168. Duckett, T. *et al.* Agricultural Robotics: The Future of Robotic Agriculture. (2018). doi:arXiv:1806.06762v2
169. Bergerman, M., Billingsley, J., Reid, J. & van Henten, E. Robotics in Agriculture and Forestry. in *Springer Handbook of Robotics* 1463–1492 (2016). doi:10.1007/978-3-319-32552-1_56
170. Ahmed, H., Juraimi, A. S. & Hamdani, S. M. Introduction to Robotics Agriculture in Pest Control: A Review. *Pertanika J. Sch. Res. Rev.* **2**, 80–93 (2016).
171. Potamitis, I., Eliopoulos, P. & Rigakis, I. Automated Remote Insect Surveillance at a Global. *Robotics* **6**, 1–14 (2017).
172. Stirzaker, R., Mbakwe, I. & Mziray, N. R. A soil water and solute learning system for small- scale irrigators in Africa. *Int. J. Water Resour. Dev.* **33**, 788–803 (2017).
173. Thiruvengadam, M., Rajakumar, G. & Chung, I.-M. Nanotechnology: current uses and future applications in the food industry. *3 Biotech* **8**, 74 (2018).
174. Chung, I. M. *et al.* Nanotechnology for human food: Advances and perspective. *Front. Life Sci.* **10**, 63–72 (2017).
175. Tzounis, A., Katsoulas, N. & Bartzanas, T. Internet of Things in agriculture, recent advances and future challenges. *Biosyst. Eng.* **4**, 31–48 (2017).
176. Lin, Y. *et al.* Blockchain: The Evolutionary Next Step for ICT E-Agriculture. *Environments* **4**, 1–13 (2017).
177. Farley, S., Vuillaume, R. & Keenan, C. *Innovating the future of food systems: A global scan for the innovations needed to transform food systems in emerging markets by 2035.* (2017).
178. Corrales, D. C. Toward detecting crop diseases and pest by supervised learning. *Ing. y Univ.* **19**, 207 (2015).
179. Badia-Melis, R., Mishra, P. & Ruiz-García, L. Food traceability: New trends and recent

- advances. A review. *Food Control* **57**, 393–401 (2015).
180. Dani, S. *Food supply chain management and logistics : from farm to fork*. (Kogan Page, 2015).
 181. Wolfert, S., Ge, L., Verdouw, C. & Bogaardt, M.-J. Big Data in Smart Farming – A review. *Agric. Syst.* **153**, 69–80 (2017).
 182. Kamilaris, A., Kartakoullis, A. & Prenafeta-Boldú, F. X. A review on the practice of big data analysis in agriculture. *Comput. Electron. Agric.* **143**, 23–37 (2017).
 183. Rateni, G., Dario, P. & Cavallo, F. Smartphone-Based Food Diagnostic Technologies: A Review. *Sensors* **17**, 1453 (2017).
 184. Quesada-gonzález, D. & Merkoçi, A. Mobile phone-based biosensing: An emerging “diagnostic and communication” technology. *Biosens. Bioelectron.* **92**, 549–562 (2017).
 185. Kulbacki, M., Segen, J., Knie, W. & Kulbacka, J. Survey of Drones for Agriculture Automation from Planting to Harvest. in *IEEE International Conference on Intelligent Engineering Systems* 353–358 (2018). doi:10.1109/INES.2018.8523943
 186. Puri, V., Nayyar, A. & Raja, L. Agriculture drones: A modern breakthrough in precision agriculture. *J. Stat. Manag. Syst.* **20**, 507–518 (2017).
 187. Palossi, D. *et al.* Ultra Low Power Deep-Learning-powered Autonomous Nano Drones. *IEEE Internet Things J.* **under revi**, 1–12 (2018).
 188. Nayyar, A., Puri, V. & Le, D. Internet of Nano Things (IoNT): Next Evolutionary Step in Nanotechnology. *Nanosci. Nanotechnol.* **7**, 4–8 (2017).
 189. Reza, A. N., Shahin, A. & Shahaboddin, R. Resource management in cropping systems using artificial intelligence techniques: a case study of orange orchards in north of Iran. *Stoch. Environ. Res. Risk Assess.* **30**, 413–427 (2016).
 190. Toyama, S. & Yamamoto, G. Development of Wearable-Agri-Robot. Mechanism for agricultural work. in *2009 IEEE/RSJ International Conference on Intelligent Robots and Systems* 5801–5806 (IEEE, 2009). doi:10.1109/IROS.2009.5354265
 191. de Looze, M. P., Bosch, T., Krause, F., Stadler, K. S. & O’Sullivan, L. W. Exoskeletons for industrial application and their potential effects on physical work load. *Ergonomics* **59**, 671–681 (2016).
 192. Bosona, T. & Gebresenbet, G. Food traceability as an integral part of logistics management in food and agricultural supply chain. *Food Control* **33**, 32–48 (2013).
 193. Ghaani, M., Cozzolino, C. A., Castelli, G. & Farris, S. An overview of the intelligent packaging technologies in the food sector. *Trends Food Sci. Technol.* **51**, 1–11 (2016).
 194. Porep, J. U., Kammerer, D. R. & Carle, R. Trends in Food Science & Technology On-line application of near infrared (NIR) spectroscopy in food production. *Trends Food Sci. Technol.* **46**, 211–230 (2015).
 195. ElMasry, G. M. & Nakauchi, S. Image analysis operations applied to hyperspectral images

- for non-invasive sensing of food quality - A comprehensive review. *Biosyst. Eng.* **142**, 53–82 (2016).
196. Scott, N. R., Chen, H. & Cui, H. Nanotechnology Applications and Implications of Agrochemicals toward Sustainable Agriculture and Food Systems. *J. Agric. Food Chem.* **66**, 6451–6456 (2018).
 197. Shi, R., Liu, X. & Ying, Y. Facing Challenges in Real-Life Application of Surface-Enhanced Raman Scattering : Design and Nanofabrication of Surface-Enhanced Raman Scattering Substrates for Rapid Field Test of Food Contaminants. *J. Agric. Food Chem.* **66**, 6525–6543 (2017).
 198. Klemm, T. & McPherson, R. A. The development of seasonal climate forecasting for agricultural producers. *Agric. For. Meteorol.* **232**, 384–399 (2017).
 199. Meinke, H. & Stone, R. C. Seasonal and inter-annual climate forecasting: the new tool for increasing preparedness to climate variability and change in agricultural planning and operations. *Clim. Change* **70**, 221–253 (2005).
 200. Joyce, A. R. & Palsson, B. Ø. The model organism as a system: Integrating ‘omics’ data sets. *Nat. Rev. Mol. Cell Biol.* **7**, 198–210 (2006).
 201. Suravajhala, P., Kogelman, L. J. A. & Kadarmideen, H. N. Multi - omic data integration and analysis using systems genomics approaches : methods and applications in animal production , health and welfare. *Genet. Sel. Evol.* 1–14 (2016). doi:10.1186/s12711-016-0217-x
 202. Brown, T. B. *et al.* TraitCapture: Genomic and environment modelling of plant phenomic data. *Curr. Opin. Plant Biol.* **18**, 73–79 (2014).
 203. Halewood, M. *et al.* Plant genetic resources for food and agriculture: opportunities and challenges emerging from the science and information technology revolution. *New Phytol.* **217**, 1407–1419 (2018).
 204. Chu, S., Cui, Y. & Liu, N. The path towards sustainable energy. *Nat. Mater.* **16**, 16–22 (2016).
 205. Wu, H. *et al.* The interactions of composting and biochar and their implications for soil amendment and pollution remediation : a review. *Crit. Rev. Biotechnol.* **8551**, (2017).
 206. Syakir, M. I., Nurin, N. A., Zafirah, N., Kassim, M. A. & Abdul Khalil, H. P. S. Nanoclay Reinforced Polymer Composites: Potential as a Soil Stabilizer. in *Nanoclay Reinforced Polymer Composites* 329–356 (2016). doi:10.1007/978-981-10-1953-1
 207. Sureshkumar, P., Geetha, P., Kutty, M. C. N. & Kutty, C. N. Fertigation - the key component of precision farming. *J. Trop. Agric.* **54**, 103–114 (2016).
 208. Li, J. *et al.* Micro-irrigation improves grain yield and resource use efficiency by co-locating the roots and N-fertilizer distribution of winter wheat in the North China Plain. *Sci. Total Environ.* **643**, 367–377 (2018).
 209. Guo, H., White, J. C., Wang, Z. & Xing, B. Nano-enabled fertilizers to control the release

- and use efficiency of nutrients. *Curr. Opin. Environ. Sci. Heal.* **6**, 77–83 (2018).
210. Solanki, P., Bhargava, A., Chhipa, H. & Jain, N. Nano-fertilizers and Their Smart Delivery System. in *Nanotechnologies in Food and Agriculture* 81–101 (2015). doi:10.1007/978-3-319-14024-7
 211. Timilsena, Y. P. *et al.* Enhanced efficiency fertilisers: a review of formulation and nutrient release patterns. *J. Sci. Food Agric.* **94**, 1131–1142 (2015).
 212. Azeem, B., Kushaari, K., Man, Z. B., Basit, A. & Thanh, T. H. Review on materials & methods to produce controlled release coated urea fertilizer. *J. Control. Release* **181**, 11–21 (2014).
 213. Hayles, J., Johnson, L., Worthley, C. & Losic, D. *Nanopesticides: a review of current research and perspectives. New Pesticides and Soil Sensors* (Elsevier Inc., 2017). doi:10.1016/B978-0-12-804299-1.00006-0
 214. Balaure, P. C., Gudovan, D. & Gudovan, I. Nanopesticides: a new paradigm in crop protection. in *New Pesticides and Soil Sensors* 129–192 (2017). doi:10.1016/B978-0-12-804299-1.00005-9
 215. Bonebrake, M. *et al.* Biofilms Benefiting Plants Exposed to ZnO and CuO Nanoparticles Studied with a Root-Mimetic Hollow Fiber Membrane. *J. Agric. Food Chem.* **66**, 6619–6627 (2018).
 216. Galgano, F. *et al.* Biodegradable packaging and EDIBLE COATING for fresh-cut fruits and vegetables. *Ital. J. Food Sci.* **27**, 1–20 (2015).
 217. Chauhan, O. P., Chitravathi, K. & Unni, L. E. Bio-based packaging for fresh fruits and vegetables. in *Innovative Packaging of Fruits and Vegetables* 1–24 (2018).
 218. Honarvar, Z., Hadian, Z. & Mashayekh, M. Nanocomposites in food packaging applications and their risk assessment for health. *Electron. physician* **8**, 2531–2538 (2016).
 219. Martín-Belloso, O., Soliva-Fortuny, R., Elez-Martínez, P., Robert Marsellés-Fontanet, A. & Vega-Mercado, H. Non-thermal Processing Technologies. in *Food Safety Management* 443–465 (Elsevier, 2014). doi:10.1016/B978-0-12-381504-0.00018-4
 220. Toepfl, S., Siemer, C., Saldana-Navarro, G. & Heinz, V. Overview of Pulsed Electric Fields Processing for Food. in *Emerging Technologies for Food Processing* 93–114 (2014). doi:10.1016/B978-0-12-411479-1.00006-1
 221. Sagar, V. R. & Suresh Kumar, P. Recent advances in drying and dehydration of fruits and vegetables: a review. *J. Food Sci. Technol.* **47**, 15–26 (2010).
 222. Deng, X., den Bakker, H. C. & Hendriksen, R. S. Genomic Epidemiology: Whole-Genome-Sequencing-Powered Surveillance and Outbreak Investigation of Foodborne Bacterial Pathogens. *Annu. Rev. Food Sci. Technol.* **7**, 353–374 (2016).
 223. Stasiewicz, M. J., Oliver, H. F., Wiedmann, M. & den Bakker, H. C. Whole-Genome Sequencing Allows for Improved Identification of Persistent *Listeria monocytogenes* in

- Food-Associated Environments. *Appl. Environ. Microbiol.* **81**, 6024–6037 (2015).
224. Jermann, C., Koutchma, T., Margas, E., Leadley, C. & Ros-Polski, V. Mapping trends in novel and emerging food processing technologies around the world. *Innov. Food Sci. Emerg. Technol.* **31**, 14–27 (2015).
 225. García-Parra, J. & Ramírez, R. New Preservations Technologies: Hydrostatic High Pressure Processing and High Pressure Thermal Processing. in *Encyclopedia of Food Security and Sustainability* **i**, 473–480 (Elsevier, 2019).
 226. Goold, H., Wright, P. & Hailstones, D. Emerging Opportunities for Synthetic Biology in Agriculture. *Genes (Basel)*. **9**, 341 (2018).
 227. Vicente, E. J. & Dean, D. R. Keeping the nitrogen-fixation dream alive. *Proc. Natl. Acad. Sci.* **114**, 3009–3011 (2017).
 228. Dent, D. & Cocking, E. Establishing symbiotic nitrogen fixation in cereals and other non-legume crops: The Greener Nitrogen Revolution. *Agric. Food Secur.* **6**, 7 (2017).
 229. Schlautman, B., Barriball, S., Ciotir, C., Herron, S. & Miller, A. J. Perennial Grain Legume Domestication Phase I: Criteria for Candidate Species Selection. *Sustainability* **10**, 1–23 (2018).
 230. Crews, T. E. *et al.* Going where no grains have gone before: From early to mid-succession. *Agric. Ecosyst. Environ.* **223**, 223–238 (2016).
 231. Bird, A. R. & Regina, A. High amylose wheat: A platform for delivering human health benefits. *J. Cereal Sci.* **82**, 99–105 (2018).
 232. Paul, J.-Y. *et al.* Golden bananas in the field: elevated fruit pro-vitamin A from the expression of a single banana transgene. *Plant Biotechnol. J.* **15**, 520–532 (2017).
 233. Tardieu, F., Cabrera-Bosquet, L., Pridmore, T. & Bennett, M. Plant Phenomics, From Sensors to Knowledge. *Curr. Biol.* **27**, R770–R783 (2017).
 234. Yol, E., Toker, C. & Uzun, B. *Phenomics in Crop Plants: Trends, Options and Limitations*. *Phenomics in Crop Plants: Trends, Options and Limitations* (Springer India, 2015). doi:10.1007/978-81-322-2226-2
 235. Boutrot, F. & Zipfel, C. Function, Discovery, and Exploitation of Plant Pattern Recognition Receptors for Broad-Spectrum Disease Resistance. *Annu. Rev. Phytopathol.* **55**, 257–286 (2017).
 236. Goto, S. *et al.* Development of disease-resistant rice by pathogen-responsive expression of WRKY45. *Plant Biotechnol. J.* **14**, 1127–1138 (2016).
 237. Rosewarne, G., Bonnett, D., Rebetzke, G. & Lonergan, P. The Potential of Lr19 and Bdv2 Translocations to Improve Yield and Disease Resistance in the High Rainfall Wheat Zones of Australia. *Agronomy* **5**, 55–70 (2015).
 238. Green, J. M. Current state of herbicides in herbicide-resistant crops. *Pest Manag. Sci.* **70**, 1351–1357 (2014).

239. Dry, I. & Thomas, M. Disease resistance: Fast-tracking grape breeding for disease resistance. *Wine Vitic. J.* **30**, 52–55 (2015).
240. Zhang, J., Song, Q., Cregan, P. B. & Liang, G. Genome - wide association study , genomic prediction and marker - assisted selection for seed weight in soybean (*Glycine max*). *Theor. Appl. Genet.* **129**, 117–130 (2016).
241. Sailer, C., Schmid, B. & Grossniklaus, U. Apomixis Allows the Transgenerational Fixation of Phenotypes in Hybrid Plants. *Curr. Biol.* **26**, 331–337 (2016).
242. Conner, J. A. & Ozias-akins, P. Apomixis: Engineering the Ability to Harness Hybrid Vigor in Crop Plants. in *Plant Germline Development* (ed. Schmidt, A.) 17–34 (Springer New York, 2017). doi:10.1007/978-1-4939-7286-9
243. Vanhercke, T. *et al.* Step changes in leaf oil accumulation via iterative metabolic engineering. *Metab. Eng.* **39**, 237–246 (2017).
244. Petrie, J. R. *et al.* Metabolic engineering of omega-3 long-chain polyunsaturated fatty acids in plants using an acyl-CoA D 6-desaturase with o 3-preference from the marine microalga *Micromonas pusilla*. *Metab. Eng.* **12**, 233–240 (2010).
245. Ort, D. R. *et al.* Redesigning photosynthesis to sustainably meet global food and bioenergy demand. *Proc. Natl. Acad. Sci.* **112**, 8529–8536 (2015).
246. Furbank, R. T., Quick, W. P. & Sirault, X. R. R. Improving photosynthesis and yield potential in cereal crops by targeted genetic manipulation: Prospects, progress and challenges. *F. Crop. Res.* **182**, 19–29 (2015).
247. Mishra, R., Joshi, R. K. & Zhao, K. Genome Editing in Rice: Recent Advances , Challenges, and Future Implications. *Front. Plant Sci.* **9**, (2018).
248. Yang, H. & Wu, Z. Genome Editing of Pigs for Agriculture and Biomedicine. *Front. Genomics* **9**, 1–12 (2018).
249. Østerberg, J. T. *et al.* Accelerating the Domestication of New Crops: Feasibility and Approaches. *Trends Plant Sci.* **22**, 373–384 (2017).
250. Altpeter, F. *et al.* Advancing Crop Transformation in the Era of Genome Editing. *Plant Cell* **28**, tpc.00196.2016 (2016).
251. Wood, C. C. *et al.* Seed-specific RNAi in safflower generates a superhigh oleic oil with extended oxidative stability. *Plant Biotechnol. J.* **16**, 1788–1796 (2018).
252. Fire, A. *et al.* Potent and specific genetic interference by double-stranded RNA in *Caenorhabditis elegans*. *Nature* **391**, 806–811 (1998).
253. García-Ruiz, A. *et al.* Changes in genetic selection differentials and generation intervals in US Holstein dairy cattle as a result of genomic selection. *Proc. Natl. Acad. Sci.* **113**, E3995–E4004 (2016).
254. Heffner, E. L., Sorrells, M. E. & Jannink, J. L. Genomic selection for crop improvement. *Crop Sci.* **49**, 1–12 (2009).

255. Scott, P. & Sciences, B. Resurrection Plants and the Secrets of Eternal Leaf. *Ann. Bot.* **85**, 159–166 (2000).
256. Shivaraj, Y. N. *et al.* Perspectives on Structural , Physiological , Cellular , and Molecular Responses to Desiccation in Resurrection Plants. *Hindawi Sci.* **2018**, 1–18 (2018).
257. Baker, G. H., Parry, H. & Tann, C. R. Pigeon pea refuge crops are likely to provide patchy delivery of *Helicoverpa* (Lepidoptera: Noctuidae) within Bt cotton production regions in eastern Australia. *Austral Entomol.* **55**, 439–448 (2016).
258. Rusch, A. *et al.* Agricultural landscape simplification reduces natural pest control: A quantitative synthesis. *Agric. Ecosyst. Environ.* **221**, 198–204 (2016).
259. Archer, N., Krause, D. & Logan, A. Personalised food revolution. *Food Aust.* **69**, 42–44 (2017).
260. World Economic Forum. *Annual Report 2017–2018*. (2018).
261. Kurtz, S., Haegel, N., Sinton, R. & Margolis, R. A new era for solar. *Nat. Photonics* **11**, 3–5 (2017).
262. Closas, A. & Rap, E. Solar-based groundwater pumping for irrigation: Sustainability, policies, and limitations. *Energy Policy* **104**, 33–37 (2017).
263. Byadgi, S., Nethra, N. & Gowda, R. Effect of Pulsed Electro-magnetic Field Treatments on Seed Quality of Onion Seeds (*Allium cepa* L .). *Mysore J. Agric. Sci.* **52**, 18–23 (2018).
264. Kochar, K. S. & Kaur, I. Potential utilization of electro-culture technology for promoting plant growth. *Res. Inspir.* **1**, 211–216 (2016).
265. Pinstrup-Andersen, P. Is it time to take vertical indoor farming seriously? *Glob. Food Sec.* **17**, 233–235 (2018).
266. Pascual, M. P., Lorenzo, G. A. & Gabriel, A. G. Vertical Farming Using Hydroponic System: Toward a Sustainable Onion Production in Nueva Ecija, Philippines. *Open J. Ecol.* **08**, 25–41 (2018).
267. Bai, H. *et al.* Traceability technologies for farm animals and their products in China. *Food Control* **79**, 35–43 (2017).
268. Salina, A., Hassan, L., Saharee, A., Stevenson, M. & Ghazali, K. A Comparison of RFID and Visual Ear Tag Retention in Dairy Cattle in Malaysia. in *Proceedings of the international seminar on livestock production and veterinary technology* 178–182 (2016).
269. Greenwood, P. L. *et al.* Use of sensor-determined behaviours to develop algorithms for pasture intake by individual grazing cattle. *Crop Pasture Sci.* **68**, 1091–1099 (2017).
270. Andriamandroso, A. L. H., Bindelle, J., Mercatoris, B. & Lebeau, F. A review on the use of sensors to monitor cattle jaw movements and behavior when grazing. *Biotechnol. Agron. Soc. Environ.* **20**, 273–286 (2016).
271. Campbell, D. L. M. *et al.* Virtual fencing of cattle using an automated collar in a feed

- attractant trial. *Appl. Anim. Behav. Sci.* **200**, 71–77 (2018).
272. Marini, D. *et al.* Developing an ethically acceptable virtual fencing system for sheep. *Animals* **8**, 1–9 (2018).
 273. Doran, T. J. *et al.* Sex selection in layer chickens. *Anim. Prod. Sci.* **58**, 476 (2018).
 274. Pellegrino, C. A. G. *et al.* Use of sexed sorted semen for fixed-time artificial insemination or fixed-time embryo transfer of in vitro–produced embryos in cattle. *Theriogenology* **86**, 888–893 (2016).
 275. Godoi, F. C., Prakash, S. & Bhandari, B. R. 3d printing technologies applied for food design: Status and prospects. *J. Food Eng.* **179**, 44–54 (2016).
 276. Sun, J., Zhou, W., Huang, D., Fuh, J. Y. H. & Hong, G. S. An Overview of 3D Printing Technologies for Food Fabrication. *Food Bioprocess Technol.* **8**, 1605–1615 (2015).
 277. Braunschweig, A. B., Huo, F. & Mirkin, C. A. Molecular printing. *Nat. Chem.* **1**, 353–358 (2009).
 278. Chia, H. N. & Wu, B. M. Recent advances in 3D printing of biomaterials. *J. Biol. Eng.* **9**, 1–14 (2015).
 279. Bale, J. S., Van Lenteren, J. C. & Bigler, F. Biological control and sustainable food production. *Philosophical Transactions of the Royal Society B: Biological Sciences* **363**, 761–776 (2008).
 280. Le Hesran, S., Ras, E., Wajnberg, E. & Beukeboom, L. W. Next generation biological control – an introduction. *Entomol. Exp. Appl.* eea.12805 (2019). doi:10.1111/eea.12805
 281. Lommen, S. T. E., de Jong, P. W. & Pannebakker, B. A. It is time to bridge the gap between exploring and exploiting: prospects for utilizing intraspecific genetic variation to optimize arthropods for augmentative pest control - a review. *Entomol. Exp. Appl.* **162**, 108–123 (2017).
 282. Forrer, H.-R., Vogelgsang, S. & Musa, T. Botanicals and Phosphonate Show Potential to Replace Copper for Control of Potato Late Blight. *J. Fungi* **3**, 65 (2017).
 283. Raja, N. Biopesticides and Biofertilizers: Ecofriendly Sources for Sustainable Agriculture. *J. Fertil. Pestic.* **4**, 1–2 (2013).
 284. Philippot, L., Raaijmakers, J. M., Lemanceau, P. & van der Putten, W. H. Going back to the roots: the microbial ecology of the rhizosphere. *Nat. Rev. Microbiol.* **11**, 789–799 (2013).
 285. Jacoby, R., Peukert, M., Succurro, A., Koprivova, A. & Kopriva, S. The Role of Soil Microorganisms in Plant Mineral Nutrition—Current Knowledge and Future Directions. *Front. Plant Sci.* **8**, 1–19 (2017).
 286. Hamilton, C. E., Bever, J. D., Labbé, J., Yang, X. & Yin, H. Mitigating climate change through managing constructed-microbial communities in agriculture. *Agric. Ecosyst. Environ.* **216**, 304–308 (2016).

287. Henchion, M., Hayes, M., Mullen, A., Fenelon, M. & Tiwari, B. Future Protein Supply and Demand: Strategies and Factors Influencing a Sustainable Equilibrium. *Foods* **6**, 53 (2017).
288. Parodi, A. *et al.* The potential of future foods for sustainable and healthy diets. *Nat. Sustain.* **1**, 782–789 (2018).
289. Pikaar, I. *et al.* Carbon emission avoidance and capture by producing in-reactor microbial biomass based food, feed and slow release fertilizer: Potentials and limitations. *Sci. Total Environ.* **644**, 1525–1530 (2018).
290. Pikaar, I. *et al.* Decoupling Livestock from Land Use through Industrial Feed Production Pathways. *Environ. Sci. Technol.* **52**, 7351–7359 (2018).
291. Smetana, S., Mathys, A., Knoch, A. & Heinz, V. Meat alternatives: life cycle assessment of most known meat substitutes. *Int. J. Life Cycle Assess.* **20**, 1254–1267 (2015).
292. Sellars, M. J. *et al.* Feed Containing Novacq Improves Resilience of Black Tiger Shrimp , *Penaeus Monodon* , to Gill-associated Virus-induced Mortality. *J. World Aquac. Soc.* **46**, 328–336 (2015).
293. Simon, C. J., Blyth, D., N, A. F. & Suri, S. Microbial biomass (Novacq TM) stimulates feeding and improves the growth performance on extruded low to zero-fishmeal diets in tilapia (GIFT strain). *Aquaculture* **501**, 319–324 (2019).
294. Sprague, M., Dick, J. R. & Tocher, D. R. Impact of sustainable feeds on omega-3 long-chain fatty acid levels in farmed Atlantic salmon , 2006 – 2015. *Sci. Rep.* **6**, 1–9 (2016).
295. Adarme-Vega, T. C., Thomas-Hall, S. R. & Schenk, P. M. Towards sustainable sources for omega-3 fatty acids production. *Curr. Opin. Biotechnol.* **26**, 14–18 (2014).
296. Knapp, J. R., Laur, G. L., Vadas, P. A., Weiss, W. P. & Tricarico, J. M. Invited review: Enteric methane in dairy cattle production: Quantifying the opportunities and impact of reducing emissions. *J. Dairy Sci.* **97**, 3231–3261 (2014).
297. Hegarty, R. S. Reducing rumen methane emissions through elimination of rumen protozoa. *Aust. J. Agric. Res.* **50**, 1321–1328 (1999).
298. Ghisellini, P., Cialani, C. & Ulgiati, S. A review on circular economy: the expected transition to a balanced interplay of environmental and economic systems. *J. Clean. Prod.* **114**, 11–32 (2016).
299. Van Zanten, H. H. E. *et al.* Defining a land boundary for sustainable livestock consumption. *Glob. Chang. Biol.* **24**, 4185–4194 (2018).
300. Mankins, J.C., Technology readiness assessments: a retrospective. *Acta Astronautic.* **65**, 1216-1223 (2009).
301. Hirshhorn, S. *et al.* Final Report of the NASA Technology Readiness Assessment Study Team, National Aeronautics and Space Administration (NASA), Washington, DC. (2016).