

S1*Ridge Regression Models for Traumatic Experiences (Total Events from Birth to 7 Years) & Psychopathology Symptoms at 7 Years of Age**Dependent variable: Internalizing Symptoms (CBCL) at 7 years*

	Standardizing Values		Standardized Coefficients	Unstandardized Coefficients
	Mean	Std. Dev.		
Intercept	.	.	47.922	46.612
Traumatic experiences (interpersonal)	.405	.759	2.283	3.010
Traumatic experiences (non-interpersonal)	.821	.877	.098	.112

Dependent variable: Externalizing Symptoms (CBCL) at 7 years

	Standardizing Values		Standardized Coefficients	Unstandardized Coefficients
	Mean	Std. Dev.		
Intercept	.	.	47.232	44.937
Traumatic experiences (interpersonal)	.449	.769	1.594	2.072
Traumatic experiences (non-interpersonal)	.891	.891	1.364	1.531

S2*Cross-Sectional Ridge Regression Models for Family Resilience/Adaptation Categories and Child Psychopathology Symptoms at 7 Years of Age**Dependent variable: Internalizing Symptoms (CBCL) at 7 years*

	Standardizing Values		Standardized Coefficients	Unstandardized Coefficients
	Mean	Std. Dev.		
Intercept	.	.	49.729	81.704
Family resilience (commitment)	20.971	2.496	-1.566	-.628
Family resilience (challenge)	13.657	2.813	-1.137	-.404
Family resilience (control)	13.514	2.123	-2.089	-.984

Dependent variable: Externalizing Symptoms (CBCL) at 7 years

	Standardizing Values		Standardized Coefficients	Unstandardized Coefficients
	Mean	Std. Dev.		
Intercept	.	.	47.653	53.455
Family resilience (commitment)	20.917	2.476	-.242	-.098
Family resilience (challenge)	14.028	2.455	.799	.325
Family resilience (control)	13.681	2.197	-1.336	-.608