

Reporting Summary

Nature Portfolio wishes to improve the reproducibility of the work that we publish. This form provides structure for consistency and transparency in reporting. For further information on Nature Portfolio policies, see our [Editorial Policies](#) and the [Editorial Policy Checklist](#).

Statistics

For all statistical analyses, confirm that the following items are present in the figure legend, table legend, main text, or Methods section.

- | | |
|-------------------------------------|--|
| n/a | Confirmed |
| ☐ | ☒ The exact sample size (n) for each experimental group/condition, given as a discrete number and unit of measurement |
| ☐ | ☒ A statement on whether measurements were taken from distinct samples or whether the same sample was measured repeatedly |
| ☐ | ☒ The statistical test(s) used AND whether they are one- or two-sided
<i>Only common tests should be described solely by name; describe more complex techniques in the Methods section.</i> |
| ☐ | ☒ A description of all covariates tested |
| ☐ | ☒ A description of any assumptions or corrections, such as tests of normality and adjustment for multiple comparisons |
| ☐ | ☒ A full description of the statistical parameters including central tendency (e.g. means) or other basic estimates (e.g. regression coefficient) AND variation (e.g. standard deviation) or associated estimates of uncertainty (e.g. confidence intervals) |
| ☐ | ☒ For null hypothesis testing, the test statistic (e.g. F , t , r) with confidence intervals, effect sizes, degrees of freedom and P value noted
<i>Give P values as exact values whenever suitable.</i> |
| ☒ | ☐ For Bayesian analysis, information on the choice of priors and Markov chain Monte Carlo settings |
| ☐ | ☒ For hierarchical and complex designs, identification of the appropriate level for tests and full reporting of outcomes |
| ☐ | ☒ Estimates of effect sizes (e.g. Cohen's d , Pearson's r), indicating how they were calculated |

Our web collection on [statistics for biologists](#) contains articles on many of the points above.

Software and code

Policy information about [availability of computer code](#)

- | | |
|-----------------|--|
| Data collection | WatchPAT 300 for peripheral arterial tonometry sleep; mobile-app food logging; questionnaires |
| Data analysis | Python 3.11 (NumPy, Pandas, SciPy, scikit-learn, statsmodels); CatBoost 1.2; Matplotlib, Bootstrap and IPW pipelines implemented in custom Python code; analysis code available on https://github.com/mashaashkolnik/causal_framework . |

For manuscripts utilizing custom algorithms or software that are central to the research but not yet described in published literature, software must be made available to editors and reviewers. We strongly encourage code deposition in a community repository (e.g. GitHub). See the Nature Portfolio [guidelines for submitting code & software](#) for further information.

Data

Policy information about [availability of data](#)

- All manuscripts must include a [data availability statement](#). This statement should provide the following information, where applicable:
- Accession codes, unique identifiers, or web links for publicly available datasets
 - A description of any restrictions on data availability
 - For clinical datasets or third party data, please ensure that the statement adheres to our [policy](#)

Data in this paper is part of the Human Phenotype Project (HPP) and is accessible to researchers from universities and other research institutions at: <https://humanphenotypeproject.org/data-access>

Research involving human participants, their data, or biological material

Policy information about studies with [human participants or human data](#). See also policy information about [sex, gender \(identity/presentation\), and sexual orientation](#) and [race, ethnicity and racism](#).

Reporting on sex and gender	Both sexes included (50.8% male, 49.2% female). Sex determined by self-report; used as covariate in all propensity models and for stratification (Extended Data Tables 1–2). Findings apply to both sexes.
Reporting on race, ethnicity, or other socially relevant groupings	Participants were recruited from the Human Phenotype Project cohort of Israeli adults and are predominantly European (Ashkenazi) ancestry.
Population characteristics	4,793 person-nights from 3,598 adults: mean age 52.7 ± 7.9 years, mean BMI 26.0 ± 4.1 kg/m ² , 50.8% male, 49.2% female; generally healthy Israeli adults.
Recruitment	Participants were recruited from the Human Phenotype Project cohort.
Ethics oversight	The Human Phenotype Project was approved by the Institutional Review Board (IRB) of the Weizmann Institute of Science. All participants provided written informed consent.

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Field-specific reporting

Please select the one below that is the best fit for your research. If you are not sure, read the appropriate sections before making your selection.

☐ Life sciences ☒ Behavioural & social sciences ☐ Ecological, evolutionary & environmental sciences

For a reference copy of the document with all sections, see [nature.com/documents/nr-reporting-summary-flat.pdf](https://www.nature.com/documents/nr-reporting-summary-flat.pdf)

Life sciences study design

All studies must disclose on these points even when the disclosure is negative.

Sample size	
Data exclusions	
Replication	
Randomization	
Blinding	

Behavioural & social sciences study design

All studies must disclose on these points even when the disclosure is negative.

Study description	Quantitative observational causal-inference study estimating the effect of single-day dietary deviations on overnight sleep architecture via inverse-probability weighting.
Research sample	4,793 person-nights from 3,598 adults in the Human Phenotype Project (Israel). Age 52.7 ± 7.9 y, BMI 26.0 ± 4.1 kg/m ² , 50.8% male / 49.2% female.
Sampling strategy	All HPP cohort members contributing at least one night of WatchPAT data paired with same-day food logs meeting pre-specified quality criteria; 95% CIs reported for all estimands.
Data collection	At-home WatchPAT 300 sleep recordings; self-reported food logs via a timestamped mobile app; clinic data. Participants were free-living and blind to specific hypotheses.
Timing	Data collected February 2020 through April 2025 within the ongoing Human Phenotype Project cohort.
Data exclusions	Pre-specified exclusions: nights with WatchPAT recording <4 or >10 sleep hours; nights lacking prior-day food logs; having <500 or >5,000 calories or <3 items logged.
Non-participation	Cohort-level dropout is not directly quantified for this secondary analysis. Missing nights or missing food logs were handled solely by the inclusion criteria.

Randomization

No randomization (observational). Confounding was addressed with inverse-probability weighting using Platt-calibrated CatBoost propensity scores, Hájek normalization, and cluster bootstrap; covariate balance and sensitivity analyses are reported.

Ecological, evolutionary & environmental sciences study design

All studies must disclose on these points even when the disclosure is negative.

Study description

Research sample

Sampling strategy

Data collection

Timing and spatial scale

Data exclusions

Reproducibility

Randomization

Blinding

Did the study involve field work? ☐ Yes ☐ No

Field work, collection and transport

Field conditions

Location

Access & import/export

Disturbance

Reporting for specific materials, systems and methods

We require information from authors about some types of materials, experimental systems and methods used in many studies. Here, indicate whether each material, system or method listed is relevant to your study. If you are not sure if a list item applies to your research, read the appropriate section before selecting a response.

Materials & experimental systems

n/a	Involved in the study
☒	☐ Antibodies
☒	☐ Eukaryotic cell lines
☒	☐ Palaeontology and archaeology
☒	☐ Animals and other organisms
☒	☐ Clinical data
☒	☐ Dual use research of concern
☒	☐ Plants

Methods

n/a	Involved in the study
☒	☐ ChIP-seq
☒	☐ Flow cytometry
☒	☐ MRI-based neuroimaging

Antibodies

Antibodies used

Validation

Eukaryotic cell lines

Policy information about [cell lines and Sex and Gender in Research](#)

Cell line source(s)	
Authentication	
Mycoplasma contamination	
Commonly misidentified lines (See ICLAC register)	

Palaeontology and Archaeology

Specimen provenance	
Specimen deposition	
Dating methods	
☐ Tick this box to confirm that the raw and calibrated dates are available in the paper or in Supplementary Information.	
Ethics oversight	

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Animals and other research organisms

Policy information about [studies involving animals](#); [ARRIVE guidelines](#) recommended for reporting animal research, and [Sex and Gender in Research](#)

Laboratory animals	
Wild animals	
Reporting on sex	
Field-collected samples	
Ethics oversight	

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Clinical data

Policy information about [clinical studies](#)

All manuscripts should comply with the ICMJE [guidelines for publication of clinical research](#) and a completed [CONSORT checklist](#) must be included with all submissions.

Clinical trial registration	
Study protocol	
Data collection	
Outcomes	

Dual use research of concern

Policy information about [dual use research of concern](#)

Hazards

Could the accidental, deliberate or reckless misuse of agents or technologies generated in the work, or the application of information presented in the manuscript, pose a threat to:

- | | |
|--------------------------|---|
| No | Yes |
| ☐ | ☐ Public health |
| ☐ | ☐ National security |
| ☐ | ☐ Crops and/or livestock |
| ☐ | ☐ Ecosystems |
| ☐ | ☐ Any other significant area |

Experiments of concern

Does the work involve any of these experiments of concern:

- | | |
|--------------------------|--|
| No | Yes |
| ☐ | ☐ Demonstrate how to render a vaccine ineffective |
| ☐ | ☐ Confer resistance to therapeutically useful antibiotics or antiviral agents |
| ☐ | ☐ Enhance the virulence of a pathogen or render a nonpathogen virulent |
| ☐ | ☐ Increase transmissibility of a pathogen |
| ☐ | ☐ Alter the host range of a pathogen |
| ☐ | ☐ Enable evasion of diagnostic/detection modalities |
| ☐ | ☐ Enable the weaponization of a biological agent or toxin |
| ☐ | ☐ Any other potentially harmful combination of experiments and agents |

Plants

Seed stocks

Novel plant genotypes

Authentication

ChIP-seq

Data deposition

- ☐ Confirm that both raw and final processed data have been deposited in a public database such as [GEO](#).
- ☐ Confirm that you have deposited or provided access to graph files (e.g. BED files) for the called peaks.

Data access links

May remain private before publication.

Files in database submission

Genome browser session

(e.g. [UCSC](#))

Methodology

Replicates

Sequencing depth

Antibodies

Peak calling parameters

Data quality

Software

Flow Cytometry

Plots

Confirm that:

- ☐ The axis labels state the marker and fluorochrome used (e.g. CD4-FITC).
- ☐ The axis scales are clearly visible. Include numbers along axes only for bottom left plot of group (a 'group' is an analysis of identical markers).
- ☐ All plots are contour plots with outliers or pseudocolor plots.
- ☐ A numerical value for number of cells or percentage (with statistics) is provided.

Methodology

Sample preparation

Instrument

Software

Cell population abundance

Gating strategy

- ☐ Tick this box to confirm that a figure exemplifying the gating strategy is provided in the Supplementary Information.

Magnetic resonance imaging

Experimental design

Design type

Design specifications

Behavioral performance measures

Acquisition

Imaging type(s)

Field strength

Sequence & imaging parameters

Area of acquisition

Diffusion MRI

☐ Used

☐ Not used

Preprocessing

Preprocessing software

Normalization

Normalization template

Noise and artifact removal

Volume censoring

Statistical modeling & inference

Model type and settings

Effect(s) tested

Specify type of analysis: ☐ Whole brain ☐ ROI-based ☐ Both

Statistic type for inference

(See [Eklund et al. 2016](#))

Correction

Models & analysis

n/a | Involved in the study

- | | | |
|--------------------------|--------------------------|--|
| ☐ | ☐ | Functional and/or effective connectivity |
| ☐ | ☐ | Graph analysis |
| ☐ | ☐ | Multivariate modeling or predictive analysis |

Functional and/or effective connectivity

Graph analysis

Multivariate modeling and predictive analysis