

Ablation of the androgen receptor from vascular smooth muscle cells demonstrates a role for testosterone in vascular calcification

Dongxing Zhu^{1*}, Patrick W. F. Hadoke², Junxi Wu^{2,4}, Alex T. Vesey², Daniel Lerman³, Marc R. Dweck², David E. Newby², Lee B. Smith⁴, Vicky E. MacRae¹

Suppl. Table S1

Gene	Primer sequence
<i>Alpl</i>	Forward : 5' GGG ACG AAT CTC AGG GTA CA 3'
	Reverse :5' AGT AAC TGG GGT CTC TCT CTT T 3'
<i>Mgp</i>	Forward : 5' GTG GCAACC CTG TGC TAC 3'
	Reverse :5'CAG GCT TGT TGC GTT CC 3'
<i>18S</i>	Ambion, Huntingdon, Cambs, UK, sequence not disclosed*
<i>Gapdh</i>	Unknown, purchased commercially from Primer Design.*
<i>Osterix</i>	Unknown, purchased commercially from Qiagen.*
<i>Esr1</i>	
<i>Esr2</i>	
<i>Aromatase</i>	

Supplementary Table 1: Primer pairs used for PCR analysis.

Suppli. Fig 1

Fig.1f




Fig.1h




Fig.3a

