


A.



B.

MIS (629 bp) ASVPLYSLDSLPPLSLGVSSSETLLARLLNSSAPTLEFSFPTQGSVLQGHHGELSLQPALL
 MIS (436 bp) ASVPLYSLDSLPPLSLGVSSSETLLARLLNSSAPTLEFSFPTQGSVLQGHHGELSLQPALL
 MIS (396 bp) ASVPLYSLDSLPPLSLGVSSSETLLARLLNSSAPTLEFSFPTQGSVLQGHHGELSLQPALL

MIS (629 bp) EVLRQRLEEVLVQMRAEEVGKAGMDRLRRLQELSVLPKESSEAPAGEQASM*
 MIS (436 bp) EVLRQRLEEVLVQMRAEEVGKAGMDRLRRLQELSVLPKEGEEAPAGVGSPSETQYPAPLS
 MIS (396 bp) EVLRQRLEEVLVQMKALQTVVGAWDVERGQRATRAGQK-DPGNQHLCLHSLTVSLEKYL
 ***** * * *

MIS (436 bp) AAQSHRVPGEIPAVS*
 MIS (396 bp) LSPPGATIYNQC

C.

MIS (396 bp) KALQTVVGAWDVERGQRATRAGQKDPGNQHLCLHSLTVSLEKYLSPPGATIYNQC
 HM159473 KALQTVVGAWDVERGQRATRAGQKDPGNQHLCLHSLTVSLEKYLSPPEATIYNQC
 ***** *