

Supplementary Table 1.

Percentile scores and mean values in the ROM reference (n=1294) and patient (n=5269) groups for the subscales and total score of the **Brief Symptom Inventory (BSI)**.

	ROM reference group (n=1294)						ROM patient group (n=5269)					
	P ₅	P ₂₅	P ₅₀ (median)	P ₇₅	P ₉₅	Mean ± SD	P ₅	P ₂₅	P ₅₀ (median)	P ₇₅	P ₉₅	Mean ± SD
Somatization (SOM)												
All participants	0.00	0.00	0.00	0.29	0.71	0.17 ± 0.28	0.00	0.43	0.86	1.43	2.71	1.03 ± 0.83
- Women aged 18-40 yr	0.00	0.00	0.14	0.29	0.86	0.20 ± 0.31	0.00	0.43	0.86	1.57	2.71	1.06 ± 0.85
- Women aged 41-65 yr	0.00	0.00	0.14	0.29	0.86	0.20 ± 0.29	0.14	0.43	0.86	1.57	2.71	1.09 ± 0.81
- Men aged 18-40 yr	0.00	0.00	0.00	0.14	0.44	0.11 ± 0.19	0.00	0.29	0.71	1.43	2.57	0.94 ± 0.79
- Men aged 41-65 yr	0.00	0.00	0.00	0.14	0.57	0.11 ± 0.23	0.00	0.29	0.71	1.43	2.68	0.96 ± 0.82
Obsessive-Compulsive (O-C)												
All participants	0.00	0.00	0.17	0.50	1.17	0.35 ± 0.42	0.33	1.00	1.67	2.33	3.33	1.67 ± 0.95
- Women aged 18-40 yr	0.00	0.00	0.33	0.50	1.17	0.38 ± 0.44	0.33	1.00	1.67	2.33	3.33	1.68 ± 0.95
- Women aged 41-65 yr	0.00	0.00	0.17	0.50	1.25	0.37 ± 0.45	0.27	0.83	1.67	2.33	3.17	1.64 ± 0.92
- Men aged 18-40 yr	0.00	0.00	0.17	0.50	1.17	0.32 ± 0.37	0.17	0.83	1.50	2.33	3.33	1.64 ± 0.95
- Men aged 41-65 yr	0.00	0.00	0.17	0.50	1.00	0.29 ± 0.37	0.22	1.00	1.67	2.50	3.50	1.73 ± 0.98
Interpersonal Sensitivity (I-S)												
All participants	0.00	0.00	0.00	0.50	1.00	0.29 ± 0.42	0.00	0.75	1.50	2.25	3.50	1.56 ± 1.04
- Women aged 18-40 yr	0.00	0.00	0.25	0.50	1.25	0.35 ± 0.46	0.25	0.75	1.63	2.50	3.75	1.74 ± 1.09
- Women aged 41-65 yr	0.00	0.00	0.25	0.50	1.25	0.31 ± 0.44	0.00	0.69	1.25	2.00	3.50	1.45 ± 1.01
- Men aged 18-40 yr	0.00	0.00	0.00	0.25	1.00	0.23 ± 0.34	0.00	0.75	1.25	2.00	3.25	1.48 ± 0.98
- Men aged 41-65 yr	0.00	0.00	0.00	0.25	0.75	0.17 ± 0.34	0.00	0.50	1.25	2.00	3.25	1.35 ± 0.97
Depression (DEP)												
All participants	0.00	0.00	0.00	0.33	0.83	0.20 ± 0.34	0.17	0.83	1.67	2.50	3.50	1.68 ± 1.01
- Women aged 18-40 yr	0.00	0.00	0.00	0.33	0.83	0.22 ± 0.34	0.17	0.83	1.67	2.50	3.50	1.71 ± 1.05
- Women aged 41-65 yr	0.00	0.00	0.00	0.33	0.83	0.22 ± 0.37	0.17	0.83	1.50	2.50	3.33	1.66 ± 1.01
- Men aged 18-40 yr	0.00	0.00	0.00	0.17	0.68	0.17 ± 0.30	0.17	0.83	1.67	2.33	3.33	1.66 ± 0.96
- Men aged 41-65 yr	0.00	0.00	0.00	0.17	0.67	0.14 ± 0.31	0.17	0.83	1.50	2.42	3.50	1.68 ± 0.99
Anxiety (ANX)												
All participants	0.00	0.00	0.17	0.33	0.83	0.22 ± 0.34	0.17	0.83	1.33	2.17	3.33	1.49 ± 0.94
- Women aged 18-40 yr	0.00	0.00	0.17	0.33	1.00	0.27 ± 0.39	0.17	0.83	1.33	2.17	3.33	1.53 ± 0.95
- Women aged 41-65 yr	0.00	0.00	0.17	0.33	0.92	0.23 ± 0.36	0.17	0.83	1.33	2.17	3.33	1.49 ± 0.94
- Men aged 18-40 yr	0.00	0.00	0.17	0.33	0.67	0.19 ± 0.25	0.17	0.67	1.33	2.00	3.17	1.42 ± 0.92
- Men aged 41-65 yr	0.00	0.00	0.00	0.17	0.67	0.17 ± 0.29	0.17	0.67	1.33	2.00	3.33	1.49 ± 0.94
Hostility (HOS)												
All participants	0.00	0.00	0.20	0.20	0.80	0.20 ± 0.29	0.00	0.20	0.80	1.40	2.80	0.94 ± 0.86
- Women aged 18-40 yr	0.00	0.00	0.20	0.20	1.00	0.25 ± 0.36	0.00	0.40	0.80	1.60	3.00	1.07 ± 0.90
- Women aged 41-65 yr	0.00	0.00	0.20	0.20	0.60	0.18 ± 0.24	0.00	0.20	0.60	1.00	2.20	0.73 ± 0.73
- Men aged 18-40 yr	0.00	0.00	0.20	0.20	0.60	0.17 ± 0.24	0.00	0.40	0.80	1.40	2.80	0.97 ± 0.86
- Men aged 41-65 yr	0.00	0.00	0.20	0.20	0.60	0.17 ± 0.23	0.00	0.20	0.60	1.20	2.60	0.90 ± 0.84
Phobic Anxiety (PHOB)												
All participants	0.00	0.00	0.00	0.20	0.60	0.11 ± 0.23	0.00	0.40	1.00	1.60	3.00	1.15 ± 0.93
- Women aged 18-40 yr	0.00	0.00	0.00	0.20	0.60	0.11 ± 0.23	0.00	0.40	1.00	1.80	3.20	1.19 ± 0.96
- Women aged 41-65 yr	0.00	0.00	0.00	0.20	0.80	0.13 ± 0.26	0.00	0.40	0.80	1.60	3.00	1.12 ± 0.94
- Men aged 18-40 yr	0.00	0.00	0.00	0.00	0.40	0.07 ± 0.16	0.00	0.40	1.00	1.65	3.00	1.15 ± 0.91
- Men aged 41-65 yr	0.00	0.00	0.00	0.00	0.60	0.10 ± 0.23	0.00	0.40	0.80	1.60	2.80	1.09 ± 0.89
Paranoid Ideation (PAR)												
All participants	0.00	0.00	0.00	0.40	0.80	0.23 ± 0.35	0.00	0.40	1.00	1.80	3.00	1.15 ± 0.94
- Women aged 18-40 yr	0.00	0.00	0.20	0.40	0.82	0.25 ± 0.38	0.00	0.40	1.00	1.80	3.00	1.20 ± 0.96
- Women aged 41-65 yr	0.00	0.00	0.20	0.40	0.80	0.23 ± 0.33	0.00	0.40	0.80	1.60	2.80	1.07 ± 0.90
- Men aged 18-40 yr	0.00	0.00	0.20	0.40	0.80	0.22 ± 0.31	0.00	0.40	1.00	1.80	3.00	1.14 ± 0.93
- Men aged 41-65 yr	0.00	0.00	0.00	0.20	0.80	0.19 ± 0.34	0.00	0.40	1.00	1.80	3.00	1.15 ± 0.94
Psychoticism (PSY)												
All participants	0.00	0.00	0.00	0.20	0.80	0.14 ± 0.28	0.20	0.60	1.20	1.80	2.80	1.23 ± 0.81
- Women aged 18-40 yr	0.00	0.00	0.00	0.20	0.80	0.16 ± 0.29	0.20	0.60	1.20	1.80	2.80	1.29 ± 0.85
- Women aged 41-65 yr	0.00	0.00	0.00	0.20	0.80	0.15 ± 0.28	0.00	0.60	1.00	1.60	2.60	1.13 ± 0.79
- Men aged 18-40 yr	0.00	0.00	0.00	0.20	0.80	0.14 ± 0.28	0.20	0.60	1.20	1.80	2.80	1.26 ± 0.79
- Men aged 41-65 yr	0.00	0.00	0.00	0.20	0.60	0.11 ± 0.25	0.20	0.60	1.00	1.60	2.60	1.19 ± 0.78
BSI total score												
All participants	0.00	0.06	0.13	0.28	0.68	0.21 ± 0.25	0.34	0.79	1.23	1.75	2.66	1.33 ± 0.71
- Women aged 18-40 yr	0.00	0.06	0.17	0.34	0.72	0.25 ± 0.27	0.34	0.83	1.30	1.85	2.74	1.38 ± 0.73
- Women aged 41-65 yr	0.00	0.06	0.15	0.30	0.78	0.23 ± 0.25	0.30	0.75	1.19	1.72	2.55	1.28 ± 0.69
- Men aged 18-40 yr	0.00	0.06	0.13	0.21	0.55	0.18 ± 0.20	0.34	0.79	1.21	1.72	2.58	1.29 ± 0.68
- Men aged 41-65 yr	0.00	0.02	0.09	0.23	0.51	0.16 ± 0.22	0.31	0.75	1.21	1.68	2.70	1.29 ± 0.72

ROM: Routine outcome monitoring.

Supplementary Table 2.

Percentile scores and mean values in the ROM reference (n=1294) and patient (n=5269) groups for the subscales and total score of the **Mood & Anxiety Symptom Questionnaire-30 (MASQ-D30)**.

	ROM reference group (n=1294)						ROM patient group (n=5269)					
	P5	P25	P50 (median)	P75	P95	Mean ± SD	P5	P25	P50 (median)	P75	P95	Mean ± SD
General distress (GD)												
All participants	10	11	12	15	23	13.8 ± 4.4	17	23	28	33	40	28.1 ± 6.9
- Women aged 18-40 yr	10	11	13	17	25	14.7 ± 5.0	17	24	29	34	40	28.6 ± 7.0
- Women aged 41-65 yr	10	11	12	15	23	13.7 ± 4.4	17	23	28	33	40	28.1 ± 6.9
- Men aged 18-40 yr	10	11	12	15	21	13.2 ± 3.7	16	23	27	32	39	27.3 ± 6.6
- Men aged 41-65 yr	10	10	12	14	20	12.8 ± 3.8	17	23	27	32	40	27.7 ± 6.8
Anhedonic depression (AD)												
All participants	10	14	17	22	29	18.4 ± 5.8	17	24	31	37	44	30.7 ± 8.3
- Women aged 18-40 yr	11	14	17	22	28	18.3 ± 5.5	17	24	30	37	44	30.4 ± 8.5
- Women aged 41-65 yr	11	15	18	23	32	19.4 ± 6.2	18	24	31	37	44	30.9 ± 8.4
- Men aged 18-40 yr	9	13	16	20	28	17.0 ± 5.4	18	25	31	37	44	30.9 ± 8.0
- Men aged 41-65 yr	11	14	17	22	29	18.6 ± 5.6	17	25	31	37	44	31.1 ± 8.2
Anxious arousal (AA)												
All participants	10	10	11	13	17	11.9 ± 3.0	18	26	31	37	43	31.3 ± 7.5
- Women aged 18-40 yr	10	10	11	13	18	12.3 ± 3.5	18	26	31	37	43	31.2 ± 7.6
- Women aged 41-65 yr	10	10	11	13	19	12.2 ± 3.1	18	26	31	37	44	31.1 ± 7.5
- Men aged 18-40 yr	10	10	10	12	15	11.3 ± 2.0	19	26	32	36	43	31.3 ± 7.3
- Men aged 41-65 yr	10	10	10	12	16	11.3 ± 2.2	18	27	32	37	44	31.6 ± 7.5

ROM: Routine outcome monitoring.

Supplementary Table 3.

Percentile scores and mean values in the ROM reference (n=1294) and patient (n=5269) groups for the subscales and total score of the **Short Form 36 (SF36)**.

	ROM reference group (n=1294)						ROM patient group (n=5269)					
	P ₅	P ₂₅	P ₅₀ (median)	P ₇₅	P ₉₅	Mean ± SD	P ₅	P ₂₅	P ₅₀ (median)	P ₇₅	P ₉₅	Mean ± SD
Physical Functioning												
All participants	65	90	100	100	100	92.6 ± 14.2	25	60	80	95	100	74.8 ± 23.7
- Women aged 18-40 yr	70	95	100	100	100	93.8 ± 12.4	30	60	85	95	100	76.3 ± 23.1
- Women aged 41-65 yr	53	85	95	100	100	89.4 ± 17.0	18	50	73	90	100	67.8 ± 25.2
- Men aged 18-40 yr	80	95	100	100	100	96.9 ± 7.8	40	70	90	100	100	81.3 ± 20.5
- Men aged 41-65 yr	55	90	95	100	100	91.1 ± 15.9	25	55	80	90	100	73.1 ± 24.0
Role-physical												
All participants	5	100	100	100	100	87.0 ± 27.2	0	0	25	75	100	37.2 ± 39.7
- Women aged 18-40 yr	25	75	100	100	100	87.0 ± 26.4	0	0	25	75	100	38.8 ± 40.1
- Women aged 41-65 yr	0	75	100	100	100	84.4 ± 31.0	0	0	0	50	100	30.9 ± 38.7
- Men aged 18-40 yr	25	100	100	100	100	90.9 ± 22.6	0	0	25	75	100	44.2 ± 40.2
- Men aged 41-65 yr	25	70	100	100	100	87.0 ± 26.3	0	0	25	75	100	33.8 ± 38.0
Bodily Pain												
All participants	54	78	90	100	100	86.4 ± 17.6	20	45	67	90	100	65.9 ± 27.5
- Women aged 18-40 yr	54	78	90	100	100	84.2 ± 18.2	20	45	67	90	100	65.7 ± 26.9
- Women aged 41-65 yr	45	78	90	100	100	84.8 ± 19.2	10	45	57	90	100	61.3 ± 28.4
- Men aged 18-40 yr	67	90	100	100	100	91.4 ± 13.6	22	57	78	100	100	72.0 ± 26.0
- Men aged 41-65 yr	57	80	90	100	100	87.9 ± 16.2	20	45	67	90	100	65.7 ± 28.2
Social Functioning												
All participants	63	88	100	100	100	89.9 ± 15.6	0	25	50	63	88	44.8 ± 26.1
- Women aged 18-40 yr	50	75	100	100	100	88.2 ± 16.8	0	25	50	63	88	44.5 ± 26.2
- Women aged 41-65 yr	56	88	100	100	100	88.7 ± 16.1	0	25	38	63	88	42.4 ± 25.9
- Men aged 18-40 yr	63	88	100	100	100	93.8 ± 12.3	0	25	50	63	88	48.3 ± 26.1
- Men aged 41-65 yr	63	88	100	100	100	90.9 ± 14.9	0	25	50	63	88	44.9 ± 25.6
Mental health												
All participants	56	72	80	88	96	79.7 ± 12.3	12	28	40	52	76	41.5 ± 18.2
- Women aged 18-40 yr	56	72	80	88	96	78.9 ± 12.2	12	28	40	52	76	42.0 ± 18.2
- Women aged 41-65 yr	52	72	80	88	94	78.2 ± 13.3	12	28	40	52	76	41.1 ± 18.8
- Men aged 18-40 yr	64	76	84	89	96	81.8 ± 10.8	16	32	40	52	72	41.9 ± 17.2
- Men aged 41-65 yr	60	76	84	88	96	81.5 ± 11.6	12	28	40	52	76	40.5 ± 18.5
Role-emotional												
All participants	33	100	100	100	100	90.4 ± 24.8	0	0	0	33	100	28.2 ± 36.2
- Women aged 18-40 yr	0	100	100	100	100	88.5 ± 26.9	0	0	0	50	100	28.4 ± 36.4
- Women aged 41-65 yr	0	100	100	100	100	88.4 ± 28.5	0	0	0	33	100	26.0 ± 36.3
- Men aged 18-40 yr	67	100	100	100	100	94.3 ± 16.5	0	0	33	67	100	30.3 ± 35.8
- Men aged 41-65 yr	33	100	100	100	100	92.9 ± 20.7	0	0	0	33	100	28.7 ± 36.1
Vitality												
All participants	40	60	70	80	90	68.6 ± 15.3	5	20	35	45	65	34.3 ± 17.8
- Women aged 18-40 yr	40	55	70	75	90	66.2 ± 15.0	5	20	35	45	65	34.1 ± 17.6
- Women aged 41-65 yr	35	60	70	80	90	68.7 ± 16.3	5	20	30	45	65	32.6 ± 18.1
- Men aged 18-40 yr	45	60	70	80	90	70.1 ± 14.0	10	25	35	50	70	36.9 ± 17.3
- Men aged 41-65 yr	50	60	70	85	95	71.3 ± 15.1	0	20	35	45	65	33.9 ± 17.8
General Health												
All participants	45	65	80	90	100	76.2 ± 16.3	20	35	50	65	90	51.6 ± 21.0
- Women aged 18-40 yr	45	68	80	90	100	77.0 ± 16.2	18	35	50	69	90	51.6 ± 21.4
- Women aged 41-65 yr	37	65	80	90	100	74.9 ± 17.9	20	35	50	65	85	51.2 ± 20.4
- Men aged 18-40 yr	55	70	80	90	100	78.8 ± 13.4	20	40	50	70	90	53.3 ± 20.8
- Men aged 41-65 yr	40	65	75	85	100	74.1 ± 16.0	15	35	50	65	85	49.9 ± 20.9

ROM: Routine outcome monitoring.

Note: in the SF-36 a higher score means better functioning.

Table 4 suppl.

Percentile scores and mean values in the ROM reference (n=635) and patient (n=5035) groups for the subscales and total score of the **Dimensional Assessment of Personality Pathology – short form (DAPP-SF)**.

	ROM reference group (n=635)						ROM patient group (n=5035)					
	P ₅	P ₂₅	P ₅₀ (median)	P ₇₅	P ₉₅	Mean ± SD	P ₅	P ₂₅	P ₅₀ (median)	P ₇₅	P ₉₅	Mean ± SD
Submissiveness												
All participants	1.13	1.50	2.00	2.50	3.50	2.10 ± 0.75	1.25	2.25	3.00	3.63	4.38	2.94 ± 0.94
- Women aged 18-40 yr	1.13	1.50	2.13	2.75	3.75	2.20 ± 0.82	1.38	2.50	3.13	3.75	4.50	3.09 ± 0.92
- Women aged 41-65 yr	1.00	1.63	2.00	2.63	3.38	2.10 ± 0.71	1.25	2.25	2.88	3.63	4.38	2.91 ± 0.96
- Men aged 18-40 yr	1.13	1.63	2.00	2.44	3.26	2.10 ± 0.69	1.38	2.25	2.88	3.50	4.38	2.84 ± 0.90
- Men aged 41-65 yr	1.00	1.25	1.75	2.25	3.38	1.89 ± 0.71	1.25	2.00	2.75	3.38	4.25	2.71 ± 0.93
Cognitive Distortion												
All participants	1.00	1.00	1.17	1.50	2.33	1.36 ± 0.51	1.00	1.50	2.33	3.00	4.17	2.36 ± 0.96
- Women aged 18-40 yr	1.00	1.00	1.17	1.50	2.33	1.38 ± 0.56	1.00	1.67	2.33	3.17	4.17	2.40 ± 0.97
- Women aged 41-65 yr	1.00	1.00	1.17	1.50	2.33	1.35 ± 0.45	1.00	1.50	2.17	2.83	4.00	2.23 ± 0.93
- Men aged 18-40 yr	1.00	1.00	1.17	1.50	2.68	1.36 ± 0.57	1.00	1.67	2.33	3.17	4.17	2.44 ± 0.96
- Men aged 41-65 yr	1.00	1.00	1.17	1.50	2.17	1.31 ± 0.41	1.00	1.50	2.33	3.00	4.00	2.34 ± 0.95
Identity Problems												
All participants	1.00	1.00	1.33	1.83	2.70	1.54 ± 0.59	1.33	2.33	3.17	3.83	4.67	3.12 ± 1.02
- Women aged 18-40 yr	1.00	1.17	1.50	1.83	2.68	1.61 ± 0.58	1.33	2.50	3.33	4.00	4.67	3.20 ± 1.00
- Women aged 41-65 yr	1.00	1.00	1.33	1.83	2.83	1.54 ± 0.61	1.17	2.17	3.17	3.83	4.67	3.00 ± 1.04
- Men aged 18-40 yr	1.00	1.00	1.33	1.83	3.02	1.55 ± 0.61	1.33	2.50	3.33	4.00	4.67	3.18 ± 1.00
- Men aged 41-65 yr	1.00	1.00	1.17	1.67	2.50	1.40 ± 0.52	1.17	2.33	3.17	3.83	4.50	3.02 ± 1.02
Affective Liability												
All participants	1.00	1.38	1.88	2.50	3.50	2.01 ± 0.76	1.63	2.63	3.38	3.88	4.63	3.24 ± 0.88
- Women aged 18-40 yr	1.00	1.56	2.00	2.75	3.64	2.16 ± 0.79	1.88	2.88	3.50	4.00	4.63	3.42 ± 0.85
- Women aged 41-65 yr	1.00	1.50	2.00	2.63	3.63	2.11 ± 0.79	1.50	2.50	3.25	3.88	4.50	3.16 ± 0.90
- Men aged 18-40 yr	1.00	1.25	1.63	2.13	3.25	1.78 ± 0.64	1.63	2.50	3.25	3.75	4.50	3.14 ± 0.87
- Men aged 41-65 yr	1.00	1.25	1.63	2.00	3.38	1.78 ± 0.69	1.57	2.47	3.13	3.63	4.38	3.06 ± 0.85
Stimulus Seeking												
All participants	1.10	1.38	1.88	2.38	3.38	1.99 ± 0.72	1.00	1.50	2.00	2.63	3.75	2.13 ± 0.81
- Women aged 18-40 yr	1.00	1.50	1.88	2.25	3.64	2.00 ± 0.75	1.00	1.50	2.00	2.50	3.63	2.10 ± 0.80
- Women aged 41-65 yr	1.00	1.25	1.63	2.13	2.75	1.72 ± 0.56	1.00	1.38	1.75	2.25	3.13	1.85 ± 0.65
- Men aged 18-40 yr	1.11	1.88	2.38	2.88	3.50	2.37 ± 0.71	1.13	1.88	2.50	3.13	4.04	2.51 ± 0.90
- Men aged 41-65 yr	1.13	1.38	2.00	2.50	3.38	2.02 ± 0.70	1.00	1.63	2.06	2.63	3.63	2.15 ± 0.74
Compulsivity												
All participants	1.38	2.00	2.50	3.13	4.00	2.58 ± 0.77	1.38	2.13	2.88	3.63	4.50	2.89 ± 0.94
- Women aged 18-40 yr	1.38	2.00	2.63	3.25	4.01	2.63 ± 0.83	1.43	2.25	2.88	3.63	4.63	2.94 ± 0.95
- Women aged 41-65 yr	1.25	2.00	2.56	3.16	4.00	2.59 ± 0.81	1.38	2.13	2.88	3.63	4.63	2.87 ± 0.98
- Men aged 18-40 yr	1.49	2.00	2.38	2.88	3.38	2.37 ± 0.59	1.25	2.13	2.75	3.38	4.29	2.75 ± 0.90
- Men aged 41-65 yr	1.50	2.13	2.63	3.13	4.00	2.66 ± 0.72	1.50	2.25	3.00	3.63	4.50	2.95 ± 0.91
Restricted Expression												
All participants	1.25	1.75	2.25	2.88	3.63	2.33 ± 0.75	1.75	2.63	3.25	3.88	4.63	3.23 ± 0.86
- Women aged 18-40 yr	1.13	1.63	2.13	2.88	3.64	2.26 ± 0.76	1.75	2.63	3.25	3.75	4.63	3.19 ± 0.85
- Women aged 41-65 yr	1.25	1.75	2.25	2.88	3.63	2.33 ± 0.75	1.63	2.50	3.25	3.75	4.50	3.14 ± 0.90
- Men aged 18-40 yr	1.24	1.75	2.25	2.88	3.64	2.34 ± 0.74	1.88	2.75	3.38	4.00	4.75	3.37 ± 0.85
- Men aged 41-65 yr	1.25	1.88	2.50	3.00	3.88	2.46 ± 0.74	1.88	2.75	3.38	3.88	4.50	3.30 ± 0.82
Callousness												
All participants	1.00	1.30	1.60	2.00	2.60	1.69 ± 0.50	1.00	1.30	1.70	2.10	2.90	1.77 ± 0.60
- Women aged 18-40 yr	1.00	1.30	1.60	2.00	2.70	1.67 ± 0.49	1.00	1.30	1.60	2.10	2.77	1.74 ± 0.56
- Women aged 41-65 yr	1.00	1.10	1.40	1.80	2.30	1.50 ± 0.43	1.00	1.10	1.40	1.80	2.50	1.51 ± 0.48
- Men aged 18-40 yr	1.19	1.70	2.00	2.20	2.71	1.97 ± 0.49	1.10	1.60	2.00	2.50	3.30	2.10 ± 0.66
- Men aged 41-65 yr	1.00	1.40	1.70	2.10	2.80	1.76 ± 0.51	1.00	1.40	1.80	2.20	2.90	1.86 ± 0.58
Oppositionality												
All participants	1.00	1.40	1.80	2.30	3.20	1.91 ± 0.65	1.40	2.20	2.80	3.50	4.30	2.83 ± 0.89
- Women aged 18-40 yr	1.10	1.40	1.80	2.30	3.20	1.96 ± 0.68	1.40	2.20	2.90	3.50	4.30	2.86 ± 0.87
- Women aged 41-65 yr	1.00	1.40	1.70	2.20	2.99	1.82 ± 0.59	1.20	1.90	2.60	3.30	4.20	2.62 ± 0.90
- Men aged 18-40 yr	1.09	1.50	1.90	2.55	3.31	2.05 ± 0.67	1.50	2.30	3.00	3.60	4.50	3.01 ± 0.89
- Men aged 41-65 yr	1.00	1.40	1.70	2.20	3.10	1.85 ± 0.62	1.40	2.20	2.80	3.50	4.30	2.82 ± 0.87
Intimacy Problems												
All participants	1.13	1.63	2.13	2.50	3.38	2.14 ± 0.67	1.13	1.75	2.38	2.88	4.00	2.42 ± 0.85
- Women aged 18-40 yr	1.24	1.63	2.00	2.50	3.26	2.10 ± 0.66	1.25	1.88	2.38	2.88	4.00	2.44 ± 0.83
- Women aged 41-65 yr	1.25	1.88	2.25	2.66	3.75	2.35 ± 0.71	1.25	2.00	2.50	3.25	4.25	2.60 ± 0.89
- Men aged 18-40 yr	1.13	1.63	2.00	2.38	3.25	2.03 ± 0.61	1.13	1.63	2.13	2.75	3.68	2.25 ± 0.78
- Men aged 41-65 yr	1.13	1.50	2.00	2.38	3.25	1.99 ± 0.61	1.13	1.69	2.13	2.75	3.88	2.29 ± 0.82
Rejection												
All participants	1.38	1.88	2.50	3.00	3.75	2.47 ± 0.76	1.13	1.63	2.25	2.88	3.75	2.31 ± 0.82
- Women aged 18-40 yr	1.13	1.75	2.38	3.06	3.88	2.46 ± 0.81	1.13	1.63	2.13	2.75	3.70	2.25 ± 0.79
- Women aged 41-65 yr	1.13	1.63	2.25	2.88	3.48	2.28 ± 0.73	1.00	1.50	2.00	2.50	3.38	2.04 ± 0.74
- Men aged 18-40 yr	1.61	2.25	2.75	3.13	3.89	2.71 ± 0.67	1.25	2.00	2.63	3.13	4.00	2.58 ± 0.83
- Men aged 41-65 yr	1.50	2.13	2.50	3.00	3.75	2.56 ± 0.71	1.25	1.88	2.50	3.13	3.88	2.53 ± 0.82

Anxiousness													
All participants	1.00	1.33	1.83	2.50	3.50	2.03 ± 0.81	1.67	2.67	3.50	4.00	4.83	3.37 ± 0.94	
- Women aged 18-40 yr	1.00	1.50	2.17	2.83	3.83	2.22 ± 0.86	1.83	3.00	3.67	4.17	4.83	3.52 ± 0.90	
- Women aged 41-65 yr	1.00	1.33	2.00	2.67	3.33	2.06 ± 0.78	1.50	2.50	3.33	4.00	4.67	3.26 ± 0.98	
- Men aged 18-40 yr	1.00	1.33	1.67	2.25	3.50	1.89 ± 0.75	1.67	2.75	3.50	4.00	4.67	3.35 ± 0.91	
- Men aged 41-65 yr	1.00	1.17	1.50	2.33	3.17	1.76 ± 0.75	1.50	2.50	3.33	3.83	4.67	3.17 ± 0.95	
Conduct Problems													
All participants	1.00	1.00	1.13	1.38	2.13	1.26 ± 0.37	1.00	1.00	1.25	1.63	2.63	1.43 ± 0.57	
- Women aged 18-40 yr	1.00	1.00	1.00	1.25	1.88	1.18 ± 0.27	1.00	1.00	1.13	1.50	2.38	1.33 ± 0.48	
- Women aged 41-65 yr	1.00	1.00	1.00	1.13	1.63	1.13 ± 0.23	1.00	1.00	1.00	1.25	1.88	1.20 ± 0.33	
- Men aged 18-40 yr	1.00	1.13	1.38	1.75	2.50	1.53 ± 0.49	1.00	1.25	1.63	2.25	3.25	1.80 ± 0.73	
- Men aged 41-65 yr	1.00	1.00	1.13	1.50	2.38	1.33 ± 0.42	1.00	1.13	1.38	1.88	2.75	1.57 ± 0.60	
Suspiciousness													
All participants	1.00	1.00	1.13	1.50	2.15	1.32 ± 0.46	1.00	1.38	2.00	2.88	4.00	2.18 ± 0.99	
- Women aged 18-40 yr	1.00	1.00	1.13	1.50	2.14	1.31 ± 0.45	1.00	1.38	2.13	3.00	4.13	2.27 ± 1.02	
- Women aged 41-65 yr	1.00	1.00	1.13	1.25	2.11	1.25 ± 0.45	1.00	1.13	1.63	2.50	3.75	1.92 ± 0.91	
- Men aged 18-40 yr	1.00	1.00	1.25	1.63	2.40	1.43 ± 0.50	1.00	1.50	2.25	3.00	4.13	2.33 ± 0.97	
- Men aged 41-65 yr	1.00	1.00	1.13	1.50	2.13	1.32 ± 0.44	1.00	1.25	2.00	2.88	4.00	2.18 ± 0.99	
Social Avoidance													
All participants	1.00	1.17	1.67	2.17	3.33	1.82 ± 0.73	1.17	2.17	3.00	3.83	4.67	2.98 ± 1.07	
- Women aged 18-40 yr	1.00	1.33	1.83	2.33	3.50	1.88 ± 0.73	1.17	2.33	3.17	4.00	4.67	3.11 ± 1.06	
- Women aged 41-65 yr	1.00	1.17	1.67	2.17	3.33	1.80 ± 0.73	1.00	1.83	2.83	3.67	4.50	2.78 ± 1.07	
- Men aged 18-40 yr	1.00	1.17	1.67	2.17	3.50	1.84 ± 0.77	1.17	2.33	3.17	3.83	4.67	3.05 ± 1.06	
- Men aged 41-65 yr	1.00	1.17	1.67	2.00	3.17	1.71 ± 0.70	1.17	2.00	2.83	3.67	4.50	2.84 ± 1.04	
Narcissism													
All participants	1.00	1.63	2.13	2.63	3.50	2.18 ± 0.76	1.10	1.75	2.25	2.88	3.88	2.36 ± 0.83	
- Women aged 18-40 yr	1.00	1.75	2.25	3.00	3.63	2.33 ± 0.79	1.25	1.88	2.50	3.00	3.88	2.47 ± 0.80	
- Women aged 41-65 yr	1.00	1.38	1.88	2.38	3.13	1.92 ± 0.66	1.00	1.38	1.88	2.50	3.38	1.98 ± 0.73	
- Men aged 18-40 yr	1.25	1.88	2.50	2.88	3.89	2.43 ± 0.76	1.25	2.00	2.63	3.25	4.13	2.63 ± 0.86	
- Men aged 41-65 yr	1.13	1.50	2.00	2.50	3.50	2.07 ± 0.73	1.00	1.63	2.25	2.88	3.88	2.31 ± 0.82	
Insecure Attachment													
All participants	1.00	1.17	1.50	2.17	3.33	1.74 ± 0.77	1.00	2.00	2.83	3.83	4.83	2.91 ± 1.13	
- Women aged 18-40 yr	1.00	1.17	1.67	2.33	3.33	1.85 ± 0.79	1.17	2.17	3.17	4.00	4.83	3.08 ± 1.11	
- Women aged 41-65 yr	1.00	1.17	1.50	2.17	3.64	1.76 ± 0.80	1.00	2.00	2.83	3.83	4.83	2.86 ± 1.17	
- Men aged 18-40 yr	1.00	1.17	1.33	1.83	3.17	1.57 ± 0.65	1.00	1.83	2.67	3.50	4.67	2.68 ± 1.07	
- Men aged 41-65 yr	1.00	1.17	1.50	2.00	3.50	1.70 ± 0.76	1.00	1.83	2.67	3.67	4.83	2.81 ± 1.13	
Self-Harm													
All participants	1.00	1.00	1.00	1.00	1.50	1.07 ± 0.27	1.00	1.00	1.33	2.33	3.67	1.76 ± 0.96	
- Women aged 18-40 yr	1.00	1.00	1.00	1.00	1.50	1.07 ± 0.27	1.00	1.00	1.33	2.33	4.00	1.78 ± 1.01	
- Women aged 41-65 yr	1.00	1.00	1.00	1.00	1.67	1.09 ± 0.31	1.00	1.00	1.17	2.17	3.67	1.69 ± 0.92	
- Men aged 18-40 yr	1.00	1.00	1.00	1.00	1.33	1.06 ± 0.26	1.00	1.00	1.50	2.33	3.67	1.79 ± 0.92	
- Men aged 41-65 yr	1.00	1.00	1.00	1.00	1.50	1.05 ± 0.23	1.00	1.00	1.33	2.33	3.67	1.76 ± 0.93	

ROM: Routine outcome monitoring

To calculate sum scores for the DAPP-SF subscales, multiply the mean scores by the number of items per subscale.