



Prague, Males, 2003 - 2007
MN colon




Smoothed Standardised Mortality Ratios (sSMR)
with respect to EU

Prague, Males, 2003 - 2007
MN colon




Probability sSMR > 1

Prague, Males, 2003 - 2007
MN rectum, anus and anal canal




Prague, Males, 2003 - 2007
MN rectum, anus and anal canal




Probability sSMR > 1

Prague, Males, 2003 - 2007
Hodgkin's disease




Smoothed Standardised Mortality Ratios (sSMR)
with respect to EU

Prague, Males, 2003 - 2007
Hodgkin's disease




Probability sSMR > 1

Prague, Males, 2003 - 2007
Rheumatic heart disease



Smoothed Standardised Mortality Ratios (sSMR)
with respect to EU


Prague, Males, 2003 - 2007
Rheumatic heart disease




Probability sSMR > 1

Prague, Males, 2003 - 2007

Hypertension




Prague, Males, 2003 - 2007 Hypertension




Probability sSMR > 1

Prague, Males, 2003 - 2007
Heart failure




Prague, Males, 2003 - 2007
Heart failure




Probability sSMR > 1

Prague, Males, 2003 - 2007
Cerebrovascular diseases




Smoothed Standardised Mortality Ratios (sSMR)
with respect to EU

Prague, Males, 2003 - 2007
Cerebrovascular diseases




Probability sSMR > 1

Prague, Males, 2003 - 2007
Peptic ulcer




Smoothed Standardised Mortality Ratios (sSMR)
with respect to EU

Prague, Males, 2003 - 2007
Peptic ulcer




Probability sSMR > 1

Prague, Males, 2003 - 2007
Renal failure




Prague, Males, 2003 - 2007
Renal failure




Probability sSMR > 1

Prague, Males, 2003 - 2007
Conditions originating in the perinatal period




Smoothed Standardised Mortality Ratios (sSMR)
with respect to EU

Prague, Males, 2003 - 2007
Conditions originating in the perinatal period




Probability sSMR > 1

Prague, Females, 2003 - 2007
MN colon




Prague, Females, 2003 - 2007
MN colon




Probability sSMR > 1

Prague, Females, 2003 - 2007
MN rectum, anus and anal canal




Smoothed Standardised Mortality Ratios (sSMR)
with respect to EU

Prague, Females, 2003 - 2007
MN rectum, anus and anal canal




Probability sSMR > 1

Prague, Females, 2003 - 2007
MN cervix uteri




Smoothed Standardised Mortality Ratios (sSMR)
with respect to EU

Prague, Females, 2003 - 2007
MN cervix uteri




Probability sSMR > 1

Prague, Females, 2003 - 2007
Hodgkin's disease




Smoothed Standardised Mortality Ratios (sSMR)
with respect to EU

Prague, Females, 2003 - 2007
Hodgkin's disease




Probability sSMR > 1

Prague, Females, 2003 - 2007
Rheumatic heart disease




Prague, Females, 2003 - 2007
Rheumatic heart disease



Probability sSMR > 1


Prague, Females, 2003 - 2007

Hypertension




Smoothed Standardised Mortality Ratios (sSMR)
with respect to EU

Prague, Females, 2003 - 2007 Hypertension




Probability sSMR > 1

Prague, Females, 2003 - 2007
Heart failure




Smoothed Standardised Mortality Ratios (sSMR)
with respect to EU

Prague, Females, 2003 - 2007
Heart failure




Probability sSMR > 1

Prague, Females, 2003 - 2007
Cerebrovascular diseases




Prague, Females, 2003 - 2007
Cerebrovascular diseases




Probability sSMR > 1

Prague, Females, 2003 - 2007
Peptic ulcer




Prague, Females, 2003 - 2007
Peptic ulcer




Probability sSMR > 1

Prague, Females, 2003 - 2007
Renal failure




Prague, Females, 2003 - 2007
Renal failure




Probability sSMR > 1

Prague, Females, 2003 - 2007
Conditions originating in the perinatal period



Prague, Females, 2003 - 2007
Conditions originating in the perinatal period



Probability sSMR > 1