



AIDS (HIV disease)




Smoothed Standardised Mortality Ratios (sSMR) with respect to EU, Males




Smoothed Standardised Mortality Ratios (sSMR) with respect to EU, Males

MN rectum, anus and anal canal




Smoothed Standardised Mortality Ratios (sSMR) with respect to EU, Males



Hodgkin's disease


AMSTERDAM
BARCELONA
BRATISLAVA
BRUSSELS
BUDAPEST
HELSINKI
KOSICE
LISBON
LONDON
MADRID
PRAGUE
ROTTERDAM
STOCKHOLM
TURIN
ZURICH

ALL




Smoothed Standardised Mortality Ratios (sSMR) with respect to EU, Males

Rheumatic heart disease




Smoothed Standardised Mortality Ratios (sSMR) with respect to EU, Males

Hypertension




Smoothed Standardised Mortality Ratios (sSMR) with respect to EU, Males

Heart failure




Smoothed Standardised Mortality Ratios (sSMR) with respect to EU, Males

Cerebrovascular diseases




Smoothed Standardised Mortality Ratios (sSMR) with respect to EU, Males

Peptic ulcer




Smoothed Standardised Mortality Ratios (sSMR) with respect to EU, Males

Renal failure




Smoothed Standardised Mortality Ratios (sSMR) with respect to EU, Males

Conditions originating in the perinatal period



Smoothed Standardised Mortality Ratios (sSMR) with respect to EU, Males

Congenital heart disease




Smoothed Standardised Mortality Ratios (sSMR) with respect to EU, Males

AIDS (HIV disease)

AMSTERDAM
BARCELONA
BRATISLAVA
BRUSSELS
BUDAPEST
HELSINKI
KOSICE
LISBON
LONDON
MADRID
PRAGUE
ROTTERDAM
STOCKHOLM
TURIN
ZURICH

ALL




Smoothed Standardised Mortality Ratios (sSMR) with respect to EU, Females

MN colon


AMSTERDAM
BARCELONA
BRATISLAVA
BRUSSELS
BUDAPEST
HELSINKI
KOSICE
LISBON
LONDON
MADRID
PRAGUE
ROTTERDAM
STOCKHOLM
TURIN
ZURICH

ALL



Smoothed Standardised Mortality Ratios (sSMR) with respect to EU, Females

MN rectum, anus and anal canal




Smoothed Standardised Mortality Ratios (sSMR) with respect to EU, Females

MN cervix uteri

AMSTERDAM
BARCELONA
BRATISLAVA
BRUSSELS
BUDAPEST
HELSINKI
KOSICE
LISBON
LONDON
MADRID
PRAGUE
ROTTERDAM
STOCKHOLM
TURIN
ZURICH

ALL




Smoothed Standardised Mortality Ratios (sSMR) with respect to EU, Females

Hodgkin's disease


AMSTERDAM
BARCELONA
BRATISLAVA
BRUSSELS
BUDAPEST
HELSINKI
KOSICE
LISBON
LONDON
MADRID
PRAGUE
ROTTERDAM
STOCKHOLM
TURIN
ZURICH

ALL




Smoothed Standardised Mortality Ratios (sSMR) with respect to EU, Females

Rheumatic heart disease




Smoothed Standardised Mortality Ratios (sSMR) with respect to EU, Females

Hypertension




Smoothed Standardised Mortality Ratios (sSMR) with respect to EU, Females

Heart failure




Smoothed Standardised Mortality Ratios (sSMR) with respect to EU, Females

Cerebrovascular diseases




Smoothed Standardised Mortality Ratios (sSMR) with respect to EU, Females

Peptic ulcer




Smoothed Standardised Mortality Ratios (sSMR) with respect to EU, Females

Renal failure




Smoothed Standardised Mortality Ratios (sSMR) with respect to EU, Females

Conditions originating in the perinatal period



Smoothed Standardised Mortality Ratios (sSMR) with respect to EU, Females

Congenital heart disease



Smoothed Standardised Mortality Ratios (sSMR) with respect to EU, Females