




Bratislava, Males, 1996 - 2008
MN colon




Bratislava, Males, 1996 - 2008
MN colon



Bratislava, Males, 1996 - 2008
MN rectum, anus and anal canal




Bratislava, Males, 1996 - 2008
MN rectum, anus and anal canal




Probability sSMR > 1


Bratislava, Males, 1996 - 2008
MN testes




Bratislava, Males, 1996 - 2008
MN testes




Bratislava, Males, 1996 - 2008
Hodgkin's disease




Bratislava, Males, 1996 - 2008
Hodgkin's disease




Bratislava, Males, 1996 - 2008
Rheumatic heart disease




Bratislava, Males, 1996 - 2008
Rheumatic heart disease




Bratislava, Males, 1996 - 2008
Hypertension




Bratislava, Males, 1996 - 2008 Hypertension




Bratislava, Males, 1996 - 2008
Heart failure




Bratislava, Males, 1996 - 2008
Heart failure




Bratislava, Males, 1996 - 2008
Cerebrovascular diseases




Bratislava, Males, 1996 - 2008
Cerebrovascular diseases




Bratislava, Males, 1996 - 2008
Peptic ulcer




Bratislava, Males, 1996 - 2008
Peptic ulcer




Bratislava, Males, 1996 - 2008
Renal failure




Bratislava, Males, 1996 - 2008
Renal failure




Bratislava, Males, 1996 - 2008
Conditions originating in the perinatal period



Smoothed Standardised Mortality Ratios (sSMR)
with respect to EU




Bratislava, Males, 1996 - 2008
Conditions originating in the perinatal period




Probability sSMR > 1


Bratislava, Males, 1996 - 2008
Congenital heart disease




Bratislava, Males, 1996 - 2008
Congenital heart disease




Bratislava, Females, 1996 - 2008
MN colon




Bratislava, Females, 1996 - 2008
MN colon




Bratislava, Females, 1996 - 2008
MN rectum, anus and anal canal




Bratislava, Females, 1996 - 2008
MN rectum, anus and anal canal




Bratislava, Females, 1996 - 2008
MN cervix uteri




Bratislava, Females, 1996 - 2008
MN cervix uteri




Bratislava, Females, 1996 - 2008
Hodgkin's disease




Bratislava, Females, 1996 - 2008
Hodgkin's disease




Bratislava, Females, 1996 - 2008
Rheumatic heart disease




Bratislava, Females, 1996 - 2008
Rheumatic heart disease




Bratislava, Females, 1996 - 2008
Hypertension




Bratislava, Females, 1996 - 2008 Hypertension




Bratislava, Females, 1996 - 2008
Heart failure




Bratislava, Females, 1996 - 2008
Heart failure




Bratislava, Females, 1996 - 2008
Cerebrovascular diseases




Bratislava, Females, 1996 - 2008
Cerebrovascular diseases




Bratislava, Females, 1996 - 2008
Peptic ulcer




Bratislava, Females, 1996 - 2008
Peptic ulcer




Bratislava, Females, 1996 - 2008
Renal failure




Bratislava, Females, 1996 - 2008
Renal failure




Bratislava, Females, 1996 - 2008
Conditions originating in the perinatal period



Bratislava, Females, 1996 - 2008
Conditions originating in the perinatal period



Bratislava, Females, 1996 - 2008
Congenital heart disease



Bratislava, Females, 1996 - 2008
Congenital heart disease

