




Kosice, Males, 1996 - 2008
MN colon




Kosice, Males, 1996 - 2008
MN colon




Kosice, Males, 1996 - 2008
MN rectum, anus and anal canal




Kosice, Males, 1996 - 2008
MN rectum, anus and anal canal




Kosice, Males, 1996 - 2008
MN testes





Kosice, Males, 1996 - 2008
MN testes



Kosice, Males, 1996 - 2008
Hodgkin's disease




Kosice, Males, 1996 - 2008
Hodgkin's disease




Probability sSMR > 1

Kosice, Males, 1996 - 2008
Rheumatic heart disease




Kosice, Males, 1996 - 2008
Rheumatic heart disease




Probability sSMR > 1


Kosice, Males, 1996 - 2008 Hypertension




Kosice, Males, 1996 - 2008 Hypertension




Kosice, Males, 1996 - 2008
Heart failure




Kosice, Males, 1996 - 2008
Heart failure




Kosice, Males, 1996 - 2008
Cerebrovascular diseases




Kosice, Males, 1996 - 2008
Cerebrovascular diseases




Kosice, Males, 1996 - 2008
Peptic ulcer




Kosice, Males, 1996 - 2008
Peptic ulcer




Kosice, Males, 1996 - 2008 Renal failure




Kosice, Males, 1996 - 2008
Renal failure




Kosice, Males, 1996 - 2008
Conditions originating in the perinatal period




Kosice, Males, 1996 - 2008
Conditions originating in the perinatal period




Kosice, Males, 1996 - 2008
Congenital heart disease




Kosice, Males, 1996 - 2008
Congenital heart disease




Probability sSMR > 1




Kosice, Females, 1996 - 2008
MN colon




Kosice, Females, 1996 - 2008
MN colon




Kosice, Females, 1996 - 2008
MN rectum, anus and anal canal




Kosice, Females, 1996 - 2008
MN rectum, anus and anal canal



Kosice, Females, 1996 - 2008
MN cervix uteri




Kosice, Females, 1996 - 2008
MN cervix uteri




Kosice, Females, 1996 - 2008

Rheumatic heart disease




Kosice, Females, 1996 - 2008
Rheumatic heart disease




Kosice, Females, 1996 - 2008


Hypertension




Kosice, Females, 1996 - 2008 Hypertension




Kosice, Females, 1996 - 2008
Heart failure




Kosice, Females, 1996 - 2008
Heart failure




Kosice, Females, 1996 - 2008
Cerebrovascular diseases




Kosice, Females, 1996 - 2008
Cerebrovascular diseases




Kosice, Females, 1996 - 2008
Peptic ulcer




Kosice, Females, 1996 - 2008
Peptic ulcer




Kosice, Females, 1996 - 2008
Renal failure




Kosice, Females, 1996 - 2008
Renal failure




Kosice, Females, 1996 - 2008
Conditions originating in the perinatal period



Kosice, Females, 1996 - 2008
Conditions originating in the perinatal period



Kosice, Females, 1996 - 2008
Congenital heart disease



Kosice, Females, 1996 - 2008
Congenital heart disease

