

Table S3. Primers used in this study to generate the gene fragments for qRT-PCR analysis

Gene	Gene number	Forward	Reverse
<i>Histone (H2B)</i>	NRRL3_09214	AGACCTCTGTGAGGCTCATCCT	AAGCACGCGGTGTCGG
<i>IraA</i>	NRRL3_01494	AAGCCGTGGAAGCCTTTGGAC	GTGAGTAATGCGGGAGTGTGC
<i>IraB</i>	NRRL3_01493	GCAGCCCGAGTTCATTGATGG	GCAGTTGGCGTTTGATCTGGG
<i>IraC</i>	NRRL3_01495	TCCTGGGCTCTTTCTGCGTC	GACTAAGGGATTTGCCACGGG
<i>Ira4</i>	NRRL3_08779	CTCGCCCAGTCCAACTCCAAT	AGCTCACTTGCGGAAATGTTGG
<i>rhaR</i>	NRRL3_01496	TCCACGGGTCCACAATAGCC	CCCCGACATCCTCTTCTTCGT
<i>rgaeA</i>	NRRL3_00169	ACGTCGCCCAATACCTGAGC	CTACGGCTTGGTTGGACACG
<i>rgxA</i>	NRRL3_02832	CCACTTCAGAAACATCAGCGGC	GGGTAATCAGTCACCGTTGCG
<i>rglB</i>	NRRL3_10115	GGAAAAGGCTCCACTGCGTCT	CAGCTCGGATCTGCCAGTGTT