








Salix saximontana Rydb.






























Betula nana L. exilis (Sukatch.) Hu H.


















Salix breweri Bebb.












*Demosthenesia graebneriana* (Hoer.) A.C. Sm.








Bubbia schlechteri Guill.




















































































Weinmannia elliptica H.B.K.




Brackenridgea zanguebarica Oliv.












Celtis berlandieri Klotzsch.










Findlaya apophysata Hook. F.








*Clematis reticulata* Walt.






















*Securidaca rivinifolia* St. Hil. var. *parvifolia* A.W. Benn.







*Sebastiania edwalliana* Pax & Hoff. var. *vestita* Chod & Hassl.




*Xylosma congestum* (Lour.) Merr.




*Drimys hatamensis* (Becc.) A.C. Sm.











Psorospermum androsaemifolium Bak.














Davilla elliptica St. Hil.




Zelkova schneideriana Hand.-Maz.













Parasponia melastomifolia J.J.Sm.










Clematis pitcheri (T. & G.) Britt.




*Clematis pitcheri* (T. & G.) Britt.




























Brackenridgea nitida A. Gray




Vasivaea alchorzoides Baill.








Stephanodaphne cremostachya Baill.




*Crataegus douglasii* Lindl.













*Clematis reticulata* Walt.





























Fraxinus floribunda Wall.










Elaeocarpus cyaneus Ait.




Fraxinus sieboldiana Bl.










Weinmannia laurina H.B.K.




Acrophyllum venosum Benth.
































*Acalypha mapirensis* Fax.











*Arrabidaea lundellii* Standl.


















Salix pyrolaefolia Ledeb.































Cedrelopsis grevei Baill.





*Acalypha neptunica* Muell. Arg.







Tina gelonium R. & Sch.









Fraxinus chinensis Roxb.













Lecythis costaricensis Pitt.













Sloanea garckeana K. Schum.
















Elaeocarpus hainanensis Oliv.

















*Annona reticulata* L.













Clematis pitcheri (T. & G.) Britt.





Populus fremontii S. Wats.


















Sapium oligoneuron Schm. & Pitt.








































Sladenia celastrifolia Kurz.








Sacoglottis amazonica Mart.


















Fraxinus floribunda Wall.














Sloanea guianensis Bth.





Parvatia brunoniana Dcne.








Girronniera parvifolia Pl.




















Ocotea foetans (Ait.) Benth.





Tapura guianensis Aubl.















*Acokanthera longiflora* Stapf.









































Dacryodes rostrata Lam.




*Aspidosperma megalocarpon* Muell. Arg.















































*Annona sericea* Dunal.










Kayea elmeri Merr.














*Smeathmannia pubescens* Soland. Ex R. Br.




Urechites andrieuxii Muell. Arg.







Fraxinus koehneana Lingelsh.




Securidaca lamarckii Griseb.





*Diospyros longibracteata* H. Lec.



















*Annona reticulata* L.




















Lyonsia reticulata F.V. Muell.





Cassipourea lescotiana J.-G. Adam


























Tilia chingiana Hu & Chang









Ludia sessiliflora Lam.




Hydnocarpus yatesii Merr.













Phyllostemonodaphne geminiflora (Meissn.) Kost.










Schizomeria brassii Mattf.



























*Tilia oblongifolia* Batal.



































Gonypetalum acereanum Ule.










Coelostegia griffithii Benth.





Teijsmanniodendron coriaceum (C.B. Clarke) Kosterm.





























Kielmeyera variabilis Mart.









Quercus chasei Mc Minn Et Al.





Quercus catesbaei Michx.
















Artabotrys likimensis De Wild.





















*Alangium rotundifolium* (Hassk.) Bloemb.














Hoheria populnea A. Cunn.










Ancistrocladus vahliei Arn.



Lindackeria laurina Presl.

