





a. Double standard curve and dissolution curve of the RT-PCR of *TaBiP* in different wheat tissues.



TaBiP1



TaBiP2





TaBiP3





b. Double standard curve and dissolution curve of the RT-PCR of *TaBiP* in different wheat tissues under different abiotic stress.

In root under 20%PEG



TaBiP1



TaBiP2





TaBiP3





In leaves under 20%PEG



TaBiP1



TaBiP2





TaBiP3





In leaves under different concentration PEG



TaBiP1



TaBiP2





TaBiP3





c. Double standard curve and dissolution curve of the RT-PCR of *TaBiP* in developing seeds and under drought stress



**TaBiP1 of
yanyou361CK**





**TaBiP1 of
yanyou361GH**





**TaBiP2 of
yanyou361CK**





**TaBiP2 of
yanyou361GH**



**TaBiP3 of
yanyou361CK**





**TaBiP3 of
yanyou361GH**





d. Double standard curve and dissolution curve of the RT-PCR of TaBiP in different subunits of developing seeds.

Double standard curve and dissolution curve of the RT-PCR of *TaBiP1* in different subunits of developing seeds.



L03-222





L03-227





L03-228





L03-231





L03-233





L03-235



L03-238





L03-240





Double standard curve and dissolution curve of the RT-PCR of *TaBiP2* in different subunits of developing seeds.



L03-222





L03-227





L03-228





L03-231





L03-233





L03-235



L03-238





L03-240





Double standard curve and dissolution curve of the RT-PCR of *TaBiP3* in different subunits of developing seeds.



L03-222





L03-227





L03-228





L03-231





L03-233



L03-235



L03-238



L03-240

