

% and total	TOTAL*	<i>Q. suber</i>	<i>Q. robur</i>	<i>Q. petraea</i>	<i>Q. rubra</i>	<i>Q. alba</i>	<i>F. sylvatica</i>	<i>C. mollissima</i>	<i>C. dentata</i>	AVERAGE**
<i>Q. suber</i>	56163	100 56163	67.8 38071	61.8 34704	65.6 36821	59.0 33145	50.7 28480	80.9 45433	80.5 45239	66.6
<i>Q. robur</i>	65006	94.4 61349	99.9 64925	84.2 54713	83.1 54048	79.3 51536	68.2 44355	92.1 59865	91.7 59628	84.7
<i>Q. petraea</i>	47547	96.2 45718	88.1 41873	99.9 47492	82.6 39288	79.3 37681	69.1 32854	92.9 44177	91.5 43519	85.7
<i>Q. rubra</i>	20129	94.7 19061	67.2 13529	60.3 12145	99.9 20113	60.3 12131	48.0 9654	86.2 17360	84.1 16922	71.5
<i>Q. alba</i>	16152	95.2 15384	70.4 11379	63.9 10327	72.0 11628	99.9 16134	50.5 8150	87.1 14074	80.8 13053	74.3
<i>F. sylvatica</i>	27759	93.0 25815	77.7 21566	74.0 20545	75.9 21082	71.8 19920	100 27747	85.7 23786	82.0 22765	80.0
<i>C. mollissima</i>	31713	92.4 29289	61.6 19537	55.4 17555	59.0 18726	51.5 16219	42.8 13574	99.9 31686	73.2 23219	62.3
<i>C. dentata</i>	31282	93.7 29308	63.8 19971	56.5 17688	62.2 19452	53.5 16741	44.4 13901	84.9 26550	99.9 31244	65.6
AVERAGE**		94.2	70.9	65.2	71.5	65.0	53.4	87.1	83.4	

*Translated proteins minus misassembled proteins

** Average excluding species own value.