

Table 5 : Intubation attempt and mean intubation time in Intention to treat analysis

	C-MAC group (n= 25)	Bonfils group (n= 25)	<i>P</i>-value
Intubation attempt n (%):			
1	20 (80.0)	19 (76.0)	0.62
2	4 (16.0)	3 (12.0)	
3	1 (4.0)	2 (8.0)	
Mean intubation time (sec)	38.1 (12.2)	30.3 (9.1)	0.014

Table 6 : Heart rate (bpm) by groups in intention to treat analysis

Time	C-MAC group (n=25)	Bonfils group (n=25)
Baseline	75.4 (13.5)	76.4 (12.2)
Induction	70.4 (12.7)	70.8 (14.6)
1 minute	84.5 (14.8)	80.3 (13.2)
2 minute	83.8 (16.4)	79.2 (14.6)
3 minute	82.8 (14.7)	77.8 (14.1)
4 minute	81.2 (13.8)	76.8 (13.1)
5 minute	81.0 (17.7)	75.2 (13.8)

Results are reported as Mean (SD)

p value = 0.364

Table 7 : Mean arterial pressure (mmHg) by group in intention to treat analysis

Time	C-MAC (n=25)	Bonfils (n=25)
Baseline	97.2 (11.3)	99.0 (14.6)
Induction	79.2 (11.8)	77.8 (10.3)
1 minute	93.4 (18.5)	88.4 (14.0)
2 minute	83.2 (15.5)	84.9 (15.6)
3 minute	79.2 (14.4)	78.6 (12.7)
4 minute	74.5 (12.4)	75.5 (11.8)
5 minute	74.4 (10.3)	72.2 (11.9)

Results are reported as Mean (SD)
p value = 0.834

Table 6 : Heart rate (bpm) by group with intubation realized by certified anesthesiologists

Time	C-MAC (n=20)	Bonfils (n=14)
Baseline	74.4 (13.3)	75.2 (12.2)
Induction	68.4 (12.0)	68.7 (12.2)
1 minute	84.0 (15.7)	82.8 (11.2)
2 minute	84.3 (16.8)	79.9 (11.9)
3 minute	83.7 (15.7)	80.0 (11.6)
4 minute	81.6 (14.6)	78.4 (10.9)
5 minute	81.7 (19.2)	75.7 (11.2)

Results are reported as Mean (SD)
p value = 0.559

Table 7 : Mean arterial pressure by group with intubation realized by certified anesthesiologists

Time	C-MAC (n=20)	Bonfils (n=14)
Baseline	99.3 (9.7)	100.1 (12.1)
Induction	99.6 (10.6)	80.9 (11.1)
1 minute	95.6 (19.3)	91.8 (13.6)
2 minute	85.3 (16.3)	84.5 (11.1)
3 minute	80.9 (15.4)	78.1 (8.4)
4 minute	75.3 (13.3)	75.9 (8.8)
5 minute	72.2 (7.9)	74.1 (9.8)

Results are reported as Mean (SD)

p value 0.571