

HEART SCORE ¹¹

History	Highly suspicious	2
	Moderately suspicious	1
	Slightly suspicious	0
ECG	Significant ST-elevation, ST-depression	2
	Non-specific repolarization disturbance	1
	normal	0
AGE	≥ 65 years	2
	> 45 - < 65 years	1
	≤ 45 years	0
Risk factors	≥ 3 risk factors ^a , or history of atherosclerotic disease ^b	2
	1 or 2 risk factors	1
	No risk factors known	0
Troponin	≥ 3× normal limit	2
	> 1 - < 3× normal limit	1
	≤ normal limit	0

a Risk factors include currently treated diabetes mellitus, current or recent smoker, diagnosed and/or treated hypertension, diagnosed hypercholesterolemia, family history of coronary artery disease, obesity (body mass index >30).

B History of atherosclerotic disease includes coronary ☐ evascularization, myocardial infarction, and stroke.

TIMI score ¹³

Age ≥ 65 years	1
≥ 3 risk factors for CAD a	1
Severe angina	1
ST deviation	1
Significant coronary stenosis	1
Using aspirin in last 7 days	1
Elevated serum cardiac markers	1

a Risk factors include currently treated diabetes mellitus, current or recent smoker, diagnosed and/or treated hypertension, diagnosed hypercholesterolemia, family history of coronary artery disease, obesity (body mass index >30).

GRACE SCORE ¹⁴

Age				0-100
Heart rate				0-46
Systolic blood pressure				0-58
Creatinine				1-28
Killip class				0-59
Cardiac arrest at admission				39
ST deviation				28
Elevated serum cardiac markers				14
Killip class (pts)	Creatinine (pts)	Systolic blood pressure (pts)	Heart rate (pts)	AGE (PTS)
I (0)	0 – 0.39 (1)	79 ≥ (58)	50 ≥ (0)	30 ≥ (0)
II (20)	0.40 – 0.79 (4)	80 – 99 (53)	50 – 69 (3)	30 -39 (8)
III (39)	0.80 – 1.19 (7)	100 – 119 (39)	70 – 89 (9)	40 -49 (25)
IV (59)	1.20 – 1.59 (10)	120 – 139 (34)	90 – 109 (15)	50 -59 (41)
	1.60 – 1.99 (13)	140 – 159 (24)	110 -149 (24)	60 – 69 (58)
	2.00 – 3.99 (21)	160 -199 (10)	150 -199 (38)	70 – 79 (75)
	4.00 < (28)	200 ≤ (0)	200 ≤ (46)	80 – 89 (91)
				90 ≤ (100)

HET SCORE ¹⁷

History	Highly suspicious	2
	Moderately suspicious	1
ECG	Slightly suspicious	0
	Significant ST-elevation, ST-depression	2
	Non-specific repolarization disturbance	1
	normal	0
Troponin	$\geq 3 \times$ normal limit	2
	$> 1 - < 3 \times$ normal limit	1
	$\leq$ normal limit	0

EDACS – ADP ¹⁵

Clinical features	Pts
Age:	
18 – 45	+ 2
46 – 50	+ 4
51 - 55	+ 6
56 – 60	+ 8
61 – 65	+ 10
66 – 70	+ 12
71 – 75	+ 14
76 – 80	+ 16
81 - 85	+ 18
+ 86	+ 20
Male gender	+ 6
	+ 4

Signs and symptoms:

Diaphoresis	+ 3
-------------	-----

	+ 5
--	-----

	- 4
--	-----

	- 6
--	-----

EDACS-ADP Classification:

1. A	Low risk
------	----------

2. A	
------	--

3. A	
------	--

1. B	High risk
------	-----------

2. B	
------	--

3. B	
------	--