

Interrupted time series regression coefficients for Malaria

Term	coef	std err	t	P> t	[0.025	0.975]
Intercept	285.72	0.80	358.46	0.00	284.16	287.29
C(month) [T.2]	-22.73	0.52	-43.97	0.00	-23.74	-21.72
C(month) [T.3]	-31.33	0.53	-58.96	0.00	-32.37	-30.29
C(month) [T.4]	-44.78	0.53	-83.89	0.00	-45.82	-43.73
C(month) [T.5]	-36.55	0.52	-69.80	0.00	-37.58	-35.53
C(month) [T.6]	-19.43	0.52	-37.39	0.00	-20.45	-18.41
C(month) [T.7]	-48.34	0.54	-88.84	0.00	-49.41	-47.27
C(month) [T.8]	-56.34	0.54	-103.91	0.00	-57.41	-55.28
C(month) [T.9]	-48.47	0.54	-89.24	0.00	-49.53	-47.40
C(month) [T.10]	-31.12	0.54	-57.36	0.00	-32.18	-30.06
C(month) [T.11]	-19.58	0.54	-35.99	0.00	-20.64	-18.51
C(month) [T.12]	-16.51	0.54	-30.38	0.00	-17.57	-15.44
time	-2.43	0.02	-156.64	0.00	-2.46	-2.40
intervention	-256.37	1.09	-234.67	0.00	-258.52	-254.23
Time after intervention	2.57	0.02	140.96	0.00	2.53	2.60
Covid cases	0.00	0.00	11.19	0.00	0.00	0.00
lockdown	-1.78	0.67	-2.67	0.01	-3.09	-0.47
Covid pandemic	4.66	0.28	16.86	0.00	4.12	5.20

C(month): Month as categorical variable in the regression, T: Dummy variable for each month relative to the reference month (T.1 i.e January)