

Supplementary Material

S1. CONUT Score

Parameters	Normal	Light	Moderate	Severe
Albumin(g/dl)	≥3.5	3.0-3.49	2.5-2.9	<2.5
Score	0	2	4	6
Lymphocyte count(/uL)	≥1600	1200-1599	800-1199	<800
Score	0	1	2	3
Total cholesterol(mg/dl)	≥180	140-179	100-139	<100
Score	0	1	2	3
Total score	0	4	8	12

Table S2 Baseline Characteristics of PBC Patients with and without Cirrhosis

Characteristic	Overall (n=232)	Cirrhosis (n=106)	Non-Cirrhosis (n=126)	<i>P</i> - value
Age (years)	58.89±10.90	61.37±9.95	56.80±11.27	0.001
Sex (female), n(%)	191(82.33)	88(83)	103(81.7)	0.800
BMI kg/m ² ,media(IQR)	22.51(20.81- 24.22)	22.43(20.70- 24.00)	22.63(21.19- 24.37)	0.296
Follow-up duration(month)	41.81±33.83	28.00(15.50- 53.25)	31.00(16.00- 78.25)	0.159
Overweight, n(%)	14(6.03)	7(6.60)	7(5.56)	
Underweight, n(%)	18(7.76)	12(11.32)	6(4.76)	
nonresponse to UDCA(Toronto)	54(23.3)	32(30.19)	22(17.46)	0.023
Alkaline phosphat ase, U/L, media(IQR)	178.50(127.25- 297.75)	187.00(129.25- 325.75)	167.50(113.00- 278.75)	0.340
Platelets,10 ⁹ /l, media(IQR)	139.90(96.00- 190.75)	125.00(76.75- 142.13)	149.00(133.33- 220.25)	<0.001
Lymphocyte, n(%)	1.58(1.06-2.22)	1.26(0.80-1.89)	1.82(1.41-2.61)	<0.001

CONUT, n(%)			
Malnutrition	88(38)	63(59.4)	25(19.8)
No malnutrition	144(62)	43(40.6)	101(80.2)
GNRI, n(%)			
Malnutrition	94(41)	83(78.3)	55(43.7)
No malnutrition	137(59)	23(21.7)	71(56.3)
PNI, n(%)			
Malnutrition	117(51)	75(70.8)	42(33.3)
No malnutrition	115(49)	31(29.2)	84(66.7)
CPNI, n(%)			
Malnutrition	116(50)	73(68.9)	43(34.1)
No malnutrition	116(50)	33(31.1)	83(65.9)
