

Colonoscopy Day Data

Multimodal Patient Education Improves Bowel Preparation for Colonoscopy: A Randomized Controlled Trial (Hattab et al.)

Compliance

Did you follow a low-fiber diet the day before?

- Yes, completely
- Partially
- No

What was your last meal:

Did you finish the full bottle of the preparation solution (Meroken)?

- Yes, all of it
- About three-quarters or half
- Less than half
- I did not take it

How did you take the preparation?

- Every hour for 6 hours
- Every 2 hours, 3 doses
- All at once

How many Laxidin tablets did you take?

Did you drink 3 liters of water or more?

- Yes
- No
- If no, approximately how many liters?

Satisfaction Section

Did you experience any of the following?

- Vomiting
- Nausea
- Abdominal pain
- Frequent urge to go to the bathroom
- Very bad taste

How satisfied are you with the preparation solution and process?

On a scale from 1 (very bad) to 10 (excellent):

Anxiety STAI-5 Questionnaire

During the 7 days before the colonoscopy, how much did you feel the following:

I feel calm and relaxed

- Very much
- Moderately
- Sometimes
- Not at all

I feel tense and nervous

- Very much
- Moderately
- Sometimes
- Not at all

I feel anxious

- Very much
- Moderately
- Sometimes
- Not at all

I feel relaxed

- Very much
- Moderately
- Sometimes
- Not at all

I feel reassured

- Very much
- Moderately
- Sometimes
- Not at all

I feel worried

- Very much
- Moderately
- Sometimes
- Not at all

Post-Colonoscopy Section

How satisfied are you with the colonoscopy procedure itself?

On a scale from 1 (very bad) to 10 (excellent):

Would you agree to have another colonoscopy if needed for medical reasons?

- Strongly agree
- Agree
- Neutral
- Disagree
- Strongly disagree

For Endoscopists

BBSS score (1-3) for each:

Right colon:

Left colon:

Transverse colon:

Withdrawal time:

Cecal intubation rate:

Reached cecum:

- Yes
- No (If no, why:)