

Additional file 1. Causative species of asymptomatic bacteriuria.

species	women		men	
	S1 (n = 37) n (%)*	S2 (n = 37) n (%)*	S1 (n = 3) n (%)	S2 (n = 3) n (%)
<i>E. coli</i>	34 (91.9)	31 (83.8)	1 (33.3)	1 (33.3)
<i>A. urinae</i>	1 (2.7)	3 (8.1)	0 (0)	0 (0)
<i>K. pneumoniae</i>	1 (2.7)	1 (2.7)	0 (0)	0 (0)
<i>K. variicola</i>	1 (2.7)	1 (2.7)	0 (0)	0 (0)
<i>K. oxytoca</i>	1 (2.7)	0 (0)	0 (0)	0 (0)
<i>S. haemolyticus</i>	1 (2.7)	0 (0)	0 (0)	0 (0)
<i>S. gallolyticus</i>	1 (2.7)	0 (0)	0 (0)	0 (0)
<i>E. faecalis</i>	0 (0)	1 (2.7)	1 (33.3)	0 (0)
<i>C. koseri</i>	0 (0)	1 (2.7)	0 (0)	0 (0)
<i>M. morgani</i>	0 (0)	1 (2.7)	0 (0)	0 (0)
<i>L. delbrueckii</i>	0 (0)	1 (2.7)	0 (0)	0 (0)
<i>A. sanguinicola</i>	0 (0)	1 (2.7)	0 (0)	0 (0)
<i>S. epidermidis</i>	0 (0)	0 (0)	0 (0)	1 (33.3)
<i>S. agalactiae</i>	0 (0)	0 (0)	1 (33.3)	1 (33.3)

Causative species of asymptomatic bacteriuria identified in sampling rounds S1 or S2, separated by gender.

*total exceeds 100% as polymicrobial ABU occurred in three cases