

Supplementary Table S4 Inter- and Intra-rater ICC for eFI-CGA Variables.

Variable	a) Inter-Rater ICC between Geriatrician and PCP Assessments at BL (n = 96) and FL (n = 81)					b) Intra-Rater ICC between BL and FL Assessments for Geriatricians (n = 81) and PCPs (n = 81)				
	Time	ICC	95% CI		Sig.	Physician Type	ICC	95% CI		Sig.
Cognition	BL	0.72	0.58	0.81	<.001	GM	0.87	0.83	0.93	<.001
	FL	0.81	0.65	0.89	<.001	PCP	0.80	0.53	0.77	<.001
Delirium	BL	-0.02	-0.54	0.32	.541	GM	-0.03	-0.61	0.35	.545
	FL	-0.03	-0.61	0.35	.545	PCP	1.00	1.00	1.00	<.001
Mini-Cog [^]	BL	0.72	0.58	0.82	<.001	GM	0.66	0.45	0.79	<.001
	FL	0.71	0.52	0.82	<.001	PCP	0.68	0.49	0.80	<.001
MoCA [^]	BL	0.98	0.96	0.98	<.001	GM	0.83	0.72	0.90	<.001
	FL	0.99	0.98	0.99	<.001	PCP	0.82	0.72	0.88	<.001
FAST	BL	0.53	0.18	0.52	<.001	GM	0.80	0.70	0.87	<.001
	FL	0.52	0.22	0.70	<.001	PCP	0.84	0.75	0.90	<.001
Low Mood	BL	0.62	0.43	0.75	<.001	GM	0.76	0.62	0.85	.001
	FL	0.42	0.09	0.63	.009	PCP	0.43	0.12	0.64	.006
Depression	BL	0.71	0.56	0.81	<.001	GM	0.65	0.44	0.77	<.001
	FL	0.46	0.16	0.65	.003	PCP	0.76	0.62	0.85	<.001
Anxiety	BL	0.52	0.28	0.68	<.001	GM	0.79	0.67	0.87	<.001
	FL	0.43	0.12	0.64	.006	PCP	0.75	0.60	0.84	<.001
Fatigue	BL	0.65	0.48	0.77	<.001	GM	-0.03	-0.61	0.35	.545
	FL	0.60	0.38	0.74	<.001	PCP	0.62	0.40	0.75	<.001
Hallucination	BL	0.66	0.49	0.77	<.001	GM	0.79	0.68	0.87	<.001
	FL	0.00	-0.53	0.35	.500	PCP	1.00	1.00	1.00	<.001
Delusion	BL	1.00	1.00	1.00	<.001	GM	1.00	1.00	1.00	.000
	FL	1.00	1.00	1.00	<.001	PCP	1.00	1.00	1.00	<.001
Emotional-other	BL	-0.14	-0.71	0.25	.722	GM	0.53	0.27	0.70	.001
	FL	0.48	0.18	0.66	.002	PCP	-0.08	-0.68	0.31	.632

Motivation	BL	0.60	0.38	0.74	<.001	GM	0.63	0.42	0.76	<.001
	FL	0.57	0.33	0.73	<.001	PCP	0.51	0.25	0.69	<.001
Health Attitude	BL	0.64	0.46	0.76	<.001	GM	0.72b	0.56	0.82	<.001
	FL	0.52	0.25	0.70	.001	PCP	0.49	0.21	0.67	.001
Speech	BL	0.00	-0.48	0.33	.500	GM	0.83	0.74	0.89	<.001
	FL	0.32	-0.04	0.56	.037	PCP	0.00	-0.54	0.35	.500
Hearing	BL	0.37	0.06	0.58	.007	GM	0.72	0.57	0.82	<.001
	FL	0.46	0.16	0.65	.003	PCP	0.72	0.56	0.82	<.001
Vision	BL	0.42	0.14	0.61	.002	GM	0.80	0.69	0.87	<.001
	FL	0.34	0.01	0.57	.019	PCP	0.77	0.64	0.85	<.001
Sleep	BL	0.50	0.24	0.67	<.001	GM	0.56	0.37	0.74	<.001
	FL	0.60	0.37	0.74	<.001	PCP	0.77	0.64	0.85	<.001
Daytime Drowsiness	BL	0.38	0.08	0.59	.009	GM	0.74	0.59	0.83	<.001
	FL	0.68	0.50	0.80	<.001	PCP	0.82	0.72	0.89	<.001
Pain	BL	0.70	0.56	0.80	<.001	GM	0.79	0.67	0.86	<.001
	FL	0.67	0.48	0.79	<.001	PCP	0.62	0.40	0.76	<.001
Control of Life Events	BL	0.66	0.49	0.77	<.001	GM	0.55	0.29	0.71	<.001
	FL	0.58	0.34	0.73	<.001	PCP	0.62	0.40	0.76	<.001
Usual Activities	BL	0.60	0.40	0.73	<.001	GM	0.75	0.61	0.84	<.001
	FL	0.56	0.31	0.72	<.001	PCP	0.66	0.48	0.78	<.001
Exercise	BL	0.69	0.53	0.79	<.001	GM	0.73	0.57	0.83	<.001
	FL	0.73	0.57	0.82	<.001	PCP	0.49	0.20	0.67	.002
Smoker	BL	0.90	0.85	0.94	<.001	GM	0.89	0.83	0.93	<.001
	FL	0.82	0.72	0.88	<.001	PCP	0.87	0.79	0.92	<.001
Strength	BL	0.66	0.50	0.78	<.001	GM	-0.03	-0.61	0.35	.545
	FL	0.74	0.59	0.83	<.001	PCP	0.50	0.21	0.68	.002
Lower Proximal – Hip Flexor	BL	0.64	0.45	0.77	<.001	GM	0.36	-0.01	0.59	.027
	FL	0.61	0.37	0.76	<.001	PCP	0.49	0.16	0.69	.004
Balance	BL	0.73	0.59	0.82	<.001	GM	0.80	0.69	0.87	<.001
	FL	0.64	0.44	0.77	<.001	PCP	0.69	0.52	0.80	<.001
Falls	BL	0.84	0.76	0.90	<.001	GM	0.71	0.54	0.81	<.001
	FL	0.70	0.52	0.81	<.001	PCP	0.50	0.22	0.68	.001

Number of Falls	BL	0.82	0.74	0.88	<.001	GM	0.64	0.44	0.77	<.001
	FL	0.58	0.33	0.73	<.001	PCP	0.55	0.30	0.71	<.001
Walk Outside	BL	0.51	0.26	0.67	<.001	GM	0.74	0.60	0.84	<.001
	FL	0.67	0.48	0.79	<.001	PCP	0.67	0.49	0.79	<.001
Walk Inside	BL	0.62	0.43	0.75	<.001	GM	0.80	0.68	0.87	<.001
	FL	0.72	0.56	0.82	<.001	PCP	0.74	0.60	0.84	<.001
Transfers	BL	0.89	0.83	0.93	<.001	GM	0.54	0.27	0.70	<.001
	FL	1.00	1.00	1.00	<.001	PCP	0.40	0.07	0.62	.011
Bed	BL	0.00	-0.48	0.33	.500	GM	0.98	0.96	0.99	<.001
	FL	0.60	0.38	0.75	<.001	PCP	0.00	-0.53	0.35	.500
Aid	BL	0.90	0.85	0.93	<.001	GM	0.95	0.91	0.97	<.001
	FL	0.85	0.77	0.90	<.001	PCP	0.87	0.80	0.92	<.001
FTSTS	BL	0.78	0.66	0.86	<.001	GM	0.79	0.66	0.87	<.001
	FL	0.81	0.70	0.88	<.001	PCP	0.75	0.61	0.84	<.001
Weight	BL	0.68	0.52	0.79	<.001	GM	0.88	0.81	0.92	<.001
	FL	0.61	0.39	0.75	<.001	PCP	0.78	0.66	0.86	<.001
Appetite	BL	0.58	0.37	0.72	<.001	GM	0.55	0.30	0.71	<.001
	FL	0.72	0.57	0.82	<.001	PCP	0.21	-0.23	0.49	.146
Bowel	BL	0.60	0.40	0.73	<.001	GM	0.83	0.73	0.89	<.001
	FL	0.68	0.50	0.80	<.001	PCP	0.85	0.77	0.90	<.001
Constipation	BL	0.54	0.31	0.69	<.001	GM	0.63	0.42	0.76	<.001
	FL	0.73	0.58	0.83	<.001	PCP	0.51	0.23	0.69	.001
Bladder	BL	0.59	0.38	0.72	<.001	GM	0.79	0.67	0.87	<.001
	FL	0.70	0.54	0.81	<.001	PCP	0.75	0.60	0.84	<.001
Catheter	BL	0.80	0.70	0.87	<.001	GM	1.00	1.00	1.00	.000
	FL	1.00	1.00	1.00	<.001	PCP	0.80	0.69	0.87	<.001
Feeding	BL	N/A, no variance				GM	0.00	-0.54	0.35	.500
	FL	-0.04	-0.63	0.33	.572	PCP	0.00	-0.55	0.36	.500
Bathing	BL	0.65	0.48	0.76	<.001	GM	0.83	0.73	0.89	<.001
	FL	0.80	0.69	0.87	<.001	PCP	0.92	0.87	0.95	<.001
Dressing	BL	0.69	0.53	0.79	<.001	GM	0.79	0.66	0.86	<.001
	FL	0.66	0.47	0.78	<.001	PCP	-0.03	-0.61	0.34	.544

Toileting	BL	0.00	-0.49	0.33	.500	GM	0.56	0.31	0.72	<.001
	FL	0.94	0.91	0.96	<.001	PCP	0.00	-0.55	0.36	.500
Cooking	BL	0.85	0.77	0.90	<.001	GM	0.94	0.91	0.96	<.001
	FL	0.84	0.75	0.90	<.001	PCP	0.84	0.75	0.90	<.001
Cleaning	BL	0.78	0.67	0.85	<.001	GM	0.91	0.86	0.94	<.001
	FL	0.75	0.61	0.84	<.001	PCP	0.85	0.76	0.90	<.001
Shopping	BL	0.83	0.74	0.89	<.001	GM	0.89	0.83	0.93	<.001
	FL	0.85	0.76	0.91	<.001	PCP	0.82	0.72	0.89	<.001
Medications	BL	0.80	0.71	0.87	<.001	GM	0.90	0.84	0.93	<.001
	FL	0.89	0.83	0.93	<.001	PCP	0.91	0.85	0.94	<.001
Driving	BL	0.96	0.94	0.97	<.001	GM	0.98	0.96	0.98	<.001
	FL	0.95	0.92	0.97	<.001	PCP	0.96	0.94	0.97	<.001
Banking	BL	0.81	0.71	0.87	<.001	GM	0.88	0.82	0.92	<.001
	FL	0.83	0.74	0.89	<.001	PCP	0.86	0.77	0.91	<.001
Enough Income	BL	0.32	-0.03	0.54	.031	GM	0.26	-0.13	0.52	.084
	FL	0.48	0.18	0.66	.002	PCP	0.49	0.20	0.67	.002
Socially Engaged	BL	0.54	0.31	0.69	<.001	GM	0.75	0.60	0.84	<.001
	FL	0.72	0.56	0.82	<.001	PCP	0.70	0.53	0.81	<.001
Lives Alone	BL	0.96	0.94	0.98	<.001	GM	0.97	0.95	0.98	<.001
	FL	0.97	0.95	0.98	<.001	PCP	0.83	0.97	0.99	<.001
Number of Medications	BL	0.78	0.67	0.85	<.001	GM	0.83	0.73	0.89	<.001
	FL	0.74	0.59	0.84	<.001	PCP	0.82	0.71	0.88	<.001
Number of Problems	BL	0.70	0.54	0.80	<.001	GM	0.73	0.60	0.84	<.001
	FL	0.53	0.28	0.70	<.001	PCP	0.95	0.91	0.97	<.001

Note: eFI-CGA, electronic Frailty Index based on Comprehensive Geriatric Assessment; Mini-Cog, Mini-Cog test for fast cognitive screening; MoCA, Montreal Cognitive Assessment; FAST, Functional Assessment Staging Test; GM, geriatrician; PCP, primary care provider; BL, baseline; FL, follow-up; n, number of participants; ICC, intraclass correlation coefficient; CI, confidence interval; Sig., level of statistical significance.