

Supplementary Table S2 eFI-CGA Variable Value and Odds Ratio.

eFI-CGA Variables	All Participants by PCP (n = 247)					Geriatrician Subgroup (n = 96)			
	Value	OR (Death)	Sig.	OR (Adv.)	Sig.	Physician Group	Value	Stats ANOVA / Z	Sig.
Cognition	0.15 ± 0.27^a	3.39	0.048	6.12	0.001	GM	0.29 ± 0.36	2.12	0.147
						PCP	0.22 ± 0.31^a		
Delirium	0.00 ± 0.06^b	1.00	1.000	1.00	1.000	GM	0.01 ± 0.10	0.00	1.000
						PCP	0.01 ± 0.10		
Mini-Cog [^]	0.36 ± 0.33^c	4.78	0.018	6.07	0.004	GM	0.33 ± 0.33^c	2.43	0.121
						PCP	0.41 ± 0.34^c		
MoCA [^]	0.37 ± 0.29^c	3.36	0.209	4.99	0.087	GM	0.32 ± 0.28^c	0.01	0.929
						PCP	0.33 ± 0.29^c		
FAST	0.24 ± 0.37	5.50	0.008	7.92	0.001	GM	0.32 ± 0.30	5.86	0.016
						PCP	0.22 ± 0.30		
Low Mood	0.31 ± 0.31^a	3.94	0.012	5.04	0.001	GM	0.33 ± 0.47	0.42	0.516
						PCP	0.37 ± 0.48^a		
Depression	0.20 ± 0.40^a	1.01	0.979	1.10	0.789	GM	0.16 ± 0.36	0.93	0.335
						PCP	0.21 ± 0.41^a		
Anxiety	0.27 ± 0.45^a	1.45	0.383	1.92	0.079	GM	0.24 ± 0.43	6.51	0.011
						PCP	0.41 ± 0.49^a		
Fatigue	0.46 ± 0.50^b	2.26	0.030	2.50	0.008	GM	0.42 ± 0.50	2.78	0.097
						PCP	0.54 ± 0.50^a		
Hallucination	0.00 ± 0.06^a	2.09	0.032	1.65	0.107	GM	0.03 ± 0.18^a	1.02	0.315
						PCP	0.01 ± 0.10^a		
Delusion	0.01 ± 0.09	1.00	1.000	1.00	1.000	GM	0.02 ± 0.14	0.00	0.992
						PCP	0.02 ± 0.14^a		
Emotional-other	0.02 ± 0.13^b	1.00	1.000	1.00	1.000	GM	0.06 ± 0.25^b	0.11	0.744
						PCP	0.05 ± 0.22^a		

Motivation	0.40 ± 0.31	2.96	0.447	2.28	0.562	GM	0.44 ± 0.33	8.22	0.005
						PCP	0.31 ± 0.30		
Health Attitude	0.33 ± 0.26^a	1.62	0.365	1.87	0.209	GM	0.33 ± 0.23^b	1.60	0.208
						PCP	0.29 ± 0.26		
Speech	0.02 ± 0.13^a	3.27	0.062	4.16	0.014	GM	0.04 ± 0.20	4.13	0.044
						PCP	0.00 ± 0.00		
Hearing	0.27 ± 0.44	1.00	1.000	1.01	0.999	GM	0.45 ± 0.50	2.18	0.141
						PCP	0.35 ± 0.48		
Vision	0.30 ± 0.46	1.80	0.106	1.87	0.056	GM	0.21 ± 0.41	10.11	0.002
						PCP	0.42 ± 0.50		
Sleep	0.41 ± 0.49	1.90	0.100	1.69	0.115	GM	0.28 ± 0.45	9.12	0.003
						PCP	0.49 ± 0.50		
Daytime Drowsiness	0.39 ± 0.49^a	1.11	0.751	1.01	0.775	GM	0.44 ± 0.50	1.69	1.960
						PCP	0.53 ± 0.50		
Pain	0.29 ± 0.33^a	2.13	0.027	1.94	0.034	GM	0.28 ± 0.30	0.35	0.557
						PCP	0.26 ± 0.32		
Control of Life Events	0.11 ± 0.31^a	1.89	0.197	1.69	0.247	GM	0.15 ± 0.36^a	1.92	0.167
						PCP	0.08 ± 0.28		
Usual Activities	0.27 ± 0.30^a	4.48	0.002	4.40	0.001	GM	0.24 ± 0.27	1.90	0.169
						PCP	0.30 ± 0.30		
Exercise	0.46 ± 0.40	8.88	< 0.001	9.51	< 0.001	GM	0.48 ± 0.41^b	2.23	0.137
						PCP	0.39 ± 0.41		
Smoker	0.30 ± 0.29^a	2.35	0.043	2.27	0.034	GM	0.30 ± 0.28	1.14	0.287
						PCP	0.34 ± 0.26		
Strength	0.29 ± 0.45^a	4.35	0.014	2.42	0.101	GM	0.34 ± 0.48^a	1.22	0.270
						PCP	0.26 ± 0.44^a		
Lower Proximal – Hip Flexor	0.41 ± 0.49^c	2.08	0.049	2.36	0.012	GM	0.33 ± 0.47^b	2.78	0.970
						PCP	0.21 ± 0.41^c		
Balance	0.44 ± 0.50^a	2.10	0.076	1.92	0.094	GM	0.45 ± 0.50	2.53	0.114
						PCP	0.56 ± 0.50		
Falls	0.32 ± 0.47	2.46	0.008	2.90	0.001	GM	0.40 ± 0.49	0.02	0.884
						PCP	0.41 ± 0.49		

Number of Falls	0.22 ± 0.35^a	2.03	0.040	2.18	0.014	GM	0.29 ± 0.39^a	0.00	0.957
						PCP	0.29 ± 0.38		
Walk Outside	0.11 ± 0.24	2.87	0.022	3.47	0.002	GM	0.08 ± 0.24	0.40	0.526
						PCP	0.10 ± 0.22		
Walk Inside	0.12 ± 0.20	4.62	0.017	3.32	0.049	GM	0.09 ± 0.17	0.31	0.576
						PCP	0.11 ± 0.17		
Transfers	0.03 ± 0.13^a	4.96	0.045	3.98	0.064	GM	0.01 ± 0.09	0.40	0.526
						PCP	0.01 ± 0.05		
Bed	0.02 ± 0.10	1.66	0.729	2.21	0.532	GM	0.03 ± 0.16	3.61	0.059
						PCP	0.00 ± 0.00		
Aid	0.25 ± 0.29^a	2.29	0.646	3.72	0.384	GM	0.23 ± 0.31	0.10	0.755
						PCP	0.24 ± 0.29		
FTSTS	0.72 ± 0.31^c	12.81	< 0.001	16.70	< 0.001	GM	0.66 ± 0.38^c	1.11	0.292
						PCP	0.72 ± 0.32^a		
Weight	0.20 ± 0.31	3.03	0.068	3.48	0.029	GM	0.19 ± 0.28	1.37	0.244
						PCP	0.15 ± 0.27		
Appetite	0.09 ± 0.22	1.49	0.438	1.25	0.640	GM	0.09 ± 0.22^a	0.04	0.845
						PCP	0.08 ± 0.21		
Bowel	0.06 ± 0.24	2.23	0.267	2.81	0.110	GM	0.08 ± 0.28	0.74	0.391
						PCP	0.05 ± 0.22		
Constipation	0.22 ± 0.41^b	1.33	0.646	1.02	0.976	GM	0.23 ± 0.42^a	1.73	0.190
						PCP	0.16 ± 0.36		
Bladder	0.21 ± 0.41	1.63	0.226	1.62	0.186	GM	0.26 ± 0.44	1.06	0.305
						PCP	0.20 ± 0.40		
Catheter	0.01 ± 0.09^b	1.45	0.365	1.49	0.278	GM	0.01 ± 0.10	0.34	0.563
						PCP	0.02 ± 0.14		
Feeding	0.00 ± 0.04^a	1.00	1.000	1.00	1.000	GM	0.00 ± 0.00	0.00	1.000
						PCP	0.00 ± 0.00		
Bathing	0.06 ± 0.19	1.00	0.999	1.00	0.999	GM	0.07 ± 0.19	2.37	0.125
						PCP	0.04 ± 0.13		
Dressing	0.03 ± 0.15^a	16.96	0.001	18.13	< 0.001	GM	0.05 ± 0.16	3.44	0.065
						PCP	0.01 ± 0.10		

Toileting	0.01 ± 0.08	15.97	0.002	18.56	0.004	GM	0.02 ± 0.11	1.82	0.179
						PCP	0.00 ± 0.00		
Cooking	0.22 ± 0.37^a	1.00	1.000	1.00	1.000	GM	0.32 ± 0.39	0.69	0.406
						PCP	0.28 ± 0.39		
Cleaning	0.27 ± 0.35	8.05	< 0.001	9.77	< 0.001	GM	0.32 ± 0.35	0.17	0.681
						PCP	0.34 ± 0.35		
Shopping	0.28 ± 0.40^a	13.17	< 0.001	14.08	< 0.001	GM	0.32 ± 0.40	1.44	0.232
						PCP	0.25 ± 0.38		
Medications	0.11 ± 0.29	8.21	< 0.001	10.87	< 0.001	GM	0.14 ± 0.29	0.39	0.533
						PCP	0.11 ± 0.28		
Driving	0.40 ± 0.49^a	6.71	0.001	7.55	< 0.001	GM	0.45 ± 0.49	0.05	0.826
						PCP	0.43 ± 0.50		
Banking	0.20 ± 0.35^a	4.83	< 0.001	6.22	< 0.001	GM	0.29 ± 0.41	1.30	0.255
						PCP	0.22 ± 0.35		
Enough Income	0.08 ± 0.27	2.97	0.015	4.15	< 0.001	GM	0.11 ± 0.31^a	1.13	0.289
						PCP	0.06 ± 0.24		
Socially Engaged	0.28 ± 0.34^b	1.09	0.842	1.16	0.797	GM	0.29 ± 0.35^a	0.73	0.394
						PCP	0.25 ± 0.33^a		
Lives Alone	0.48 ± 0.48^a	3.13	0.016	2.21	0.074	GM	0.37 ± 0.44	0.52	0.472
						PCP	0.42 ± 0.48		
Number of Medications	0.59 ± 0.40^a	1.02	0.955	1.23	0.518	GM	0.52 ± 0.42	0.65	0.423
						PCP	0.57 ± 0.41^a		
Number of Problems	7.84 ± 4.22	1.56	0.297	1.40	0.378	GM	8.01 ± 3.15	1.69	0.195
						PCP	7.74 ± 3.50		

Note: Mini-Cog, quick screening for early dementia; MoCA, Montreal Cognitive Assessment; FAST, Functional Assessment Staging Test. ANOVA, analysis of variance; Z, Z-test for two proportions. Adv. A combination of adverse event; OR, Odds Ratio; Sig., Level of Significance. Missing value: ^a, ≤1%; ^b, >1% to 5%; ^c, > 5%.