

Table S1: The terms used to search relevant publications on the prevalence of common uropathogenic bacteria among HIV/AIDS patients.

In PubMed, Scopus, and ISI Web of Science	n
1. "HIV infection"	
2. "HIV"	
3. "Human immunodeficiency virus"	
4. "HIV/AIDS"	
5. "AIDS"	
6. (1 OR 2 OR 3 OR 4 OR 5)	
7. "Urinary tract infection"	
8. "Urinary tract infections"	
9. "UTI"	
10. (7 OR 8 OR 9)	
11. " <i>Escherichia coli</i> "	
12. " <i>E. coli</i> "	
13. " <i>Staphylococcus aureus</i> "	
14. " <i>S. aureus</i> "	
15. " <i>Pseudomonas aeruginosa</i> "	
16. " <i>P. aeruginosa</i> "	
17. " <i>Enterococcus spp.</i> "	
18. " <i>Klebsiella pneumoniae</i> "	
19. " <i>K. pneumoniae</i> "	
20. " <i>Enterobacter spp.</i> "	
21. (11 OR 12 OR 13 OR 14 OR 15 OR 16 OR 17 OR 18 OR 19 OR 20)	
(6 AND 10 AND 21) In PubMed	156
(6 AND 10 AND 21) In Scopus	398
(6 AND 10 AND 21) In ISI Web of Science	86
Duplicate	168
In Google Scholar	0
"HIV/AIDS" and "Urinary tract infections" and "UTI" By searching the above combination in this engine, we screened the first 500 relevancy ranked papers to avoid missing any eligible studies.	
Total	472